	1
	2
	3
	4
	5
	6
	7
Draft Historic and Archaeological Technical	8
Report Longitulu High Consoity Transit Corridor	9
Honolulu High-Capacity Transit Corridor	10
Project	11
	12
	13
	14
	1.5
	15
	16
September 1, 2006	17
	18
Prepared for City and County of Honolulu	19 20
and Federal Transit Administration	21 22 23
Prepared by	24 25
Mason Architects Inc.	26
and Cultural Surveys Hawaiʻi, Inc	27 28

	1
Draft Historic and Archaeological Technica	2
Report	3
	4
	5
	6
Part I. Historic Resources Technical Report	7
Honolulu High-Capacity Transit Corridor	8
Project	9
	10
	11
	12
	13
	14
	15
September 1, 2006	16
	17
Prepared for City and County of Honolulu	18 19
and Federal Transit Administration	20 21 22
Prepared by Mason Architects Inc	23 24 25

Table of Contents

2	SUMMARY	S-1
3	CHAPTER 1 INTRODUCTION	1-1
4	Project Description	1-1
5	Description of the Study Corridor	
6	Alternatives under Consideration.	1-4
7	Project Purpose	1-6
8	Project Area Needs	1-7
9	Improved mobility for travelers facing increasingly severe traffic congestion	
0	Improved transportation system reliability.	
1	Accessibility to new development in 'Ewa/Kapolei/Makakilo as a way of supporting policy to d	
2	area as a second urban center.	
3	Improved transportation equity for all travelers.	1-8
4	History of Project	1-8
5	Project Schedule	1-11
6	CHAPTER 2 STUDIES AND COORDINATION	2-1
7	Regulatory Background	2-1
8	Section 106	
9	Section 4(f) of the Department of Transportation Act	
20	Previous Studies	
21	Coordination	2-3
22	CHAPTER 3 METHODOLOGY	3-5
23	Historic Resources	3_5
24	Alternatives Analysis Methodology	
25	Draft EIS Phase Methodology	
26	Definitions	
27	CHAPTER 4 AFFECTED ENVIRONMENT	4-8
28	No Build Alternative	4-8
29	Transportation System Management Alternative	4-8
80	Managed Lane Alternative	4-8
31	Summary of Affected Resources (Waiawa IC to Hālawa Stream)	
32	Summary of Affected Resources (Hālawa Stream to Pacific Street)	
33	Fixed Guideway Alternative	4-12
34	Summary of Affected Resources (Section I – Kapolei to Fort Weaver Road)	
34 35	Summary of Affected Resources (Section II – Fort Weaver Road to Aloha Stadium)	
36	Summary of Affected Resources (Section III – Aloha Stadium to Middle Street)	
37	Summary of Affected Resources (Section IV – Middle Street to Iwilei)	
88	Summary of Affected Resources (Section V - Iwilei to UH Mānoa)	
39		

1	CHAPTER 5 IMPACTS	5-1
2	Introduction	5-1
3 4	Alternative 1: No Build	
5	Summary of Affected Resources.	
6	Construction Impacts.	
7	Long-term Impacts	
8	Secondary and Cumulative Impacts	
9	Alternative 2: Transportation System Management	
10	Introduction	
11	Summary of Affected Resources	
12	Construction Impacts.	
13	Long-term Impacts	
14	Secondary and Cumulative Impacts	
15 16	Alternative 3: Managed Lane	
17	IntroductionImpacts	
18	Alternative 4: Fixed Guideway	
19	Introduction	
20	Impacts	
21	CHAPTER 6 MITIGATION	6-1
22	Avoiding Impacts to Historic Resources	6-1
23	Alternative 1: No Build	
24	Alternative 2: Transportation System Management	
25	Alternative 3: Managed Lane	
26	Alternative 4: Fixed Guideway	6-1
27	Minimizing Impacts to Historic Resources	
28	Alternative 1: No Build	
29	Alternative 2: Transportation System Management	
30	Alternative 3: Managed Lane	
31	Alternative 4: Fixed Guideway	
32	Other Types of Mitigation (Recordation)	6-3
33	REFERENCES	R-1
34	APPENDIX A HISTORIC RESOURCES, MANAGED LANE	A-1
35	APPENDIX B HISTORIC RESOURCES, FIXED GUIDEWAY	B-1
36		

List of Tables

2	Table S-1. Summary of Historic Resources Impacts and Mitigation	S-2
3	Table 1-1. Fixed Guideway Alternative Analysis Sections and Alignments	1-6
4	Table 4-1. Historic Resources in the Area of the Fixed Guideway Alternative	4-13
5	Table 5-1. Historic Resources Affected by the Fixed Guideway Alternative	5-9
6	Table 5-2. Historic Resources Adjacent to Proposed Station Locations	5-11
7		
8	List of Figures	
9	Figure 1-1. Project Vicinity	1-1
0	Figure 1-2. Areas and Districts in the Study Corridor	1-2
1	Figure 1-3. Project Schedule	1-11
12	Figure 4-1. Managed Lane Alternative	4-9
3	Figure 4-2. Pearl Harbor National Historic Landmark	4-11
4	Figure 4-3. Fixed Guideway Section I	4-15
5	Figure 4-4. Fixed Guideway Section II	4-16
6	Figure 4-5. Fixed Guideway Section III	4-17
7	Figure 4-6. Palm Circle National Historic Landmark	4-18
8	Figure 4-7. Fixed Guideway Section IV	4-20
9	Figure 4-8. Fixed Guideway Section V	4-23
20 21	Figure 4-9. Chinatown Historic District, Merchant Street Historic District, and Hawa Historic District.	-

Acronyms Used in this Document

2	AA	Alternatives Analysis
3	ACHP	Advisory Council on Historic Preservation
4	APE	Area of Potential Effect
5	BPNAS	Barbers Point Naval Air Station
6	BRT	Bus Rapid Transit
7	CFR	Code of Federal Regulations
8	DBEDT	Department of Business Economic Development and Tourism
9	DP	Development Plan
10	DTS	Department of Transportation Services
11	EISPN	Environmental Impact Statement Preparation Notice
12	FTA	Federal Transit Administration
13	GIS	Geographic Information Systems
14	HABS	Historic American Buildings Survey
15	HAER	Historic American Engineering Record
16	HART	Honolulu Area Rail Rapid Transit
17	HHF	Historic Hawai'i Foundation
18	HOV	High Occupancy Vehicle
19	HR	Hawai'i Register of Historic Places
20	LPA	Locally Preferred Alternative
21	MOA	Memorandum of Agreement
22	MSHD	Merchant Street Historic District
23	NEPA	National Environmental Policy Act
24	NHL	National Historic Landmark
25	NHPA	National Historic Preservation Act
26	NR/NRHP	National Register of Historic Places
27	OMPO	O'ahu Metropolitan Planning Organization
28	ORTP	O'ahu Regional Transportation Plan
29	OTS	O'ahu Transportation Study
30	PB	Parsons Brinckerhoff Quade & Douglas, Inc.
31	PH NHL	Pearl Harbor National Historic Landmark
32	PMOA	Programmatic Memorandum of Agreement
33	SHPD	State Historic Preservation Division
34	SHPO	State Historic Preservation Officer
35	TMK	Tax Map Key
36	TSM	Transportation System Management
37	UH	University of Hawai'i
38	UMTA	Urban Mass Transit Administration
39	USDOT	United States Department of Transportation

SI	um	m	2	n	,
J	<i>1111</i>	''''	a	Ιl	•

· _	Canina
2	The City and County of Honolulu Department of Transportation Services (DTS), in
3	coordination with the U.S. Department of Transportation Federal Transit Administration
4	(FTA), is preparing an Alternatives Analysis (AA) to evaluate alternatives that would
5	provide high-capacity transit service between Kapolei and the University of Hawai'i at
6	Mānoa.
7	Because of federal participation in the Honolulu High-Capacity Transit Corridor Project,
8	this project must comply with Section 106 of the National Historic Preservation Act of
9	1966 (NHPA) and Section 4(f) of the Department of Transportation Act of 1966. The
0	analysis completed in this technical report to support the AA addresses the first steps in
1	meeting the requirements of these two acts. To evaluate the relative impacts and benefits
2	of each alternative, this report identifies potential resources and impacts, but does not
13	include consultation and confirmation of resource eligibility. Completion of remaining
4	requirements of these acts will occur after selection of the Locally Preferred Alternative
.5	(LPA). Table S-1 summarizes the impacts and mitigation for the different alternatives.
6	Chapter 5 discusses the impacts of each alternative and also includes a table (Table 5-1)
7	that ranks the alignments within each of the five sections of the Fixed Guideway
8	Alternative according to relative degree of impact. The rankings are based on the
9	number of historic or potentially historic resources identified along each alignment, as
20	well as several other weighting factors such as location of system (above-grade, at-grade
21	below-grade), numbers of National and/or Hawai'i Register resources along each
22	alignment, and whether (and how) historic districts would be affected.
23	Chapter 6 includes specific measures that could be implemented to mitigate some of the
24	impacts of the proposed project.

Alternative	Impacts	Mitigation
Alternative 1: No Build		
No Build Alternative	To be determined separately for each of the individual projects programmed in the 2030 Oʻahu Regional Transportation Plan	To be determined separately for each of the individual projects programmed in the 2030 Oʻahu Regional Transportation Plan
Alternative 2: TSM		
TSM Alternative	 Potential loss of integrity of setting, feeling, and association to resources considered potentially eligible for NR Potential alteration to historic resources 	 "Avoid": Select areas without historic resources for improvements "Minimize": Protect historic resources during construction "Mitigate": Document affected historic resources prior to construction
Alternative 3: Managed		
3a. Two-Direction Optio		"Minimize": Desta at historia
Waiawa IC to Hālawa Stream	 Potential loss of integrity of setting, feeling, and association to resources considered potentially eligible for NR Potential alteration to historic resources 	 "Minimize": Protect historic resources during construction "Mitigate": Document affected historic resources prior to construction
Hālawa Stream to	As above	As above
Pacific Street		
3b. Reversible Option		
Waiawa IC to Hālawa Stream	As above	As above
Hālawa Stream to Pacific Street	As above	As above
Alternative 4: Fixed Gu		
I. Kapolei to Fort Weav		_
Kamokila Boulevard/ Farrington Highway	 Potential loss of integrity of setting, feeling, and association to resources eligible or potentially eligible for NR and/or HR. Potential alteration to historic resources 	 "Minimize": Choose an alignment with the fewest historic resources "Minimize": Protect historic resources during construction "Mitigate": Document affected historic resources prior to construction
Kapolei Parkway/ North-South Road	As above	As above
Saratoga Avenue/ North-South Road	As above	As above
Geiger Road/ Fort Weaver Road	As above	As above
II. Fort Weaver Road to	Aloha Stadium	•
Farrington Highway/ Kamehameha Highway	As above.	As above.

Alternative	Impacts	Mitigation
III. Aloha Stadium to i	Middle Street	
Salt Lake Boulevard	As above	As above
Mauka of the Airport Viaduct	As above	As above
Makai of the Airport Viaduct	As above	As above
Aolele Street	As above	As above
IV. Middle Street to Iw	rilei	
North King Street	 Potential loss of integrity of setting, feeling, and association to resources eligible or potentially eligible for NR and/or HR Potential alteration to historic resources Removal of two historic resources 	As above
Dillingham Boulevard	Potential loss of integrity of setting, feeling, and association to resources eligible or potentially eligible for NR and/or HR Potential alteration to historic resources	As above
V. Iwilei to UH Mānoa		
Beretania Street/ South King Street	As above, plus: • The Beretania Street tunneling would largely reduce the impact to historic resources there (as it is assumed that careful engineering of the tunneling would take place, which would significantly minimize physical damage during construction)	 "Minimize": Choose an alignment with the fewest historic resources "Minimize": Protect historic resources during construction "Minimize: Tunnel through all of Downtown Honolulu "Mitigate": Document affected historic resources prior to construction
Hotel Street/ Kawaiahaʻo Street/ Kapiʻolani Boulevard	 Potential loss of integrity of setting, feeling, and association to resources eligible or potentially eligible for NR and/or HR Potential alteration to historic resources The proposed tunneling through the Hawai'i Capitol Historic District would largely reduce the impact to historic resources there (as it is assumed that careful engineering of the tunneling would take place, which would significantly minimize physical damage during construction) 	As above
Hotel Street/ Waimanu Street/ Kapiʻolani Boulevard	As above	As above
Nimitz Highway/ Queen Street / Kapiʻolani Boulevard	 Potential loss of integrity of setting, feeling, and association to resources eligible or potentially eligible for NR and/or HR Potential alteration to historic resources 	As above
Nimitz Highway/ Halekauwila Street/ Kapiʻolani Boulevard	As above	As above
Waikīkī Spur	As above	As above

Chapter 1 Introduction

The City and County of Honolulu Department of Transportation Services (DTS), in coordination with the U.S. Department of Transportation Federal Transit Administration (FTA), will be preparing an Alternatives Analysis (AA) and an Environmental Impact Statement (EIS) to evaluate alternatives that would provide high-capacity transit service on O'ahu. The primary project study area is the travel corridor between Kapolei and the University of Hawai'i at Mānoa (Figure 1-1). This corridor includes the majority of housing and employment on O'ahu. The east-west length of the corridor is approximately 23 miles. The north-south width of the corridor is at most four miles, as much of the corridor is bounded by the Ko'olau and Wai'anae Mountain Ranges to the north and the Pacific Ocean to the south.




Figure 1-1. Project Vicinity

Project Description

Description of the Study Corridor

The study corridor extends from Kapolei in the west (Wai'anae or 'Ewa direction) to the University of Hawai'i at Mānoa in the east (Koko Head direction), and is confined by the Wai'anae and Ko'olau mountain ranges to the north (mauka direction) and the ocean to the south (makai direction).

The corridor is constrained geographically to a narrow band between the mountains and ocean. In the Pearl City, Waimalu, and 'Aiea area, the corridor's width is less than one mile between the Pacific Ocean and the base of the Ko'olau Mountains.

The General Plan for the City and County of Honolulu directs future population and employment growth to the 'Ewa, Central O'ahu, and Primary Urban Center development plan areas, with the highest rate of growth in the 'Ewa area. The largest increases in population and employment are projected in the 'Ewa, Waipahu, Downtown, and Kaka'ako districts, which are all located in the corridor (Figure 1-2).




Figure 1-2. Areas and Districts in the Study Corridor

9 10

11 12

13 14

15

16

17

18 19

20

21

Kapolei is the center of the 'Ewa development area. It is located in a plain of former sugar cane fields and is rapidly developing. To date, residential development has outpaced commercial development, placing additional commuter pressure on the constrained roadway system serving the area. Kapolei has been designated O'ahu's "second city," and City and State government offices have opened there. The Kalaeloa Community Development District (formerly known as Barbers Point Naval Air Station) consists of several hundred acres adjacent to Kapolei. Several alternatives exist for the redevelopment of this area, including the possibility of developing some of the area for the onshore support of an aircraft carrier with a homeport at Pearl Harbor. The University of Hawai'i is developing a master plan for a new West O'ahu campus in Kapolei. The Department of Hawai'ian Homelands is also a major landowner in the area,

1 and has plans for shopping center development. Also, developers have several proposals 2 to continue the construction of residential subdivisions. 3 Continuing Koko Head, the corridor follows Farrington and Kamehameha Highways through a mixture of low-density commercial and residential development. This part of 4 5 the corridor passes through the makai portion of the Central O'ahu Development Plan 6 area, which lies at the bottom of the valley between the Wai'anae and Ko'olau Mountain 7 Ranges. Farrington Highway and the H-1 Freeway are the principal 'Ewa-Koko Head 8 routes through this part of the corridor. 9 Moving further Koko Head, the corridor enters the Primary Urban Center Development 10 Plan area. Commercial and residential densities begin to increase in the vicinity of Aloha 11 Stadium. H-1 Freeway, Kamehameha Highway, Salt Lake Boulevard and Moanalua Freeway are the principal 'Ewa-Koko Head roadways in the western portion of the 12 13 Primary Urban Center development plan area. The Pearl Harbor Naval Reserve, Hickam 14 Air Force Base, and the Honolulu International Airport border the corridor on the makai 15 side. Military and civilian housing are the dominant land uses mauka of the H-1 Freeway, with a concentration of high-density housing along Salt Lake Boulevard. 16 As the corridor continues Koko Head across Moanalua Stream, the land use continues to 17 18 urbanize with increasing density. There are four principal transportation links through 19 this portion of the corridor: Nimitz Highway, Dillingham Boulevard, North King Street, 20 and the H-1 Freeway. Industrial and port land uses dominate along the harbor, shifting to primarily commercial uses along Dillingham Boulevard, changing to a mixture of 21 22 residential and commercial uses along North King Street, with primarily residential use 23 mauka of the H-1 Freeway. 24 Koko Head of Nu'uanu Stream, the corridor continues through Chinatown and 25 downtown. The Chinatown and downtown areas have the highest employment density in 26 the corridor. Streets in this area form an urban grid pattern, with traffic spread over 27 several arterials. The Kaka'ako and Ala Moana neighborhoods, comprised historically of 28 low-rise industrial and commercial uses, are revitalizing with several high-rise residential 29 towers currently under construction. Ala Moana Center is both a major transit hub and 30 shopping destination. 31 The corridor continues to Waikīkī and through the McCully neighborhood to the University of Hawai'i. Today, Waikīkī is one of the densest tourist areas in the world, 32 33 serving approximately 72,000 visitors daily (DBEDT, 2003). The University of Hawai'i 34 at Mānoa is the other major destination at the Koko Head end of the corridor. It has an enrollment of over 20,000 students and approximately 6,000 staff (UH, 2005). 35 36 Approximately 60 percent of the students do not live within walking distance of the campus (UH, 2002) and must travel to attend classes. 37 38 Currently, morning travel patterns in the corridor are heavily directional. Morning town-39 bound traffic volumes through the Waipahu and 'Aiea areas (Koko Head direction) are more than twice the volume in the 'Ewa direction. Afternoon flows are less directional 40

with 'Ewa bound traffic volumes about 50 percent greater than town-bound (Koko Head bound) traffic.

Alternatives under Consideration

Four alternatives will be evaluated in the Alternatives Analysis (AA) report. They were developed through a screening process that considered alternatives identified through previous transit studies, a field review of the study corridor, an analysis of current housing and employment data for the corridor, a literature review of technology modes, work completed by the Oʻahu Metropolitan Planning Organization (OMPO) for its Draft 2030 Regional Transportation Plan, and public and agency comments received during a formal project scoping process held in accordance with requirements of the National Environmental Policy Act (NEPA) and the Hawaiʻi EIS Law (Chapter 343). The four alternatives are described in detail in the *Honolulu High-Capacity Transit Corridor Project Alternatives Analysis Definition of Alternatives Report (DTS, 2006a)*. The alternatives identified for evaluation in the AA report are:

- No-Build Alternative
- Transportation System Management Alternative
- Managed Lane Alternative
- Fixed Guideway Alternative

Alternative 1: No-Build Alternative

The No-Build Alternative includes existing transit and highway facilities and committed transportation projects anticipated to be operational by 2030. Committed transportation projects are those programmed in the O'ahu 2030 Regional Transportation Plan prepared by OMPO. The committed highway elements of the No-Build Alternative will also be included in the build alternatives (discussed below).

The No-Build Alternative's transit component would include an increase in fleet size to accommodate growth in population, while allowing service frequencies to remain the same as today. The specific number of buses, as well as required ancillary facilities, will be determined during the preparation of the AA.

Alternative 2: TSM Alternative

The Transportation System Management (TSM) Alternative would provide an enhanced bus system based on a hub-and-spoke route network, conversion of the present morning peak-hour-only zipper-lane to both a morning and afternoon peak-hour zipper-lane operation, and relatively low-cost capital improvements on selected roadway facilities to give priority to buses. The TSM Alternative will include the same committed highway projects as assumed for the No-Build Alternative.

Alternative 3: Managed Lane Alternative

The Managed Lane Alternative would include construction of a two-lane, grade-separated facility between Waipahu and Downtown Honolulu for use by buses, paratransit vehicles, and vanpool vehicles. High-occupancy vehicles (HOV) and toll-

1 paying, single-occupant vehicles also would be allowed to use the facility provided that 2 sufficient capacity would be available to maintain free-flow speeds for buses and the 3 above noted paratransit and vanpool vehicles. Variable pricing strategies for single-4 occupant vehicles would be implemented to ensure free-flow speeds for high-occupancy 5 vehicles. 6 Intermediate bus access points would be provided in the vicinity of Aloha Stadium and 7 Middle Street. Bus service utilizing the managed lane facility would be restructured and 8 enhanced, providing additional service between Kapolei and other points 'Ewa of the 9 Primary Urban Center, and Downtown Honolulu and the University of Hawai'i at 10 Mānoa. **Alternative 4: Fixed Guideway Alternative** 11 12 The Fixed Guideway Alternative would include the construction and operation of a fixed-13 guideway transit system between Kapolei and the University of Hawai'i at Mānoa. The 14 system could use any fixed-guideway transit technology approved by FTA and meeting 15 performance requirements, and could be automated or employ drivers. Station and supporting facility locations are currently being identified and would include 16 17 a vehicle maintenance facility and park-and-ride lots. Bus service would be reconfigured 18 to bring riders on local buses to nearby fixed-guideway transit stations. 19 Although this alternative would be designed to be within existing street or highway 20 rights-of-way as much as possible, property acquisition in various locations is expected. 21 Future extensions of the system to Central O'ahu, East Honolulu or within the corridor 22 are possible, but are not being addressed in detail at present. A broad range of modal technologies were considered for application to the Fixed 23 24 Guideway Alternative, including light rail transit, personal rapid transit, automated 25 people mover, monorail, magnetic levitation (magley), commuter rail, and emerging 26 technologies still in the developmental stage. Several technologies were selected in an 27 earlier screening process and will be considered as possible options for the fixedguideway technology. Technologies that were not carried forward from the screening 28 29 process include personal rapid transit, commuter rail, and the emerging technologies. 30 The screening process is documented in the Honolulu High-Capacity Transit Corridor 31 Project Screening Report (DTS, 2006b). 32 The study corridor for the Fixed Guideway Alternative will be evaluated in five sections 33 to simplify analysis and impact evaluation in the AA process and report. In general, each 34 alignment under consideration within each of the five sections may be combined with any 35 alignment in the adjacent sections. 36 Each alignment has distinctive characteristics, environmental impacts, and provides 37 different service options. Therefore, each alignment will be evaluated individually and 38 compared to the other alignments in each section. The sections that will be evaluated and 39 the alignments being evaluated for each section are listed in Table 1-1.

Table 1-1. Fixed Guideway Alternative Analysis Sections and Alignments

Section	Alignments Being Considered
I. Kapolei to Fort Weaver Road	Kamokila Boulevard/Farrington Highway
	Kapolei Parkway/North-South Road
	Saratoga Avenue/North-South Road
	Geiger Road/Fort Weaver Road
II. Fort Weaver Road to Aloha Stadium	Farrington Highway/Kamehameha Highway
III. Aloha Stadium to Middle Street	Salt Lake Boulevard
	Mauka of the Airport Viaduct
	Makai of the Airport Viaduct
	Aolele Street
IV. Middle Street to Iwilei	North King Street
	Dillingham Boulevard
V. Iwilei to UH Mānoa	Beretania Street/South King Street
	Hotel Street/Kawaiahaʻo Street/Kapiʻolani Boulevard with or without Waikīkī Spur
	Hotel Street/Waimanu Street/Kapiʻolani Boulevard with or without Waikīkī Spur
	Nimitz Highway/Queen Street/Kapiʻolani Boulevard with or without Waikīkī Spur
	Nimitz Highway/Halekauwila Street/Kapiʻolani Boulevard with or without Waikīkī Spur
	Waikīkī Spur

Project Purpose

The purpose of the Honolulu High-Capacity Transit Corridor Project is to provide improved mobility for persons traveling in the highly congested east-west transportation corridor between Kapolei and the University of Hawai'i at Mānoa (UH Mānoa), confined by the Wai'anae and Ko'olau Mountain Ranges to the north and the Pacific Ocean to the south. The project would provide faster, more reliable public transportation services in the corridor than those currently operating in mixed-flow traffic. The project would also provide an alternative to private automobile travel and improve linkages between Kapolei, the urban core, UH Mānoa, Waikīkī, and the urban areas in between. Implementation of the project, in conjunction with other improvements included in the O'ahu Regional Transportation Plan (ORTP), would moderate anticipated traffic congestion in the corridor. The project also supports the goals of the O'ahu General Plan and the ORTP by serving areas designated for urban growth.

Project Area Needs

Improved mobility for travelers facing increasingly severe traffic congestion.

The existing transportation infrastructure in this corridor is overburdened handling current levels of travel demand. Motorists experience substantial traffic congestion and delay at most times of the day during both the weekdays and weekends. Transit is caught in the same congestion. Travelers on O'ahu's roadways currently experience 42,000 daily vehicle-hours of delay, which is projected to increase over seven-fold to 326,000 daily vehicle-hours of delay by 2030. Current morning peak-period travel times for motorists from Kapolei to downtown average between 40 and 60 minutes, while recent observations of bus travel times from 'Ewa Beach to downtown ranged from 30 to 80 minutes depending on traffic conditions. By 2030, these travel times are projected to more than double. Within the urban core, most major arterial streets will experience increasing peak period congestion, including Ala Moana Boulevard, Dillingham Boulevard, Kalākaua Avenue, Kapi'olani Boulevard, King Street and Nimitz Highway. Expansion of the roadway system between Kapolei and UH Mānoa is constrained by physical barriers and by dense urban neighborhoods that abut many existing roadways. Given the current and increasing levels of congestion, a need exists to offer an alternative way to move within the corridor independent from current and projected highway congestion.

Improved transportation system reliability.

As roadways become more congested, they become more susceptible to substantial delays caused by incidents such as traffic accidents or heavy rain. Because of the operating conditions in the study corridor, current travel times are not reliable for either transit or automobile trips. In order to get to their destination on time, travelers have to allow extra time in their schedules to account for the uncertainty of travel time. This is inefficient and results in lost productivity. Because the bus system primarily operates in mixed-traffic, transit users experience the same level of travel time uncertainty as automobile drivers. Recent statistics from TheBus indicate that on a systemwide basis, for all classes of bus routes, 45 percent of buses were on time, 27 percent were more than five minutes late and 28 percent more than one minute early. In the morning peak period, express buses were on time 27 percent of the time, with 38 percent being late and 35 percent being early. A need exists to reduce the variability of transit travel times, and provide a system with increased predictability and reliability.

Accessibility to new development in 'Ewa/Kapolei/Makakilo as a way of supporting policy to develop the area as a second urban center.

Consistent with the General Plan for the City and County of Honolulu, the highest population growth rates for the island are projected in the 'Ewa Development Plan area (comprised of the 'Ewa, Kapolei and Makakilo communities) which is expected to grow by 170 percent between years 2000 and 2030. This growth represents nearly 50 percent of the total growth projected for the entire island. Within this area, Kapolei, which is developing as a "second city" to Downtown Honolulu, is projected to grow by 426 percent, the 'Ewa neighborhood by 123 percent and Makakilo by 94 percent between

years 2000 and 2030. Accessibility to the overall 'Ewa Development Plan area is currently severely impaired by the congested roadway network, which will only get worse in the future. This area is less likely to develop as planned unless it is accessible to downtown and other parts of O'ahu; therefore, the 'Ewa/Kapolei/ Makakilo area needs improved accessibility to support its future growth as planned.

Improved transportation equity for all travelers.

Many lower-income and minority workers live in the corridor outside of the urban core and commute to work in the Primary Urban Center Development Plan Area. Many lower-income workers also rely on transit because they are not able to afford the cost of vehicle ownership and operation. In addition, daily parking costs in Downtown Honolulu are among the highest in the United States, further limiting this population's access to the downtown. Improvements to transit capacity and reliability will serve all transportation system users, including low-income and under-represented populations.

History of Project

1 2

Transit has a long history on Oʻahu starting with the Oʻahu Railway and Land (OR&L) system that carried passengers on approximately 150 miles of track between 1890 and 1947. The route structure included a line in the corridor between 'Ewa and Honolulu (Chiddix and Simpson, 2004). The Honolulu Rapid Transit and Land (HRT&L) system began operating an electric streetcar system in Honolulu in 1903 and had over 20 miles of lines in operation during its peak. The population of Oʻahu was 59,000 people in 1900, three years before the start of the streetcar system, and had increased to 120,000 by 1920.

Roadway development, buses, and private automobile ownership resulted in decreasing rail-transit demand beginning in the 1920's. Buses were less expensive to operate than rail-transit. They operated on city streets that were developed and maintained with taxpayer funds, rather than railways that had to be privately developed and maintained. The HRT&L streetcars were completely replaced by buses in 1942. Increasing transportation demand was met in the 1950's with the development of the H-1 freeway.

The population of O'ahu kept increasing, from 350,000 people in 1950 to 500,000 in 1960 and 630,000 by 1970. However, despite increasing travel demand, public opposition to extensive freeway expansion began to develop in the early 1960's. A proposal for an elevated Makai Freeway was abandoned. The island-wide O'ahu Transportation Study (OTS) that was completed in 1967 concluded that a fixed-guideway transit system, serving a corridor between Pearl City and Hawai'i Kai, would provide cost-effective transportation capacity as part of a larger transportation system expansion needed to meet increased demand (OTSPC, 1967).

During the early 1970's, the Preliminary Engineering and Evaluation Program (PEEP) I and PEEP II studies further explored options for a fixed-guideway transit system. Based on these studies, the City and County of Honolulu began planning the Honolulu Area Rail Rapid Transit (HART) project to provide transit in the corridor identified in the 1967

OTS study, Pearl City to Hawai'i Kai. In 1982, project planning, environmental analysis, and preliminary engineering culminated in a Final Environmental Impact Statement issued by the City and the Urban Mass Transportation Administration (UMTA was the predecessor to the current Federal Transit Administration [FTA]). However, a change in city administration resulted in changed transportation priorities and work on the HART project stopped. O'ahu's population continued to increase (in 1980 O'ahu's population was 760,000).

In 1985, the City partnered with UMTA to begin a new study for an exclusive right-of-way, fixed-guideway rapid transit project. The Honolulu Rapid Transit Development Project (HRT) built on the planning completed for the HART project, but explored new automated transit technologies. When the Alternatives Analysis/draft Environmental Impact Statement (AA/DEIS) for the project was completed in 1990, the island's population had grown to 840,000 people.

Later in 1990, following completion of the AA/DEIS, the State Legislature passed funding acts to provide State funds and authorize the City to impose a general use and excise tax surcharge to provide local funding for the project. Local funding was needed to leverage the federal funds that Congress would make available for the project. The City selected a grade-separated, fixed-guideway transit alternative that included a tunnel under downtown, and FTA authorized the City to proceed to preliminary engineering for this alternative (the locally preferred alternative, or LPA).

Over the next two years, the City conducted additional engineering studies and issued a request for proposals to construct the system. Soil conditions in the downtown area and updated financing and environmental impact information resulted in an amendment to the LPA. The project was changed to follow Nimitz Highway on an elevated structure, and a branch line to Waikīkī was eliminated. The FTA and the City issued a Supplemental EIS to address the amended LPA, and the addition of several park-and-ride lots to the project. In 1992, a final EIS was issued on the project. However, the City Council failed to authorize the general use and excise tax surcharge to provide the local funding, and the project collapsed. Federal funds allocated to Honolulu were diverted to cities on the mainland

During this planning, and while Oʻahu's population was steadily increasing, the number of trips taken, or "transportation demand," was increasing at a greater rate than population growth. In 1960, 134,000 automobiles were registered on Oʻahu and residents made a total of 1,190,000 daily person trips. Eleven percent of those trips were made by transit (OTPP, 1967). In 1980, 2,170,000 daily person trips were made and eight percent of those were made by transit (OMPO, 1984). By 1990, there were 613,000 automobiles registered on Oʻahu. Residents made 2,410,000 daily person trips and only seven percent of the trips were made by transit (OMPO, 1995). Between 1960 and 1990, the population of Oʻahu increased by 68 percent, while the number of daily person trips more than doubled, and the number of vehicles registered on the island increased fivefold.

In 1998, the City began developing the O'ahu Trans 2K Islandwide Mobility Concept Plan. Through an intensive public involvement program, the Plan identified the increasing need for improved mobility and links between land use and transportation. The plan endorsed an integrated transportation approach, with roadway, high-occupancy vehicle, and transit improvements. Once again the need for high-capacity, frequent transit service was identified for the Primary Urban Center. This study led to the Primary Corridor Transportation Project.

Unlike prior projects, the Primary Corridor Transportation Project focused on alternatives that could be constructed within existing transportation rights-of-way to provide mobility improvements at a lower cost and with fewer impacts. A Major Investment Study and draft EIS was completed in 2000, which proposed a system based on bus rapid transit (BRT) operations. The BRT system continued to be developed and refined into the locally preferred alternative addressed in the Final EIS in 2002. The proposed system included Regional and In-Town BRT operations extending from Kapolei to Waikīkī and the University of Hawai'i at Mānoa.

Some of the Regional and In-Town BRT facilities from the BRT system proposal have been completed. The Hawai'i Department of Transportation has implemented the extension of the morning "zipper lane" between Radford Drive and Ke'ehi Interchange. In-Town BRT facilities that have been constructed include seven transit stops and the reconstruction of Kūhiō Avenue between Kalākaua Avenue and Kapahulu Avenue.

The 2030 O'ahu Regional Transportation Plan includes the afternoon "zipper lane" that was also proposed as part of the regional BRT project. This facility will be included in the No-Build Alternative and all other alternatives analyzed in this Honolulu High-Capacity Transit Corridor Project. Other elements of the Primary Corridor Transportation Project, such as transit centers, are part of the 2030 O'ahu Regional Transportation Plan, while others, including additional transit centers and expanded bus service, will be part of the proposed TSM Alternative.

Between 1990 and 2000 the island again experienced travel demand growth that outstripped population growth, with a five percent increase in residents and a 15 percent increase in trips. The population of O'ahu in the year 2000 was 880,000, residents made 2,760,000 daily person trips, and transit continued to carry seven percent of the total trips (OMPO, 2001).

Transportation demand has continued to increase on O'ahu since 2000. As part of its work to update the regional transportation plan, OMPO surveyed O'ahu residents about transportation issues in 2004. The survey identified commute-period traffic congestion in the 'Ewa and Central O'ahu to Downtown Honolulu corridor as the greatest concern. Nearly twice as many residents responded that improving transit was more important than building more roadways. Seventy percent of the respondents believed that rail rapid transit should be constructed as a long-term transportation solution and 55 percent supported raising taxes to provide local funding for the system.

During the summer of 2005, the State legislature recognized the need and public support for high-capacity transit on O'ahu and passed Act 247. Act 247 authorized the County to levy a general excise tax surcharge to construct and operate a mass transit project serving O'ahu. The City Council subsequently adopted Ordinance 05-027 to levy a tax surcharge to fund public transportation. With secure local funding established for the first time; the City began the AA process to implement a high-capacity transit system in the corridor between Kapolei and the University of Hawai'i at Mānoa. A range of alternatives was evaluated and screened to select alternatives that would provide the most improvement to person-mobility and travel reliability in the study corridor. FTA published a Notice of Intent in the *Federal Register* on December 7, 2005, and DTS published an EIS Preparation Notice (EISPN) in the State of Hawai'i *Environmental Notice* on December 8, 2005. The public was asked to comment on the selected alternatives, the proposed purpose and need for the project, and the range of issues to be evaluated at a series of scoping meetings held in December 2005.

Project Schedule

Projects developed through the FTA *New Starts* process progress through many stages from system planning to operation of the project. The Honolulu High-Capacity Transit Corridor Project is currently in the Alternatives Analysis phase, which includes defining and evaluating specific projects to address the purpose of and needs for the project discussed earlier in this chapter. The anticipated project development schedule is shown in Figure 1-3.




Figure 1-3. Project Schedule

Chapter 2

Studies and Coordination

Regulatory Background

Because of federal participation in the Honolulu High-Capacity Transit Corridor Project, this project must comply with Section 106 of the National Historic Preservation Act of 1966 (NHPA) and Section 4(f) of the Department of Transportation Act of 1966. The analysis completed in this technical report to support the AA addresses the first steps in meeting the requirements of these two acts. To evaluate the relative impacts and benefits of each alternative, this report identifies potential resources and impacts, but does not include consultation and confirmation of resource eligibility. Completion of remaining requirements of these acts will be completed after selection of the LPA.

Section 106

Section 106 requires "Federal agencies to take into account the effects of their undertakings on historic properties and afford the [Advisory] Council [on Historic Preservation] an opportunity to comment on such undertakings" (36 CFR Part 800.1). The section 106 process "seeks to accommodate historic preservation concerns with the needs of Federal undertakings through consultation among the agency official and other parties with an interest in the effects of the undertakings on historic properties, commencing in the early stages of project planning. The goal of consultation is to identify historic properties potentially affected by the undertaking, assess its effects and seek ways to avoid, minimize, or mitigate any adverse effects on historic properties (36 CFR Part 800.1)."

In accordance with Section 106, the "effect" of the project on historic resources must be determined by the federal agency proposing or regulating the project. There are three possible "effect" findings:

- No historic properties affected
- No adverse effect
- Adverse effect

"No historic properties affected" means that either there are no historic properties present or there are historic properties present but the undertaking will have no effect upon them of any kind (that is, neither harmful nor beneficial). An "effect" means alteration to the characteristics of a historic property qualifying it for inclusion in, or eligibility for, the National Register of Historic Places (NR).

"No adverse effect" means that there could be an effect, but the effect would not be harmful to those characteristics that qualify the property for inclusion in the NR. In other words, it would not diminish or adversely affect the integrity of the property's location, design, setting, materials, workmanship, feeling, or association.

An "adverse effect" means an undertaking may alter, directly or indirectly, any of the characteristics of a historic property that qualify the property for inclusion in the NR in a

manner that would diminish the integrity of the property's location, design, setting, materials, workmanship, feeling, or association. Consideration is given to all qualifying characteristics of a historic property, including those that may have been identified subsequent to the original evaluation of the property's eligibility for the NR. Adverse effects may include reasonably foreseeable effects caused by the undertaking that may occur later in time, be farther removed in distance, or be cumulative. If an "adverse effect" is determined, a Memorandum of Agreement (MOA) between the federal agency and the State Historic Preservation Officer (SHPO) is prepared. Other parties are allowed to be MOA signatories.

Section 4(f) of the Department of Transportation Act

Regulations developed to implement Section 4(f) of the Department of Transportation Act of 1966 (recodified and amended as 49 USC Section 303(c)) state that this Federal agency "may not approve the use of land from a significant publicly owned public park, recreation area, or wildlife and waterfowl refuge, or any significant historic site unless a determination is made that: (i) There is no feasible and prudent alternative to the use of land from the property; and (ii) The action includes all possible planning to minimize harm to the property resulting from such use" (23 CFR 771.135). Section 4(f) also states that "supporting information must demonstrate that there are unique problems or unusual factors involved in the use of alternatives that avoid these properties or that the cost, social, economic, and environmental impacts, or community disruption resulting from such alternatives reach extraordinary magnitudes" (23 CFR 771.135).

Section 4(f) requires that the U.S. Department of Transportation (USDOT) consult with the SHPO, as well as with local officials, "to identify all properties on or eligible for the National Register of Historic Places. The section 4(f) requirements apply only to sites on or eligible for the National Register unless the Administration determines that the application of section 4(f) is otherwise appropriate" (23 CFR 771.135).

The Section 106 process is integral to the 4(f) process, with respect to cultural resources. The identification of adverse affects to significant historic resources that are listed or eligible for the National Register of Historic Places under criterion A, B, and C (but not D; properties "that have yielded or may be likely to yield, information important in prehistory or history") as part of Section 106 generally will satisfy 4(f) requirements. Each act specifies its own procedures for planning and consultation.

(In addition to historic resources, Section 4(f) also applies to public parklands. For this AA, project affects on Section 4(f) resources are being considered in the evaluation of effects to potentially historic structures and to parklands, but specific coordination and requirements established by Section 4(f) will be addressed after selection of the LPA.)

Previous Studies

Several studies of earlier Honolulu transit proposals were used as a basis for this current project and its effects on historic resources. While the earlier studies did not review all of the alignments proposed under the current project and did not use the same year-built

1 2	cut-off date (1965), many of the current alignments are very similar to the older ones. Most of the studies reviewed the alignments that are part of the current Fixed Guideway
3	Alternative; however the <i>Nimitz Highway Improvement Project</i> focused on some of the
4	historic resources on the Nimitz Highway portion (Hālawa Stream to Pacific Street
5	section) of the Managed Lane Alternative.
6	The relevant reports are:
7	Honolulu Area Rail Rapid Transit Project, Historic Sites Survey, 1979. (Glenn Mason,
8	Charles R. Sutton & Assoc., Inc.).
9	Historic Sites Inventory Report for the Honolulu Rapid Transit Development Project,
10	August 1989. (Spencer Mason Architects).
11	Primary Corridor Transportation Project: Product 7-12 Historic/Cultural Resources
12	Impacts Technical Report. May 1999. (Mason Architects, Inc.).
13	Nimitz Highway Improvement Project, Historic Resources Survey Phase II, January
14	2005. (Mason Architects, Inc.).
15	Coordination
16	During the AA phase, meetings were held with the State Historic Preservation Division
17	(SHPD) and Historic Hawai'i Foundation (HHF) to elicit comments on the methodology
18	approach (see Chapter 3). The comments received from SHPD and HHF were be made
19	available to each party and discussed in a follow-up meeting.

Chapter 3

Methodology

Historic Resources

A review of resources along the proposed alignments was conducted as part of the AA process to determine if they are eligible for the National Register of Historic Places. The methods used for data collection, review, and evaluation of the resources along the alignments are discussed below.

To support the evaluation of each alternative to project objectives in the AA, the following measure will be tabulated in the *Historic* and *Archeological Resources Technical Reports*:

• Number of direct impacts to identified historic resources.

Alternatives Analysis Methodology

The AA process includes an initial-level identification of potential historic properties and districts within the study area. The study area's boundaries are determined directly by the alignments currently under consideration for both the Managed Lane and Fixed Guideway Alternatives. The study area includes all properties on both sides of each alignment (one tax map lot deep). This definition was approved by SHPD in 1999 for use on the Primary Corridor Transportation Project. Historic view planes will not be assessed during this phase of work; view planes will be assessed in the Draft Environmental Impact Statement (draft EIS) phase after an LPA has been selected by the City Council.

A preliminary list, identifying pre-1965 resources in the study area, was created using City and County of Honolulu Geographic Information Systems (GIS) data. The resources included in the list are those found in lots along the proposed alignments. The 1965 cut-off was used to identify those resources with year-built dates close to or more than 50 years old by the year 2015, which is the project's targeted completion date. The preliminary list identified approximately 1,000 pre-1965 resources along the proposed alignments.

After completion of the AA, the City Council will select the LPA.

Existing Conditions

- The preliminary list was used to show which resources were reviewed in previous studies, and/or are already included in the SHPD's State and National Register Lists. All pre-1965 resources were reviewed and documented to determine the following:
- Are they on the National Register of Historic Places (NRHP)
- Are they on the Hawai'i Register of Historic Places
 - Have they been officially determined eligible for the NRHP

• Have they not yet been studied and therefore require a future determination of eligibility for the NRHP (see Appendices A and B for results of the study for this report).

Identification of historic districts and resources from previous studies were incorporated into the affected environment analysis (Chapter 4), which also includes a discussion of historic districts that are within or adjacent to the alignment and study area borders.

Technical Report: Initial Field Survey

This technical report documents the above-noted historical resource data collection, information gathering, field visits, and analysis. The field survey identifies those buildings and structures that appear to possess distinctive characteristics of a type, period, or method of construction. Resources that are already on the National or Hawai'i Register, those that appear eligible, and those that appear eligible but need further research are listed in Appendices A and B.

This technical report also generally assesses the effects to historical resources along each of the alignments and includes a discussion of typical mitigation measures. Mitigation measures *specific to the historic resources* will not be provided during the AA process but will be identified once an LPA has been selected by the City Council.

Draft EIS Phase Methodology

Once an LPA has been selected, a draft EIS will be produced, requiring adherence to Section 106 and Section 4(f). These activities have not been completed and will not be incorporated into the AA. Compliance with Section 106 will entail consultation with the State Historic Preservation Division to accomplish the following:

- Identify other parties with historic preservation focus
- Define the Area of Potential Effect (APE)
- Determine the eligibility of properties identified within the APE (according to National Register Criteria)
- Make a determination of effect
- Develop specific mitigation measures to resolve anticipated adverse effects.

The methodology to define and assess historic resources will be refined for the draft EIS phase of work as the project progresses.

Definitions

The term "historic resource" is used in this report to mean a building, structure, object, site, or district that represents a significant part of the history, architecture, archaeology, engineering, or culture of an area and also retains the integrity necessary to convey its significance. For this report, buildings, bridges (structures), stone paving and curbing (objects), and cemeteries and parks (sites) were considered for the designation of potential historic resources if they date from 1965 or earlier. The term "historic property" is used interchangeably in this report with "historic resource." (This term,

1	along with "historic resource," is used in the National Historic Preservation Act. It is
2	defined as: "any prehistoric or historic district, site, building, structure, or object included
3	in, or eligible for inclusion on the National Register"; such term includes artifacts,
4	records, and remains that are related to such district, site, building, structure, or object
5	(16 U.S.C. Section 470(w)).
6	In this report, the terms "pre-1965 building" and "pre-1965 resource" are used to describe
7	buildings and resources that meet the 1965 cut-off, but have yet to be evaluated as
8	potentially historic or previously determined to be historic. The term "parcel" is used to
9	refer directly to the particular plot of land where a historic resource or historic property is
10	located.

Chapter 4

Affected Environment

For the purposes of historic resources, the Affected Environment is the study area defined in the Methodology (Chapter 3) as "all properties on both sides of each alignment (one tax map lot deep)." Most of the study area from Kapolei to UH Mānoa, including the Managed Lane Alternative alignment along the Nimitz Highway, has been reviewed for historic resources in previous studies (see Chapter 2, Studies and Coordination). However, due to the 1965 cut-off date being used for this current study, several hundred additional properties within this area were added. City and County property records were searched to determine the number of properties in the affected environment that were field checked and evaluated. The affected environment of each of the four alternatives under consideration in this AA is discussed below.

No Build Alternative

The geographic areas and, therefore, the historic resources that could be affected by this alternative are unpredictable since the required ancillary facilities and the specific number of buses have not yet been determined. The environments affected and impacts on historic resources would be discussed in individual development projects' environmental documentation submitted for permit approvals.

Transportation System Management Alternative

The details of physical improvements to roads and highways, such as widening of intersections, have not yet been developed. Many of the affected historic resources would be a subset of the historic resources studied for the Fixed Guideway Alternative. Any historic resources affected by improvements outside of those for the Fixed Guideway Alternative study area would be addressed during the next stage of planning, if the Transportation System Management Alternative is selected.

Managed Lane Alternative

The search of City and County property records initially identified 138 tax map lots along the Managed Lane Alternative alignments with pre-1965 resources. The Managed Lane Alternative largely follows the Nimitz Highway, the airport viaduct, and Kamehameha Highway, with spurs along portions of the Interstate Route H-2 and H-1 freeways to the north and west of their interchange. This alternative is divided into two sections: from Waiawa Interchange to Hālawa Stream ('Ewa section) and from Hālawa Stream to Pacific Street (Koko Head section).

Source: USGS 7.5 Minute Series Topographic Map. Waipahu (1998), Pearl Harbor (1999) and Honolulu (1998) Quadrangles.

Figure 4-1. Managed Lane Alternative

Summary of Affected Resources (Waiawa IC to Hālawa Stream)

The Waiawa Interchange to Hālawa Stream section of the Managed Lane Alternative runs along or through Waipahu, Pearl City, 'Aiea, and Pearl Harbor Naval Base. There are 78 properties along this section that have pre-1965 resources. City and County data indicate that most of these resources date from the 1950s and early 1960s. Because of their relatively recent dates, most of them have not been identified in previous studies as being on, or evaluated as eligible for, the National or Hawai'i Registers, except for those within the boundaries of the Pearl Harbor National Historic Landmark. All resources were evaluated for potential NRHP eligibility as part of this project. Nine were found to be either potentially eligible, potentially eligible pending further study, or already on the NRHP (as part of the PH NHL). A discussion of these resources is included below, and they are listed with their respective status in Appendix A. (The final determination of eligibility would occur during the Section 106 consultation process, after selection of the LPA.)

One important resource in this section is the Sumida Farm, which is comprised of agricultural land and associated buildings occupying three parcels. This family-owned and operated farm is the last remaining agricultural operation in the vicinity of Pearlridge


Shopping Center. This area contained numerous natural springs and was a center of diversified agriculture during the time that Sumida Farm began in 1928. This property is an oasis in a heavily congested, high-traffic commercial area. As such, its integrity of setting has already been compromised. This property qualifies as a cultural landscape, specifically a "Historic Vernacular Landscape" as defined in a National Park Service Technical Brief as.

A landscape that evolved through use by the people whose activities or occupancy shaped that landscape. Through social or cultural attitudes of an individual, family or a community, the landscape reflects the physical, biological, and cultural character of those everyday lives. Function plays a significant role in vernacular landscapes. They can be a single property such as a farm or a collection of properties such as a district of historic farms along a river valley. Examples include rural villages, industrial complexes, and agricultural landscapes (Birnbaum, 1994).

Four more historic resources along this alignment include a cemetery, a shopping center, a Hawai'ian Electric Company industrial facility, and a small restaurant. One resource, the 1945 Hālawa Stream Bridge, is at the border between two sections of Alternative 3. As such, it is included in the count of historic resources for each section.

Both sections of the Managed Lane Alternative would run alongside the Pearl Harbor National Historic Landmark's Kamehameha Highway boundary. Pearl Harbor Naval Base was declared a National Historic Landmark (NHL) by the Secretary of the Interior in 1964 (Figure 4-2). The boundaries of the NHL were established in 1974 and certified in 1978, and include all of the water areas of the harbor, Waipi'o Peninsula, Ford Island, and areas to the east and west of the harbor. The overall significance of the naval base is its representation of the rise of the Unites States as a naval power in the Pacific in the 20th century. This long period of significance is often overlooked because of the harbor's better-known roles in World War II and its fame as the site of the December 7, 1941 attack by the Japanese.

Three historic resources within the Landmark on Kamehameha Highway are included in both sections: a publications building, a tank farm for fuel storage, and a splinter-proof air raid shelter.



Source: Primary Corridor Transportation Project: Product 7-12, Historic/Cultural Resources Impacts Technical Report, May 1999.

Figure 4-2. Pearl Harbor National Historic Landmark

234

5

6

7

8

10

11

12 13

14

15

16

1

Summary of Affected Resources (Hālawa Stream to Pacific Street)

The Hālawa Stream to Pacific Street segment of this alternative runs along the existing H-1 Freeway viaduct above the airport and Māpunapuna areas; it then passes through Kalihi Kai and Iwilei. There are 63 pre-1965 resources along this section. City and County data indicate that the bulk of these date from the 1950s and early 1960s. However, a few of these properties were evaluated in a previous study (Mason Architects, 2005), and two properties were evaluated as eligible for the National Register. The remaining 61 pre-1965 resources were evaluated for NRHP eligibility as part of this project, and 19 were found to be potentially eligible, potentially eligible pending further study, or already on the NRHP. They are discussed below and their Register status is listed in Appendix A.

Two of the 19 historic resources that would be affected are the Navy housing neighborhoods of Makalapa and Little Makalapa, located along Kamehameha Highway

across from Pearl Harbor Naval Base. As mentioned in the Waiawa Interchange to Hālawa Stream discussion, the Hālawa Stream to Pacific Street section would also pass by the Pearl Harbor National Historic Landmark. As such, the three historic resources identified in that section as within the NHL's boundaries would also be affected in this section (i.e., a publications building, a fuel tank farm, and a splinter-proof air raid shelter).

Along the Nimitz Highway portion of the alignment in Kalihi Kai is a group of four historic commercial buildings near Mokauea Street. There is also a small grouping of poultry-industry buildings near Kanakanui Street and various industrial facilities along Nimitz Highway. Farther east along the route, approaching its terminus in Iwilei, are the concrete entry gates and wall of the former main entrance to the Kapālama Military Reservation. These are located makai of Nimitz Highway at Waiakamilo Street and now serve as the main entry to Young Brothers Ltd.

Fixed Guideway Alternative

The Fixed Guideway Alternative is divided into five geographical sections. The City and County property record search identified approximately 1,000 pre-1965 tax map lots within the affected environment of this alternative. These properties are not evenly distributed among the proposed transit corridor's various sections. The fewest pre-1965 resources are in the Kapolei area (Section I), and the greatest number are in the Honolulu area (Section V). There is roughly the same number of pre-1965 resources (between 140 and 173) in Sections II through IV. This distribution pattern is reflective of O'ahu's development history. Table 4-1 summarizes the number of resources by section and by alignment. Because parcels with pre-1965 resources might be affected by several alignments, the total number of such parcels within each section cannot be obtained by adding the numbers given for the various alignments.

Section and Alignment	Total number of properties meeting 1965 cut- off date	Resources already on NR or HR, or previously determined as eligible	Resources that could be affected*	Total number of Historic Districts affected		
I. Kapolei to Fort Weaver Road (5)			_			
Kamokila Boulevard/	0	0	2	0		
Farrington Highway		_		_		
Kapolei Parkway/	1	0	1	0		
North-South Road						
Saratoga Avenue/ North-South Road	1	0	3	0		
(Saratoga Avenue/) Geiger Road/Fort	3	0	3	0		
Weaver Road						
II. Fort Weaver Road to Aloha Stadium (9)					
Farrington Highway/	173	0	9	0		
Kamehameha Highway						
III. Aloha Stadium to Middle Street (10)						
Salt Lake Boulevard	110	0	3	1 (Palm Circle NHL)		
(Moanalua Freeway)	111			. (
Mauka of the Airport Viaduct	9	0	8	1 (PH NHL*)		
Makai of the Airport Viaduct	21	0	8	1 (PH NHL*)		
Aolele Street	18	0	8	0		
IV. Middle Street to Iwilei (43)						
North King Street	94	3	33	0		
Dillingham Boulevard	49	2	12	0		
V. Iwilei to UH Mānoa (141)						
Beretania Street/	126	16	56	2 (Chinatown HD,		
South King Street				Hawaiʻi Capital HD)		
Hotel Street/Kawaiaha'o Street/	228	33	52	2 (Chinatown HD,		
Kapiʻolani Boulevard				Hawai'i Capital HD)		
Hotel Street/Waimanu Street/	205	37	50	2 (Chinatown HD,		
Kapiʻolani Boulevard				Hawaiʻi Capital HD)		
Nimitz Highway/Queen Street/	218	21	45	3 (Chinatown HD,		
Kapiʻolani Boulevard				Merchant St. HD,		
				Hawaiʻi Capital HD)		
Nimitz Highway/Halekauwila Street/	186	15	33	2 (Chinatown HD,		
Kapiʻolani Boulevard				Merchant St. HD)		
Waikīkī Spur	33	0	8	0		
Total Historic or Potentially Historic Resources: 209						
*Includes pre-1965 properties from the Cit		pase, plus other pro	operties identified d	uring field surveys.		

Notes on table:

- 1. PH NHL = Pearl Harbor National Historic Landmark
- 2. The numbers in parentheses are the total number of resources that meet the 1965 cut-off date for each section. Because some resources are affected by multiple alignments, the numbers in parentheses are typically less than the total of the resources for each section in Column 2.

Summary of Affected Resources (Section I – Kapolei to Fort Weaver Road)

Most of the areas that the various alignments pass through were cultivated in sugar cane until the late 20th century. The only developed area that two alignments cross through is the former Barbers Point Naval Air Station, which was developed in the early 1940s and closed in the late 1990s. There are only four resources in Section I with buildings dating before 1965. None of them have been identified as being on the National or Hawai'i Registers, or have been evaluated as eligible in previous studies. Thus, they were evaluated for National Register eligibility as part of this project. After field surveys (when additional resources were identified), a total of five properties were identified as potentially eligible, or potentially eligible pending further study, for the NRHP in this section. See below for a discussion of these resources and Appendix B for a complete list, with each resource's respective status. There are no National Register Historic Districts close to, or abutting, any of the alignments in Section I.

Five historic resources would be affected by the four alignments in this section of the alternative (Figure 4-3). Most are features of, or are in close proximity to, Kalaeloa, formerly known as Barbers Point Naval Air Station (BPNAS). The following is a summary of resources, by alignment.

Kamokila Boulevard/Farrington Highway

The historic resources that would be affected by this alignment are two historic bridges, both of which are located on Farrington Highway between the developed area of Kapolei and Fort Weaver Road (one at Hono'uli'uli Stream and one near Makalapa Gulch).

Kapolei Parkway/North-South Road

This alignment could affect one historic resource (the bridge over Hono'uli'uli Stream, on Farrington Highway near Fort Weaver Road).

Saratoga Avenue/North-South Road

Two of the three historic resources that would be affected by this alignment are located at Kalaeloa, along Saratoga Road, and are associated with the former Barbers Point Naval Air Station. These are a former Navy housing area and a Cold War-era helicopter hangar. The third historic resource is the Hono'uli'uli Stream Bridge on Farrington Highway, which is also included in the Kapolei Parkway/North-South Road alignment above.

Geiger Road/Fort Weaver Road

This alignment would pass by three historic resources, two which are located at Kalaeloa as discussed above (the former Navy housing area and helicopter hangar). The third historic resource identified in this alignment is a 1943 bridge on Geiger Road, just east of Kalaeloa.

Source: USGS 7.5 Minute Series Topographic Map. 'Ewa (1998), Schofield Barracks (1998) and Pearl Harbor (1999) Quadrangles.

Figure 4-3. Fixed Guideway Section I

Summary of Affected Resources (Section II – Fort Weaver Road to Aloha Stadium)

This section of the Fixed Guideway Alternative has only one alignment – along Farrington and Kamehameha Highways. Beginning at its westernmost end, the alignment would run along Farrington Highway from its intersection with Fort Weaver Road to near the Waiawa Interchange and follow Kamehameha Highway east to Aloha Stadium. It runs through the Pearl City and Waipahu communities, and along the southern edge of 'Aiea. All three towns were established in the late 19th century but have experienced tremendous change and growth, essentially evolving into suburbs that have merged into each other, in the last decades of the 20th century. There are 173 properties in Section II with buildings that fall within the 1965 cut-off date. Most date from the 1950s and 1960s, although a few properties in this section contain buildings

3

4

5

7

8

9

10

11

12

13

14

15

dating from the 1930s and 1940s. This same alignment was studied for previous transit projects and no historic resources along these highways were evaluated as being NR eligible. However, because seven years have passed since the last study, these pre-1965 properties required evaluation (or re-evaluation, as the case may be) for potential NRHP eligibility as part of this project. A total of nine resources were identified as either potentially eligible or potentially eligible pending further study for the NRHP. Appendix B includes a list of the properties and their Register status. There are no National Register Historic Districts abutting the sole alignment in this section.



Source: USGS 7.5 Minute Series Topographic Map. Schofield Barracks (1998) and Waipahu (1998) Quadrangles.

Figure 4-4. Fixed Guideway Section II

The nine historic resources that would be affected by this alignment are distributed somewhat evenly along the route. Seven of the resources are buildings: four churches along Farrington Highway, a restaurant at the alignment's east end, the Waimalu Shopping Center, and the Hawai'ian Electric Company Waiau Power Plant.

Near the west end of the alignment, on Farrington Highway, is a concrete bridge over Waikele Stream. The makai span (eastbound Farrington Highway) is elevated high above the stream bed on slender concrete columns and appears to date from ca. 1930s.

Near the KoKo Head end of the alignment is Sumida Farm, just mauka of Kamehameha Highway at the Kalauao Spring (for more information on this historic vernacular landscape, see discussion under the Managed Lane Alternative). This property is in a heavily congested commercial area, and its integrity of setting has already been compromised.

Summary of Affected Resources (Section III – Aloha Stadium to Middle Street)

In this section, several alignments cross through or along the Pearl Harbor Naval Base, the Salt Lake neighborhood, the industrial areas of Māpunapuna and Honolulu International Airport, and Fort Shafter Military Reservation (Figure 4-5).

Figure 4-5. Fixed Guideway Section III

Most of the outlying housing areas of the U.S. Navy base have been redeveloped in recent decades, and the industrial areas and makai portion of Fort Shafter have also undergone tremendous change in recent decades. In Section III there are 157 properties with pre-1965 resources. The alignment with the greatest number of properties containing pre-1965 resources is the one that includes the entire length of Salt Lake Boulevard. Most properties contain buildings that date from the 1950s and 1960s, although two properties in this section contain buildings dating from the 1940s. Although these alignments have been previously studied, none of these resources have been identified as being on, or evaluated as eligible for, the National or Hawai'i Registers.

As part of this project, these resources were evaluated (or re-evaluated as the case may be) for eligibility. Ten were identified as potentially eligible, potentially eligible pending further study, or already on the National Register of Historic Places as part of the Pearl Harbor NHL. All were added from field observation; there were no historic resources contained in the original list of pre-1965 resources. The 10 resources are distributed somewhat unevenly, with the majority located along the alignments that follow Kamehameha Highway from Aloha Stadium to Honolulu International Airport, along the boundary of the Pearl Harbor NHL. Appendix B contains a full list of these resources, including their Register status.

3

4

5

6

7

8

9 10

11

12

13

14

15

16


17

18

19

20

The Pearl Harbor NHL (Figure 4-2) is passed by all of the alignments except Salt Lake Boulevard. Palm Circle Historic District (Figure 4-6), also a NHL, abuts the alignment that runs along Salt Lake Boulevard.



Source: Integrated Cultural Resources Management Plan for Fort Shafter Military Reservation, Island of O'ahu

Figure 4-6. Palm Circle National Historic Landmark


Palm Circle National Historic Landmark (Figure 4-6) is located in the Fort Shafter Army reservation. It was designated a National Historic Landmark in 1987. Palm Circle Drive surrounds an oval-shaped parade ground lined with royal palms and historic buildings. These buildings, officer housing and administration offices, mostly date from the early 1900s and share the same architectural style. Together, they form one of the oldest and most intact groupings of military buildings in Hawai'i. Palm Circle is also significant for housing the offices and quarters of the Commanding General and his staff, U.S. Army Forces, Pacific Ocean Areas, during World War II. Lieutenant General Robert C. Richardson, Jr., played a critical role in directing U.S. Army personnel in the Pacific realm, overseeing the defense of Pearl and Honolulu Harbors and supervising the construction of the Pineapple Pentagon at Palm Circle for the more efficient conduct of the command's mission.

Salt Lake Boulevard

This alignment would pass by three historic resources. It follows Salt Lake Boulevard, approximately from its intersection with Kamehameha Highway near Aloha Stadium to its termination at Pu'uloa Road. The alignment then continues Koko Head through Māpunapuna, turning slightly mauka, crossing Moanalua Stream and following the Moanalua Freeway to Middle Street. One of the historic resources at the extreme 'Ewa end of this alignment, just 'Ewa of Aloha Stadium, is the 'Aiea Plantation Cemetery and

1 is comprised of two TMK parcels. The second resource along this route is a Ouonset hut 2 located at the Navy Public Works Center. Near the Koko Head end of the alignment is the third historic resource, the Harriet M. Damon Bridge, which crosses the Moanalua 3 4 Stream (built in 1961). 5 Mauka of the Airport Viaduct This alignment, as well as the following two alignments (Makai of the Airport Viaduct, 6 7 and Aolele Street) would pass by the same eight historic resources. They are all located 8 where the three alignments come together along Kamehameha Highway extending from 9 near Aloha Stadium to Valkenburgh Avenue. The section where these alignments diverge is 'Koko Head of Valkenburgh Avenue, along the Nimitz Highway fronting the 10 airport, where one is routed mauka of the H-1 viaduct, one is routed makai of the H-1 11 12 viaduct, and one is routed along Aolele Street. 13 Near the 'Ewa end of the alignments is the 'Aiea Plantation Cemetery, which is 14 comprised of two TMK parcels and is near Aloha Stadium. Moving Koko Head, the next 15 historic resource is the 1945 bridge at Hālawa Stream whose mauka span serves the 16 'Ewa-bound lanes of Kamehameha Highway. 17 The remaining historic resources of this alignment are along the Kamehameha Highway Koko Head of the Hālawa Stream Bridge. Two are the historic Navy housing 18 19 neighborhoods of Makalapa and Little Makalapa, located across Kamehameha Highway 20 from Pearl Harbor Naval Base and National Historic Landmark. Three historic resources 21 lie within the Pearl Harbor NHL, along its Kamehameha boundary: Facility 550, a 22 World War II-era publications office; the remaining components of the Navy's Upper 23 Tank Farm (built for fuel storage in the 1920s); and a World War II-era splinter-proof 24 personnel shelter which is one of the best preserved structures of its type (Mason 25 Architects, 2004). Nearby, just outside the NHL boundary, is a historic Navy Fire 26 Station. 27 Makai of the Airport Viaduct 28 The resources along this alignment are the same as the Mauka of the Airport Viaduct 29 alignment. 30 **Aolele Street** 31 The resources along this alignment are the same as the Mauka of the Airport Viaduct 32 alignment. Summary of Affected Resources (Section IV – Middle Street to Iwilei) 33 34 The alignments in this section run along Dillingham Boulevard or North King Street, 35 with the optional connector of Middle Street (Figure 4-7). There are 140 properties with pre-1965 buildings in Section IV. These date from the early 1900s through the 1960s. 36 37 Six historic resources in this section were identified as being on the Hawai'i or National Registers, or as Eligible for the National Register. These are the Tong Fat Company, 38 39 Ltd., building (National Register Eligible), Farrington High School (Hawai'i Register),

OR&L Office and Document Storage Building (Hawai'i Register and National Register Eligible), the Pālama Fire Station (Hawai'i Register and National Register), the Kalihi Fire Station (Hawai'i Register and National Register), and the Kaumakapili Church (Hawai'i Register).



Source: USGS 7.5 Minute Series Topographic Map. Honolulu Quadrangle (1998).

Figure 4-7. Fixed Guideway Section IV

The remaining 134 properties were not previously determined eligible or evaluated as eligible. As such, they were evaluated for NRHP eligibility for this project. A total of 37 of these were identified as either potentially eligible, or potentially eligible pending further study, for the National Register. This means that there are a total of 43 historic and potentially historic resources in Section IV. Appendix B contains a list of these resources, with their respective Register status. (Final determination of eligibility will occur after selection of the LPA if the alternative and alignment selected could affect the property.) The resources in Section IV are unevenly distributed; the majority is found along the North King Street alignment (see Table 4-1).

North King Street

The 33 historic resources identified along the North King Street alignment are distributed fairly evenly along most of its length, from Middle Street to its intersection with Dillingham Boulevard. This alignment has a very high percentage of historic lava rock curbs (approximately 60 percent to 70 percent of all curbs along the route). There are two historic bridges: one over Kalihi Stream (built in 1933) and the other which crosses Kapālama Stream (built in 1938).

Many of the North King Street resources are standard-type commercial building that appear to be indicative of a trend in either commercial or transportation patterns. These buildings typically have a retail business and storefront on the ground floor and living space on the second floor, and were often built along major transportation routes. They are most common on North and South King Streets, but are not found there exclusively. Extant examples indicate that this type of structure was typically built from the 1930s through the 1960s. More study of their historic context is required to understand the development of this ubiquitous type. Common physical characteristics noted for these buildings are that they are generally two stories and commonly built of plastered masonry, often concrete hollow tiles. They have varying degrees of ornamental detailing and typically exhibit canopies over the sidewalk, clerestory windows either above or below the canopy, chamfered or radiused corner entries, and cargo bays for vehicular traffic to access the rear of the building.

Many of the historic resources (approximately 18) are these simple, relatively unadorned commercial buildings. There is a seven-unit cluster of this type of building along the alignment near Gulick and Mokauea Streets, and another cluster between Kapālama Stream and Pālama Street. The second cluster is interspaced with four plantation-type historic single-family residences with vertical-board siding and horizontal girts, wide overhanging eaves, and hip or gable-on-hip roofs.

At the 'Ewa end of this alignment, near North King Street's intersection with Middle Street, are two historic resources that have been identified for acquisition for the fixed guideway system. These are the 1956 Kalihi Shopping Center (one of the few remaining examples of early shopping center designs on O'ahu) and a single-story commercial building, Leong's Cafe. It is assumed these buildings would be demolished for the fixed-guideway system.

Other notable historic resources on this alignment are the Kalihi Pumping Station of the Board of Water Supply at Houghtailing Street, the 1901 Pālama Fire Station, and the former New Pālama Theater (built in 1930). At the Koko Head end of the alignment, at its intersection with Dillingham Boulevard, is the 1925 Oʻahu Rail & Land terminal building. On the same parcel as the terminal building (TMK 15007001) and facing Iwilei Road are sections of roadway paving blocks made from local basalt stone. These are found along the sidewalk and at the driveway entrance to the parcel from Iwilei Road and are the only known examples of stone roadway paving that remains on Oʻahu. This parcel, TMK 15007001, also lies along the Dillingham Boulevard alignment.

Dillingham Boulevard

This alignment runs adjacent to 12 historic resources, five of which are residential buildings. It also exhibits a significant amount of historic lava rock curbs (approximately 40 percent to 60 percent of all curbs along the route).

The historic residences are located in a cluster, centered at approximately Mokauea Street. All of the buildings are plantation-style homes, either single-family or duplexes. One parcel (TMK 12002113) contains numerous residential buildings arranged in a

courtyard configuration, with four single-family houses facing Dillingham Boulevard. 1 2 This courtyard parcel is near the center of the cluster of historic housing resources, with 3 one single-family historic resource Koko Head and two single-family buildings and one 4 duplex building 'Ewa. 5 Further Koko Head along the alignment, between Kōkea and Alakawa Streets, is a 6 grouping of six Quonset huts. These are lined up one behind the other, oriented with 7 their long axes parallel to Dillingham Boulevard, with only one Quonset fronting 8 Dillingham Boulevard. These Quonset huts were moved to this location, probably in 9 1954 (and as such already lack integrity of location). They retain high integrity of design, materials, workmanship, feeling, and association and have value as one of the few 10 surviving groupings of Quonset huts on O'ahu. While only one Quonset fronts the 11 alignment, the entire grouping would be affected by the fixed guideway system. 12 13 As with the North King Street alignment, at the Koko Head end of the Dillingham 14 Boulevard alignment at the intersection with King Street is the 1925 O'ahu Rail & Land 15 terminal building. On the same parcel (TMK 15007001) as the terminal building and facing Iwilei Road are sections of roadway paving blocks made from local basalt stone. 16 17 There is additional stone paving fronting the adjacent parcel (TMK 15007002). 18 The Dillingham Boulevard alignment has one historic bridge resource, the 1930 19 Kapālama Stream Bridge. Summary of Affected Resources (Section V - Iwilei to UH Mānoa) 20 21 Section V is comprised of many historically rich areas (Chinatown, Downtown, Kaka'ako, McCully, Mo'ili'ili, and Waikīkī), which give it a proliferation of historic 22 resources. Many of the alignments have been studied for previous transit projects (Figure 23 24 4-8). 25 There are 500 properties in Section V that fall within the 1965 cut-off date. Previous 26 studies have identified 67 historic resources in this section that are on the National or 27 Hawai'i Register, and/or are National-Register eligible. The remaining 433 resources 28 were re-evaluated for this study, and a total of 141 were determined to be potentially 29 eligible, potentially eligible pending further study, or already on one or both of the 30 Registers. Appendix B lists each resource, along with its Register status. 31 In addition, three National Register Historic Districts are close to, or abut, various alignments in Section V. These districts are shown in Figure 4-9, and Table 4-1 32 33 identifies the alignments that could affect each district. 34 The Chinatown Historic District is in Downtown Honolulu and is generally bounded by 35 Nu'uanu Avenue, the 'Ewa side of Nu'uanu Stream, Beretania Street, and a portion of Honolulu harbor encompassing Piers 13-15 and the edge of Pier 12. The City and 36 37 County also have established a Chinatown Special Area District that includes essentially 38 the same properties but also includes some lots from the Merchant Street Historic

District. Chinatown's significance is based on its cultural, historical, and architectural

values. It is historically significant because it is the oldest part of Downtown Honolulu and contains a large concentration of original buildings and uses.




Figure 4-8. Fixed Guideway Section V


The Merchant Street Historic District (MSHD) consists of several historic buildings in the vicinity of Merchant Street and Nu'uanu Avenue. The National Register nomination form states that the district's outer limits are the four blocks bounded by King Street, Fort Street, Queen Street, and Nu'uanu Avenue. The MSHD is historically significant because it represents a cross-section of commercial and government uses dating from 1854 to 1930 in the old downtown area. The district is composed of buildings with high architectural value, with a variety of styles, forms, and materials.

19

20

21

22



Source: Primary Corridor Transportation Project: Product 7-12, Historic/Cultural Resources Impacts Technical Report, May 1999.

Figure 4-9. Chinatown Historic District, Merchant Street Historic District, and Hawai'i Capital Historic District-

The Hawai'i Capital Historic District includes most of the important civic buildings in the core of Honolulu. The majority of these buildings are government-owned structures, but several are commercial or institutional buildings. Twenty resources were specifically listed in the National Register nomination for this district, but this district actually includes almost 30 resources because several buildings or other resources are included under some of the listed ones. There is a wide range of architectural styles in the district with distinguished examples of Classical Revival, Romanesque, Spanish Mission, Italian Mediterranean, New England Colonial, French Baroque, and Georgian buildings. The significance of this district resides in its architectural and visual character, including its large percentage of open space, as well as its central role in the history of O'ahu and all of the Hawai'ian Islands. Traditionally centralization of government for all of Hawai'i has occurred in Honolulu. This has resulted in an unusual concentration of public and private architecture, spanning the years from 1820 (the Mission Frame house) through 1969 (the State Capitol Building).

Within this section, the various alignments could, in aggregate, affect 141 historic resources, more than any other section of the project. In addition to the high count of historic resources here, this section has an arrangement of alignment options that is more complicated than the other sections. The historic resources are primarily concentrated in two overlapping areas: between Nu'uanu Stream and Ward Avenue and along the entire length of King Street. Historic resources are found elsewhere in this section, but the bulk of them lie within these two areas. The area from Nu'uanu Stream to Ward Avenue encompasses portions of all the alignments in Section V, with the exception of the Waikīkī Spur.

Beretania Street/South King Street

This alignment runs adjacent to 56 historic or potentially historic resources, which are distributed evenly along the route from Nu'uanu Stream to its terminus at the University of Hawai'i. This alignment has a very high percentage of historic lava rock curbs (approximately 60 percent to 70 percent of all curbs along the route).

This alignment can be separated into two segments; the first, at the west end, runs along Beretania Street to the Board of Water Supply near Alapa'i Street. Sixteen historic resources are found along this segment of the alignment from Nu'uanu Stream to Alapa'i Street. Most of this segment is proposed to be tunneled under the street. The historic resources affected by this tunneled section of the alignment include low-rise commercial buildings in Chinatown and Downtown, the 1898 Progress Office Block, the 1936 Central Fire Station, Washington Place, St. Andrew's Cathedral, the State Capitol, and the 1941 Mabel Smythe Memorial Building. The alignment is proposed to transition from a tunnel to a surface route along the front of the historic resources of the Board of Water Supply buildings.

The second segment of this alignment runs aboveground, along King Street from Alapa'i Street to almost University Avenue, where it bends mauka, and joins the 'Ewa ends of the four Hotel Street and Nimitz Highway alignments, and terminates at the University of Hawai'i. Approximately 40 historic resources would be affected along this segment of the alignment. Most of these resources are the same commercial building type discussed in Section IV along King Street. There is a grouping of nine of such buildings along the alignment between Pensacola and Pi'ikoi Streets.

At the Koko Head end of this alignment, in a portion that is common with the other four alignments of this alternative, are two large-scale historic resources: the Church of the Crossroads (built in 1935 and designed by Claude Stiehl) and the Varsity Theater (built in 1939 and designed by C.W. Dickey). These two buildings are situated where the two alignments converge.

Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard

This alignment is adjacent to 52 historic or potentially historic resources. It runs in tandem with the Hotel Street/Waimanu Street/Kapi'olani Boulevard alignment from Nu'uanu Stream to Punchbowl Street, and from Kamake'e Street to its terminus at the University of Hawai'i. These alignments have a high percentage of historic lava rock curbs (approximately 50 percent to 60 percent of all curbs along the route).

As noted previously, a high concentration of historic resources is found from Nu'uanu Stream to Ward Avenue. At the 'Ewa end of the alignment, the historic King Street bridge over Nu'uanu Stream borders the Hotel Street routes.

All of the Hotel Street alignments pass through the historic core of Honolulu's Chinatown Historical District, a National Register district since 1973. These properties are generally low-rise, two- or three-story buildings, with retail shops on the ground floor and offices or living quarters above. Several are either vacant, or appear to have vacant second stories. A two-story building at the corner of Hotel Street and Kekaulike Mall was built by the Chinese Lung Doo Benevolent Society and the society's clubhouse is on the second floor above retail space. This historic district is densely urban, and the impact of the aboveground fixed guideway system would be severe on such a compact collection of buildings and narrow streets.

The Koko Head end of this alignment through Downtown would be in a tunnel below the Hawai'i Capitol Historic District, a National Register District since 1978. This area is less dense than Chinatown, and a large part of its historic character is derived from open areas between the historic buildings.

Moving Koko Head, the portions of the Hotel Street alignments that run through Kaka'ako, Ala Moana, and Mo'ili'ili to Hausten Street would impact relatively few historic resources. One historic resource is the Hawai'ian Life Building at Pi'ikoi and Kona Streets, which was designed by renowned architect Vladimir Ossipoff. At Kapi'olani Boulevard and McCully Street is the Ala Wai Park Clubhouse, placed on the National Register in 1988 under the thematic grouping of Art Deco Parks of the City and County of Honolulu. Along University Avenue, centered at Date Street, is a grouping of eight historic resources. These are residential buildings: six single-family homes, one duplex, and one two-story apartment building.

Hotel Street/Waimanu Street/Kapi'olani Boulevard

This alignment could affect 50 historic or potentially historic resources. It runs in tandem with the Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard alignment from Nu'uanu Stream to Punchbowl Street, and from Kamake'e Street to its terminus at the University of Hawai'i. The concentration of resources in this portion of the alignment is the same as discussed for the preceding alignment.

The portion of the Hotel Street/Waimanu Street/Kapi'olani Boulevard alignment that runs from Punchbowl Street to Kamake'e Street would affect few historic resources. The Honolulu Hale and the Mission Houses Memorial Building and Annex are three resources located where the two routes diverge and, therefore, both routes run near them. The alignment would be tunneled under these historic resources. The only other historic resource affected along this portion of the alignment, the Honolulu Advertiser building, would be situated above the tunneled portion of the alignment.

This alignment has a high percentage of historic lava rock curbs (approximately 50 percent to 60 percent of all curbs along the route).

1 2

1 Nimitz Highway/Queen Street/Kapi'olani Boulevard

This alignment could affect 45 historic or potentially historic resources. At its Koko
Head end (Koko Head of Pensacola Street), this alignment follows the same route as the
above two alignments with the same historic resources. At the 'Ewa end of this
alignment (from Nu'uanu Stream to Alakea Street), it either runs in tandem with the
Nimitz Highway/Halekauwila Street/Kapi'olani Boulevard alignment or has historic
resources common to both alignments.

This alignment has a high percentage of historic lava rock curbs (approximately 40 percent to 50 percent of all curbs along the route).

One group of seven historic resources in the Koko Head section of this alignment is located along Kekaulike and Mauna Kea Streets and contains the 1916 Schnack Building and the 1911 Kawahara Building along Mauna Kea Street. Both have retail space on the ground floor and offices and living space on the second story. Behind these buildings is the ca. 1919 three-story lava rock and mortar constructed C.Q. Yee Hop building. On Kekaulike Street this group of buildings includes one-, two-, and three-story buildings with retail or commercial space on the ground floors. Nearby is the Nimitz Highway Bridge over Nu'uanu Stream (built in 1932) and the HFD Waterfront Fire Station at Pier 15 and Pier 13/14.

A section of this alignment runs along Queen Street, and the main area of historic resources along the Queen Street section is at the Koko Head end, from Queen Street's junction with Nimitz Highway to about South Street. Here the alignment could affect 12 historic resources. These include some of the more better-known historic buildings in Downtown, the Capitol District, and surrounding area: C. Brewer, Alexander & Baldwin, Dillingham Transportation, the Post Office, Ali'iōlani Hale, Hale Auhau, Hawai'i Department of Transportation, and the Royal Brewery.

Nimitz Highway/Halekauwila Street /Kapi'olani Boulevard

This alignment could affect 33 historic or potentially historic resources. At its Koko Head end, this alignment runs in tandem with the Nimitz Highway/Queen Street/Kapi'olani Boulevard alignment, and the discussion of resources for that alignment would apply (see above). These alignments have a high percentage of historic lava rock curbs (approximately 40 percent to 50 percent of all curbs along the route).

At its 'Ewa end, this alignment runs along Kona Street, Kapi'olani Boulevard, and University Avenue on the same route as the other Hotel Street and Nimitz Highway alignments. The resources found here are identical to the other alignments and are discussed above for the Hotel Street/Kawaiahau Street/Kapi'olani Boulevard alignment. The center section of this alignment, running along Nimitz Highway and Halekauwila Street, impacts five historic resources. One of these, the Dillingham Transportation Building, is also affected by the Nimitz Highway/Queen Street/Kapi'olani Boulevard alignment.

The remaining historic resources in this section of the alignment are the mauka portion of the interisland terminal at Pier 11, Irwin Park, and Mother Waldron Park near the 'Ewa end of this alignment.

Waikīkī Spur

 This alignment could affect eight historic or potentially historic resources along its route from Kapi'olani Boulevard to its terminus near the end of Kūhiō Avenue. The resources are distributed somewhat unevenly along the alignment: seven are on the Koko Head half of the alignment from Kapi'olani Boulevard to Royal Hawai'ian Avenue and two are near Uluniu Avenue close to the terminus of the route. Two of these resources are simple, unadorned commercial buildings; four are apartment buildings; one is a hotel; one is a ca. 1929 Tudor house converted to retail; and one is a bridge (1929, Kalākaua Bridge over the Ala Wai Canal).

Chapter 5 Impacts

Introduction

Of the approximately 1,000 properties initially identified for this study as meeting the 1965 cut-off date, 209 were subsequently identified as either:

- Resources on the National Register of Historic Places (NRHP) (including those possessing National Historic Landmark status)
- Resources on the Hawai'i Register of Historic Places (HR)
- Resources that have been officially determined Eligible for the NRHP
- Resources evaluated as potentially eligible for NRHP in this study
- Pre-1965 resources not previously evaluated that may be potentially eligible for NRHP, pending further study.

Appendices A and B include lists of these potentially historic and historic properties.

This chapter includes an introduction to the process of analyzing impacts to these resources, which involves understanding the historic resource's value, assessing how the undertaking would affect its various aspects of integrity, and identifying the degree to which the integrity would be compromised in respect to 36 CFR §800.5(a)(2) (which defines adverse effects to historic properties under Section 106 of the National Historic Preservation Act). This chapter also identifies impacts that would occur from the operation phase (long-term impacts) and the construction phase, as well as secondary impacts.

The National Register's criteria for evaluation of historic resources recognize different types of values. The NR significance criteria cover properties:

- A. That are associated with events that have made a significant contribution to the broad patterns of our history or
- B. That are associated with the lives of persons significant in our past or
- C. That embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction or
- D. That have yielded, or may be likely to yield, information important in prehistory or history.

Since historic context studies were not part of the scope of work for this project, the survey of historic resources was limited to identifying those buildings and structures that appeared to possess distinctive characteristics of a type, period, or method of construction (Criterion C). Historic context studies would likely identify additional historic properties for their association with significant events (Criterion A), persons (Criterion B), or an

ability to yield information about history or prehistory (Criterion D). (Note that a separate archaeological survey is also being undertaken for this project that covers the identification and evaluation of below-grade resources that would fall under Criterion D.)

Impacts that decrease the qualities of integrity that qualify a historic resource for inclusion on the NRHP is the focus of this chapter. In assessing eligibility for the National Register, seven aspects of integrity are considered:

- Location: the original location of a historic resource, complemented by its setting, is important in conveying the sense of history
- Setting: the physical environment of a historic resource
- Design: the form, structure, style, and details of a historic resource
- Materials: the physical elements of a historic resource
- Workmanship: evidence of skill or labor in construction of the resource
- Feeling: the expression of a resource's historic sense or the conveyance of its historic character
- Association: the link between the resource and a historic event, trend, or person.

To retain historic integrity a resource must possess several, and usually most, of these aspects. Diminishing these aspects would diminish the eligibility of a historic resource for inclusion on the National Register. Determining which of these are most important to a particular resource requires knowing why the resource is significant. Some of these aspects – design, materials, and workmanship – relate to the actual material portions of the resource and what would be affected by a physical alteration or removal of the resource. "Setting" relates to a resource's site and surroundings and, combined with the aspects of feeling and association, would be affected by an intrusion or change to the environment around the resource. These aspects of integrity are what would be most affected by this project. Integrity of location would typically not be affected unless relocation were proposed as part of the transit planning or mitigation process. Aspects of design, materials, and workmanship would not be affected except in (unanticipated) circumstances where designs were reconfigured or materials and workmanship were highly altered.

As explained in Chapter 2 (Studies and Coordination), federal agencies have to take into account the effect of their undertakings on historic resources. The regulations covering this process are found in the United States Code of Federal Regulations at 36 CFR, Section 800. According to 36 CFR §800.5(a)(2), adverse effects on historic properties include, but are not limited to, the following:

- Physical destruction of or damage to all or part of the property
- Alteration of a property, including maintenance, stabilization, hazardous material remediation, and provision of handicapped access, that is not consistent with the Secretary's standards for the treatment of historic properties (36 CFR part 68) and applicable guidelines
- Removal of the property from its historic location

1 2	 Change of the character of the property's use or of physical features within the property's setting that contribute to its historic significance
3	• Introduction of visual, atmospheric, or audible elements that diminish the integrity of
4	the property's significant historic features
5 6	 Neglect of a property which causes its deterioration, except where such neglect and deterioration are recognized qualities of a property of religious and cultural
7	significance to an Indian tribe or Native Hawai'ian organization and
8 9	 Transfer, lease, or sale of property out of Federal ownership or control without adequate and legally enforceable restrictions or conditions to ensure long-term
10 11	preservation of the property's historic significance.
12 13	The manner in which these adverse effects could manifest under the four alternatives is discussed below.
14	
15	Alternative 1: No Build
16	Introduction
17	The No Build Alternative assumes completion of projects defined in the 2030 O'ahu
18	Regional Transportation Plan (ORTP). Impacts associated with development of the
19	individual projects listed in the ORTP cannot be evaluated because their details are not
20 21	available. However, the projects will undergo planning and environmental review as part of their individual project development process.
22	Summary of Affected Resources
23 24	The historic resources that could be affected by all of the projects defined in the ORTP in the No Build Alternative are unpredictable and have not been identified as part of this
25	AA.
26	Construction Impacts
27 28	Construction impacts would result from the projects defined in the ORTP. Each project's construction impacts would need to be evaluated separately.
29	Long-term Impacts
30	Specific impacts to historic resources would have to be identified in the environmental
31	documentation that would be submitted for permits required for each project
32	implemented as part of the ORTP.
33	Secondary and Cumulative Impacts
34	It is difficult to anticipate such impacts at this stage. Specific secondary and cumulative
35 36	impacts would have to be identified during the permitting stage for each individual project.

Alternative 2: Transportation System Management

2 Introduction

1

3

4 5

6 7

8

9

10 11

12

13

14

15

16

17 18

19 20

21

2223

2425

26

27

28 29

30

31

3233

34

35

The details of the physical improvements to roads and highways, such as intersection widening, and the locations of such improvements have not been determined for this alternative.

Summary of Affected Resources

Because the locations for the improvements that comprise this alternative have not been identified, the historic resources that would be affected are unknown.

Construction Impacts

Construction of any new infrastructure could result in some or all of the following impacts:

- Inadvertent collision of equipment and material into the resource
- Collision from overhead debris
- Construction vibration causing direct movement or ground displacement (resulting in settling and movement and possible structural damage to the resource)
- Dewatering from adjacent foundation excavations creating settling and movement beneath historic resources
- Dewatering resulting in the rapid dry rot of any previously submerged timber piles when exposed to air
- High concentrations of dust soiling the exterior or infiltrating the interior and damaging interior architectural features
- Construction noise resulting in owners of historic properties erecting unsightly noise barriers.

Long-term Impacts

If this alternative were selected, specific impacts would have to be determined in the next stage of planning once the details of the alternative are developed. It is anticipated that the majority of impacts associated with this alternative could be related to the capital improvements to selected roadway facilities so that priority can be given to buses. This may include the removal or alteration of historic resources, and possible changes to the resource's setting, feeling, and association as a result of changes in the streetscape.

Secondary and Cumulative Impacts

Specific secondary and cumulative impacts are difficult to anticipate at this stage of planning, so they would have to be analyzed in detail (as required for permitting) if this alternative were chosen.

Alternative 3: Managed Lane

2 Introduction

1

3

4 5

6

7

8

9

10

11

12 13

14

15

16

17

18

19 20

21

2223

24

25

26

27

28 29

30

31

32

33

34

35

3637

38 39 Both of the two-lane, grade-separated roadway options for the Managed Lane Alternative could impact the physical environment of the 26 historic resources identified along this route. Impacts to historic resources, as discussed below, would be the same for either option.

Impacts

The historic resources (districts, cemeteries, parks, buildings, bridges, stone paving, curbing, and other such objects) that are considered potentially eligible, potentially eligible pending further study, or already on the Register(s) in this section could face a loss of integrity of setting, feeling, and association. The loss of these aspects of integrity could occur during operation (long-term impacts), construction, or as secondary effects of the project. Below is a summary of these impacts, organized by these three categories.

Potential Long-term Impacts

- Demolition or damage to historic objects, such as lava rock curbs or road paving
- Alterations, such as stabilization efforts/reinforcement, particularly to historic bridges, where such alterations would change their historic appearance
- Direct changes to physical features within a property's setting that contribute to historic significance, specifically infrastructure that is visually incompatible and blocks the view of historic resources (for example, the scale of the infrastructure would overwhelm the historic appearance).

Potential Construction Impacts

- Inadvertent collision of equipment and material into the resource
- Collision from overhead debris
- Construction vibration causing direct movement or ground displacement (resulting in settling and movement and possible structural damage to the resource)
- Dewatering from adjacent foundation excavations creating settling and movement beneath historic resources
- Dewatering resulting in the rapid dry rot of any previously submerged timber piles when exposed to air
- High concentrations of dust soiling the exterior or infiltrating the interior and damaging interior architectural features
- Construction noise altering the feeling of historic areas (particularly residential neighborhoods).

Potential Secondary Impacts

• Changes to a property's use, if owner determines new infrastructure would render existing use incompatible

- 5 6
- 7

10

11

12

13 14

15

16 17

18 19

20

21

22 23

24 25

26

27

28

29

30 31

32

33

34

35

36

37 38

39

40

41

Alternative 4: Fixed Guideway 8

Introduction

The Fixed Guideway Alternative could impact the physical environment of 209 historic resources that were identified along its various alignments (Table 5-1). As a means of comparing the relative degree of impact that the various alignments would entail, each has been given a ranking (on a scale of 1 to 3) in the far right column of the table (with 1 being the least degree of impact and 3 being the highest degree of impact). These rankings are preliminary and have not been reviewed or approved by SHPD. As shown in the table, historic resources are more concentrated in Sections IV and V. This pattern reflects O'ahu's development history, which began in Downtown Honolulu and branched outward. The alignments within each section that have the least degree of impact are shaded in gray in the table.

Physical changes, if owner alters a property to mitigate the presence of the new

Change in character of use or demolition, if an environment of increased land values

Neglect and possible decay, if increased levels of noise and traffic lead owners to

infrastructure (sound or visual barriers)

results in the sale of historic properties

abandon properties.

In addition to the number of historic or potentially historic resources identified along each alignment, the rankings take into account several other weighting factors. The rankings consider the level of impact that would result from where the system is built (above-grade, at-grade, below-grade) in a particular segment. For example, at-grade segments have been evaluated as posing less impact than elevated segments, and tunneled segments would pose less impact than at-grade segments. The tunneled segments were projected to cause the least amount of impact among these three options since it is assumed that construction damage would be avoided or minimized and, as a result, none of the historic resources adjacent to the tunneled alignments would be affected. The ranking also reflects how many of the resources are already on the National and/or State Registers, as well as the path an alignment takes through a historic district. For example, a lower rank is given when an alignment is adjacent to the outer boundary of a district, compared to an alignment that goes directly through it. An explanation of the relative rankings for each section follows.

Of the four alignments within Section I, the Kapolei Parkway/North-South Road alignment poses the least impact (1) because it is adjacent to only one potentially historic resource. The other three alignments are adjacent to either two or three potentially historic resources. This section contains no properties already listed on the State or National Registers or any historic districts, and the system would be elevated along this section. Therefore these weighting factors do not affect the ranking of the alignments; the relative rankings for this section directly reflect the number of potentially historic resources identified in the survey.

1 Section II contains only one alignment, Farrington Highway/Kamehameha Highway, 2 which is adjacent to nine potentially historic resources. Because there were no other 3 alignments to compare it to, it was not given a ranking. There are four alignments in Section III, all which are proposed to be elevated. Of the 4 5 four alignments, the Salt Lake Boulevard alignment would result in the least impact (1) since it is adjacent to only three historic or potentially historic resources. It passes 6 7 adjacent to the outer boundary of the Palm Circle National Historic Landmark, but none 8 of the NHL's resources are near this boundary, so its direct impact to historic resources is 9 insignificant. The three other alignments in Section III each affect eight resources. They also follow the Kamehameha Highway boundary of the Pearl Harbor National Historic 10 Landmark, passing directly in front of some of its historic resources. As such, these three 11 12 alignments were given a higher ranking (3). 13 Of the two alignments in Section IV, the Dillingham Boulevard alignment was given the 14 lowest ranking (1) in comparison to the ranking of the North King Street alignment (3). 15 This is because the former alignment is adjacent to 12 potentially historic resources (of which only one is on one of the Registers) whereas the latter alignment is adjacent to 33 16 17 historic resources (of which five are on either the Hawai'i Register or Eligible for the 18 National Register). Since neither of the alignments pass through or near any historic 19 districts and both use elevated systems, the rankings are primarily based on the historic or 20 potentially historic resources located along the alignments. 21 Of the five alignments in Section V, the Nimitz Highway/Halekauwila Street/Kapi'olani 22 Boulevard alignment was given the lowest ranking (1), primarily because it impacts the fewest number of historic resources of any of the alignments. In addition, this alignment 23 avoids many areas with concentrated groups of resources (central Chinatown, South King 24 25 Street) as well as the Capitol Historic District, which has a number of high profile 26 resources. This alignment does not entirely avoid historic resources, however. Its 27 elevated route goes through the makai side of the Chinatown Historic District, adjacent to 28 10 resources there, and would further isolate that District from its historic connection 29 with the waterfront. It also runs along the border of the Merchant Street Historic District. 30 The remaining alignments in Section V were given the same ranking (3), despite their 31 varied numbers of historic resources, as explained below. 32 The Nimitz Highway/Queen Street/Kapi'olani Boulevard alignment would have the same 33 impacts as the above alignment, but would also affect properties within the Capitol 34 Historic District (Post Office, Ali'iōlani Hale building, and Attorney General's building), 35 and three National Register properties along Queen Street: C. Brewer, A&B, and Royal 36 Brewery buildings. This alignment is at-grade; there are no tunnels proposed that would reduce the numbers of historic resources affected. 37 38 The two alignments within Section V that follow Hotel Street (Hotel Street/Kawaiaha'o 39 Street/Kapi'olani Boulevard and Hotel Street/Waimanu Street/Kapi'olani Boulevard) 40 have almost identical routes except for a small difference in the numbers of resources occurring where they diverge (the Waimanu Street alignment runs adjacent to the 41

National Register-eligible Honolulu Advertiser Building and the Kawaiaha'o Street alignment runs adjacent to the National Register-listed properties of Kawaiaha'o Church and the Mission Houses.) Their Hotel Street segments are both proposed as at-grade systems. This is in context with this street's history since a streetcar historically ran along it (this precedence notably minimizes, but does not eliminate, the alignment's impact). Both alignments would be tunneled under the Capitol Historic District, which reduces the number of resources affected to approximately the same number as found along the Nimitz Highway/Queen Street/Kapi'olani Boulevard alignment. Important resources that are common to both Hotel Street alignments are 18 buildings in the Chinatown Historic District; the National Register-eligible Campbell, McCorriston, and Portland buildings; and three other National Register-listed resources (One Capitol District building, Ala Wai Park Clubhouse, and Church of the Crossroads).

The Beretania Street/South King Street alignment within Section V has the highest number of historic resources, but because of the tunneling proposed along the Beretania Street portion of the alignment, fewer resources would be affected. Many of the potentially historic resources identified along King Street are not on either the Hawai'i or National Registers. Important resources along King Street that are on the National Register are Thomas Square, McKinley High School, and the Board of Agriculture and Forestry building. This alignment also impacts the National Register-listed Church of the Crossroads.

Table 5-1. Historic Resources Affected by the Fixed Guideway Alternative

Sections and Alignments (Note: Sections are numbered and in bold)	Total number of resources on NR and/or HR, determined eligible, or evaluated as potentially eligible that could be affected*	Historic Districts that could be affected	Relative Ranking within each section (Scale of 1-3; 1 = least impact, 3 = most impact)
I. Kapolei to Fort Weaver Road			
(5)	<u> </u>	<u> </u>	1
Kamokila Boulevard/Farrington Highway	2	0	2
Kapolei Parkway/North-South Road	1	0	1
Saratoga Avenue/North-South Road	3	0	3
Geiger Road/Fort Weaver Road	3	0	3
II. Fort Weaver Road to Aloha Stadium (9)			
Farrington Highway/Kamehameha Highway	9	0	Not ranked; no other comparative alignment
III. Aloha Stadium to Middle Street (10)			
Salt Lake Boulevard	3	1 (Palm Circle NHL)	1
Mauka of the Airport Viaduct	8	1 (PH NHL)	3
Makai of the Airport Viaduct	8	1 (PH NHL)	3
Aolele Street	8	1 (PH NHL, via makai connector)	3
IV. Middle Street to Iwilei (43)			
North King Street	33	0	3
Dillingham Boulevard	12	0	1
V. Iwilei to UH Mānoa (141)			
Beretania Street/South King Street	56	2 (Chinatown HD, Hawai'i Capitol HD)	3
Hotel Street/Kawaiaha'o	52	2 (Chinatown HD,	3
Street/Kapiʻolani Boulevard		Hawai'i Capitol HD)	
Hotel Street/Waimanu/	50	2 (Chinatown HD,	3
Kapiʻolani Boulevard	<u> </u>	Hawaiʻi Capitol HD)	
Nimitz Highway/Queen Street/	45	3 (Chinatown HD,	3
Kapiʻolani Boulevard	!	Merchant St. HD,	
,	Ţ	Hawaiʻi Capitol HD)	
Nimitz Highway/Halekauwila	33	2 (Chinatown HD,	1
Street/Kapi'olani Boulevard		Merchant St. HD)	
Waikīkī Spur	8	0	Not ranked; no other comparative alignment
TOTAL: 209	,	1	
*Includes the pre-1965 properties from the	e City and County database, plus ϵ	other properties identific	L ad durina field
surveys.	, ,	And Intellege	

Notes 3 1. Ali

^{1.} Alignments with the lowest potential impact to historic resources for a given section are shaded in gray.

2. Numbers in parentheses following segment titles are the total number of resources on the NR and/or HR, determined eligible, or evaluated as potentially eligible that could be affected within each section. Because some resources are affected by multiple alignments, the numbers in parentheses are typically less than the total of the resources for each section in column two.

Impacts

Historic resources (districts, cemeteries, parks, buildings, bridges, stone paving, curbing, and other such objects) that are considered potentially eligible, potentially eligible pending further study, or already on the Register(s) in this section could face a loss of integrity of setting, feeling, and association. The loss of these aspects of integrity could occur during operation (long-term impacts), construction, or as secondary effects of the project.

Potential Long-term Impacts

- Demolition or damage to historic objects, such as lava rock curbs or road paving, specifically in the vicinity of stations, where sidewalk levels would have to be modified to allow for access for disabled passengers
- Demolition of two historic buildings (required for right-of-way): Leong's Café and Kalihi Shopping Center, both located in Section IV on North King Street
- Alterations, such as stabilization efforts/reinforcement, particularly to historic bridges, where such alterations would change their historic appearance
- Direct changes to physical features within a property's setting that contribute to historic significance, specifically infrastructure that is visually incompatible and blocks the view of historic resources (for example, the scale of the infrastructure would overwhelm the historic appearance)
- Stations that affect historic resources if they cannot be sited to avoid them (72 historic resources have been identified adjacent to proposed station locations (Table 5-2)).

31

32

33

34

					2.		
Section and Station Name			lesources' Ta				
		(Refer to App	endix B for mo	ore information)		
I. Kapolei to Fort Weaver F	Road				<u>'</u>		
	No historic re	esources adja	cent to station	s in this sectio	n 5		
II. Fort Weaver Road to Alo	ha Stadium				6		
	No historic re	esources adja	cent to station	s in this sectio	n		
III. Aloha Stadium to Middle	Street	-			7		
Kamehameha/Radford Sta.	99001008	99002004			0		
IV. Middle Street to Iwilei							
King/Owen Station	12015002	12015005	12016004		9		
King/Waiakamilo Station	16021005				1.0		
Dillingham/Middle Station	12013007				10		
Dillingham/Mokuea Station	12009016	12009017	12009018		11		
Dillingham/Kōkeaea Station	15015008						
Kaʻaahihi Station (1)	15007003				12		
Kaʻaahihi Station (2)	15007001	15007002	15007003		13		
Kaʻaahihi Station (3)	15007002	15007003					
V. Iwilei to UH Mānoa					14		
Beretania/Fort Station	21009026	21003001	21003005	21003004	210100255		
King/Pensacola Station	23009001	24002004					
King/Kalākauaua Station	24006012	24006010			16		
King/McCully Station	27001001	28003006			1.7		
King/Hausten Station	28005001				17		
University/King Station	28006032	28006017			18		
Hotel/Kekaulike Station	17003033	17003025	17003026	17003050	17003037		
Hotel/Nu'uanunu Station	17003058	17003057	17003056	17003064	2100301		
	21003016	17003007	17003006	17003083	1700300 4 0		
Hotel/Bishop Station	21010020	21010013					
Capitol Station	21024001	21025001	21025002	21033007	21		
King/Kapiʻolanini Station	21033007	21047004			22		
Option 2 McCully Station	27036005				22		
University/Date Station	27015011	27015024	27015025	27015026	2701502 <u>/</u> 83		
Nimitz/Kekaulike Station	TMK N/A: King	17002026			2.4		
	Street Bridge,				24		
	Nuʻuanunu				25		
	Stream						
Queen/Fort Station	21013003	21013001			26		
Queen/South Station	21031021	21031018	21032017		27		
Nimitz/Fort Station	21013007	21014003					
Option 2 Convent. Ctr. Sta	23034000	0004=005			28_		
Kūhiōio/Kālaimokuku	26017038	26017008			20		
Station					29		

Potential Construction Impacts

- Ground displacement and movement of historic properties from tunneling, resulting in structural damage
- Inadvertent collision of equipment and material into the resource
 - Collision from overhead debris

- 1 2 2
- 3 4
- 5 6 7
- 8 9 10
- 11

- 13 14 15
- 16 17
- 18 19
- 20 21

- Construction vibration causing direct movement or ground displacement (resulting in settling and movement and possible structural damage to the resource)
- Dewatering from adjacent foundation excavations creating settling and movement beneath historic resources
- Dewatering resulting in the rapid dry rot of any previously submerged timber piles when exposed to air
- High concentrations of dust soiling the exterior or infiltrating the interior and damaging interior architectural features
- Construction noise altering the feeling of historic areas (particularly residential neighborhoods).

Potential Secondary Impacts

- Changes to a property's use if owner determines new infrastructure would render existing use incompatible
- Physical changes if owner alters a property to mitigate the presence of the new infrastructure (sound or visual barriers)
- Change in character of use or demolition if increased land values results in the sale of historic properties
- Neglect and possible decay if increased levels of noise and traffic lead owners to abandon properties.

Chapter 6 Mitigation

This chapter is divided into three sections that address mitigation measures for the four alternatives under consideration. Only general mitigation measures are discussed since specific mitigation proposals cannot be made until more detailed decisions on design, routes, and other issues are made. The first section describes ways to avoid impacts to historic resources; the second describes ways to minimize impacts; and the third proposes other mitigation methods, specifically documentation that should take place if avoiding and minimizing impacts are not practicable. After selection of the LPA, specific mitigation measures will be evaluated for any adverse affects to properties identified as eligible for listing on the NRHP.

Avoiding Impacts to Historic Resources

Alternative 1: No Build

Methods of avoiding impacts of this alternative would have to be determined separately for each of the individual projects programmed in the 2030 O'ahu Regional Transportation Plan.

Alternative 2: Transportation System Management

This alternative has some construction associated with it, primarily capital improvements to selected roadway facilities that would give priority to busses. This construction should be planned to avoid removing or altering historic resources and to minimize any loss of historic character of resources by changing the setting. As with the No Build Alternative, increased vibration from increased traffic could be mitigated by selecting routes that avoid historic resources.

Alternative 3: Managed Lane

Because this alternative proposes only one alignment, it would not be possible to select an alternate route that would not pass in front of historic resources. Avoiding impacts to historic resources altogether would therefore only be possible if a new alignment were designed.

Alternative 4: Fixed Guideway

Where station locations are sited adjacent to historic resources (Table 5-2), the best way to avoid impacts would be to select station locations where there are no adjacent historic resources.

Where the alignment would need to cross a historic bridge, it should be routed to avoid the bridge and make the crossing at another point, leaving the historic bridge intact to carry its intended vehicular traffic.

Minimizing Impacts to Historic Resources

Alternative 1: No Build

Minimization of impacts would have to be determined for each of the projects identified in the 2030 O'ahu Regional Transportation Plan.

Alternative 2: Transportation System Management

If it is not possible to avoid historic resources for this alternative, it may be feasible to minimize negative impacts by planning large capital improvement projects for areas with fewer historic resources.

Alternative 3: Managed Lane

Construction of a grade-separated roadway would significantly alter areas along this route. Because there is only one proposed alignment for this alternative, the primary method of minimizing impacts to historic resources would be to design a new alignment that would pass fewer historic resources.

Historic properties that are near construction work should be protected from damage. This should include erecting barriers to prevent collision from machinery, equipment, and construction materials, as well as erecting overhead protection of the resource if construction is needed above it. Vibration from nearby construction should be monitored at historic resources to avoid damage either directly (for example from pile driving) or from ground displacement. Dewatering of the ground under historic resources should be prevented by the use of watertight excavation support systems, such as slurry walls, to ensure that water pumped from a construction site does not come from adjacent properties. Dust-suppression measures should be used at construction sites. A monitoring program should be implemented during construction to evaluate the efficacy of protective measures and recommend new ones as needed.

Alternative 4: Fixed Guideway

To minimize impacts to historic resources, fixed-guideway alignments that affect the fewest historic resources should be selected, as identified by gray shading in Table 5-1 in Chapter 5.

Where historic resources are numerous and concentrated (in Downtown Honolulu, the Hawai'i Capitol Historic District, and the Chinatown Historic District) any alignment would affect the setting of a large number of historic resources. One method of minimizing these impacts would be to place the selected alignment of the fixed-guideway system in a below-grade tunnel, approximately from River Street to South Street/Alapa'i Street. Careful engineering of the tunnel would be necessary to avoid any damage to foundations or other areas of buildings during construction and operation.

Where this alternative would align with a historic bridge and pose a considerable negative impact to the bridge's integrity, either by physically altering the structure itself or altering its visual setting, the system should be located and designed in a manner that

1 2	would help preserve the historic setting and feeling of the structure. The development of design guidelines for such circumstances would help minimize the severity of the impact.
3 4 5	Where station and portal entrances would be located within a historic district, such as the Chinatown Historic District and the Hawai'i Capitol Historic District, they should be designed to integrate into the context of the areas to reduce the severity of the impact.
6 7	Methods to minimize construction impacts are the same as those discussed for the Managed Lane Alternative, above.
8	Other Types of Mitigation (Recordation)
	,
9	
9 10	Where the grade-separated roadway or selected fixed-guideway alignment would pose a considerable negative impact on historic resources (in particular where the alignment is
_	Where the grade-separated roadway or selected fixed-guideway alignment would pose a
10	Where the grade-separated roadway or selected fixed-guideway alignment would pose a considerable negative impact on historic resources (in particular where the alignment is
10 11	Where the grade-separated roadway or selected fixed-guideway alignment would pose a considerable negative impact on historic resources (in particular where the alignment is above-grade and would block the primary façade or view) documentation of the

If station locations cannot be located away from historic resources, interpretive signs

could be installed in the stations that are near affected historic resources. These signs

could provide historical and architectural information to transit users.

15

1	References
2 3 4	Birnbaum, Charles, 1994. Preservation Brief 36: Protecting Cultural Landscapes, Planning, Treatment and Management of Historic Landscapes. Technical Preservation Services, National Park Service, U.S. Department of the Interior.
5 6	Chiddix and Simpson, 2004. Next Stop Honolulu: Story of the O'ahu Railway & Land Company. Jim Chiddix and MacKinnon Simpson. Sugar Cane Press, Honolulu.
7 8	Census, 2002. <i>Population of Counties by Decennial Census: 1900 to 1990.</i> U.S. Bureau of the Census.
9 10	DBEDT, 2003. <i>The Economic Contribution of Waikīkī</i> . Department of Business, Economic Development and Tourism.
11 12 13	DTS, 1992. Final Environmental Impact Statement Honolulu Rapid Transit Program. City and County of Honolulu Department of Transportation Services and U.S. DOT Federal Transit Administration.
14 15 16	DTS, 2006a. <i>Honolulu High-Capacity Transit Corridor Project Alternatives Analysis Definition of Alternatives Report</i> . City and County of Honolulu Department of Transportation Services.
17 18	DTS, 2006b. <i>Honolulu High-Capacity Transit Corridor Project Screening Report</i> . City and County of Honolulu Department of Transportation Services.
19 20	Mason Architects, Inc., 1999. Primary Corridor Transportation Project: Product 7-12 Historic/Cultural Resources Impacts Technical Report.
21 22	Mason Architects, Inc., 2005. Nimitz Highway Improvement Project, Historic Resources Survey Phase II.
23 24 25 26	Mason Architects, Inc., and Helber Hastert & Fee Planners, 2004. <i>Historic Context Report and Historic Preservation Plan for World War II Defensive Accessory Facilities, Building Types Assessment: Splinter-proof Shelters and Gun Emplacements.</i> Commander, Navy Region Hawai'i.
27 28 29	Mason Architects, Inc. and Parsons Brinckerhoff Quade Douglas, Inc, 1999. <i>Primary Corridor Transportation Project: Product 7-12 Historic/Cultural Resources Impacts Technical Report.</i>
30 31	Mason, Glenn, 1979. <i>Honolulu Area Rail Rapid Transit Project, Historic Sites Survey</i> . Charles R. Sutton & Assoc., Inc.
32 33	OMPO, 1984. HALI 2000 Study Alternatives Analysis Final Report. O'ahu Metropolitan Planning Organization.

1 2	OMPO, 1995. Oʻahu Regional Transportation Plan. Oʻahu Metropolitan Planning Organization.
3 4	OMPO, 2001. Transportation for O'ahu Plan TOP 2025. O'ahu Metropolitan Planning Organization.
5 6	OMPO, 2004. Exploring Public Attitudes on O'ahu about Transportation Issues, A Telephone Survey among O'ahu Residents. O'ahu Metropolitan Planning Organization.
7 8	OTPP, 1967. Oʻahu Transportation Study Summary Report. Oʻahu Transportation Planning Program.
9 10	Randl, Chad, 2001. Protecting Historic Structures during Adjacent Construction, Preservation Tech Notes, Temporary Protection Number 3. National Park Service.
11 12	Spencer Mason Architects, 1989. Historic Site Inventory Report for the Honolulu Rapid Transit Development Projects.
13 14 15	UH, 2002. Trends in the College Experiences of Undergraduates at the University of Hawai'i at Mānoa from 1990 to 2002. University of Hawai'i Office of the Vice President for Student Affairs.
16 17	UH, 2005. Common Data Set 2004-2005 University of Hawai'i at Mānoa. University of Hawai'i Institutional Research Office.
18 19	U.S. Department of the Interior, National Park Service National Register, 2002. <i>National Register Bulletin #15, How to Apply the National Register Criteria for Evaluation.</i>
20	United States Code. Title 16 (Conservation), Section 470(w) (Definitions).
21 22	United States Code of Federal Regulations (36 CFR Part 800). <i>Protection of Historic Properties</i> (National Historic Preservation Act of 1966 as amended August 4, 2005).
23 24 25 26	United States Code of Federal Regulations (23 CFR 771.135). <i>Title 23 – Highways, Part 771 – Environmental Impact and Related Procedures</i> (Department of Transportation Act of 1966 as recodified and amended as 49 USC Subtitle 1, Section 303(c) in January, 1983).

Alternative 3: Managed Lane Historic Resources						
Section	TMK#	Register Status	Historic Resource	Address	Street	Year
Waiawa IC to Hālawa Stream	98018042	PE.	Fortyniner Saimin		Kamehameha Hwy	1947
Waiawa IC to Hālawa Stream	98022081	PE	Waimalu Shopping Center		Kamehameha Hwy	1963
Waiawa IC to Hālawa Stream	99012001 & -006	PE/ NMR	'Aiea Plantation Cemetery		Kamehameha Hwy near Aloha Stadium Kamehameha Hwy near Pearl	c. 1896
Waiawa IC to Hālawa Stream	99016047	PE	Sumida Farm		Ridge	1928
Waiawa IC to Hālawa Stream	98003010	PE	HECO	475	Kamehameha Hwy	1959
Waiawa IC to Hālawa Stream Hālawa Stream to Pacific Street	Not applicable	PE/ NMR	Hālawa Stream Bridge		Kamehameha Hwy	1945
Waiawa IC to Hālawa Stream Hālawa Stream to Pacific Street Waiawa IC to Hālawa Stream	99001008	NR (NHL)	Bldg 550 Navy Publications Office		Kamehameha Hwy at PH Base	1946
Hālawa Stream to Pacific Street Waiawa IC to Hālawa Stream	99001008	NR (NHL)	Navy Tank farm (fuel storage)		Kamehameha Hwy at PH Base	1924
Hālawa Stream to Pacific Street	99001008	NR (NHL)	Splinter-proof shelter		Kamehameha Hwy	1942
Hālawa Stream to Pacific Street	12005014	PE	Hulihuli Pacific Poultry		Nimitz Hwy	c. 1958
Hālawa Stream to Pacific Street	15008006	PE	Old Love's Bakery (Salv Army)	322	Sumner St	1932
Hālawa Stream to Pacific Street	15013012	PE/ NMR	1923 oil storage facility Bldg 199, Fire Station at Navy Housing		N Nimitz Hwy Kamehameha Hwy & Center	1923
Hālawa Stream to Pacific Street	99001008	PE	Area I		Dr	1940
Hālawa Stream to Pacific Street	99002004	PE	Makalapa Neighborhood		Kamehameha Hwy Kamehameha Hwy & Radford	1941
Hālawa Stream to Pacific Street	99002004	PE	Little Makalapa Neighborhood		Dr	1941
Hālawa Stream to Pacific Street	12005011	PE	'Ewa Chicken	1804	Kanakanui St	1962
Hālawa Stream to Pacific Street	12005015	PE	Asagi Hatchery	1824	Kanakanui St	1959
Hālawa Stream to Pacific Street	12005039	PE	pōhaku's	1824	Kanakanui St	1959
Hālawa Stream to Pacific Street	15012013	PE	Weyerhaeuser	900	N Nimitz Hwy	1941
Hālawa Stream to Pacific Street	15032002	PE	Kapālama Military Reservation gates		N Nimitz & Waiakamilo Rd	1945
Hālawa Stream to Pacific Street	15033014	PE	Kalihi Kai Fire Station	1334	N Nimitz Hwy	1963
Hālawa Stream to Pacific Street	15035006	PE	Pump house oil storage facility	1824	Kanakanui St	1959
Hālawa Stream to Pacific Street	15037002	PE	Shell Oil bldg	900	N Nimitz Hwy	1941
Hālawa Stream to Pacific Street	Not applicable	PE/ NMR	Kapālama Stream Bridge		Nimitz Hwy	1949
Notes:						

Historic Resources Technical Report Honolulu High-Capacity Transit Corridor Project

Alternative 3: Managed Lane Historic Resources							
Section	TMK#	Register Status	Historic Resource	Address	Street	Yea	ar
1. Shaded resources were a	dded durir	ng fieldwork.					
2. Date in bold indicates that the researched date for the resource (shown here) differs from the date in the City and County database.							
	Register Status Codes:						
	PE = Potentially Eligible						
	PE/NMR = Potentially Eligible but Needs More Research to confirm						
	NR (NHL) = National Register (National Historic Landmark)						

Alternative 4: Fixed Guideway, Section I Historic Resources						
TMK #	Register Status	Historic Resource	Address	Street	Year	
Not applicable	PE/ NMR	Geiger Road Bridge		Geiger Rd east of Essex Rd	1945	
Not applicable	PE/ NMR	Bridge (Makalapa Gulch)		Farrington Hwy	N/A	
Not applicable	PE/ NMR	Honoʻuliʻuli Stream Bridge		Farrington Hwy	N/A	
91013026	PE	Navy Housing		Saratoga Ave and Lexington Ave	ca. 1950s	
91013045	PE	Hangar 282		Saratoga Ave near Nassau Ave	1958	
	TMK # Not applicable Not applicable Not applicable 91013026	Register Status Not applicable PE/ NMR Not applicable PE/ NMR Not applicable PE/ NMR 91013026 PE	Register Status Not applicable PE/ NMR Geiger Road Bridge Not applicable PE/ NMR Bridge (Makalapa Gulch) Not applicable PE/ NMR Honoʻuliʻuli Stream Bridge 91013026 PE Navy Housing	Register Status Not applicable Not applicable PE/ NMR PE/ NMR Bridge (Makalapa Gulch) Not applicable PE/ NMR Hono'uli'uli Stream Bridge 91013026 PE Navy Housing	Register Status Not applicable PE/ NMR Geiger Road Bridge Geiger Rd east of Essex Rd Not applicable PE/ NMR Bridge (Makalapa Gulch) Farrington Hwy Not applicable PE/ NMR Hono'uli'uli Stream Bridge Farrington Hwy 91013026 PE Navy Housing Saratoga Ave and Lexington Ave	

Notes:

- 1. Shaded resources were added during fieldwork.
- 2. Date in **bold** indicates that the researched date for the resource (shown here) differs from the date in the City and County database.

Alignment codes:	Register Status Codes:
KB/FH: Kamokila Boulevard/Farrington Highway	PE = Potentially Eligible
KP/NSR: Kapolei Parkway/North-South Road	PE/NMR = Potentially Eligible but Needs More Research to confirm
SA/NSR: Saratoga Avenue/North-South Road	
GR/FWR: Geiger Road/Fort Weaver Road	

2

Notes:

- 1. Shaded resources were added during fieldwork.
- 2. Date in **bold** indicates that the researched date for the resource (shown here) differs from the date in the City and County database.

Alignment code:	Register Status Codes:
	PE = Potentially Eligible
FH/KH: Farrington Hwy/Kamehameha Hwy	PE/NMR = Potentially Eligible but Needs More Research to confirm

2

Notes:

- 1. Shaded resources were added during fieldwork.
- 2. Date in **bold** indicates that the researched date for the resource (shown here) differs from the date in the City and County database.

Alignment codes:	Register Status Codes:
SLB: Salt Lake Boulevard	PE = Potentially Eligible
MAV: Makai of the Airport Viaduct	PE/NMR = Potentially Eligible but Needs More Research to confirm
MSAV: Mauka Side of the Airport Viaduct	NR (NHL) = National Register (National Historic Landmark)
AS: Aolele Street	

Alignmen		Register	tive 4: Fixed Guideway, Section IV Historic	Addres		\neg
t	TMK#	Status	Historic Resource	s	Street	Year
DB	12002108	PE	Duarte House	1720	Dillingham Blvd	1925
DB	12002113	PE	Courtyard residences	1808 B	Dillingham Blvd	1922
DB	12009017	PE	House	1953	Dillingham Blvd	1914
DB	12009017	PE	Higa Duplex	1945	Dillingham Blvd	1944
DB	12009018	PE	Teixeira House	1927	Dillingham Blvd	1945
DB	12012014	PE	Puʻuhale Market	608	Puʻuhale Rd	1918
DB	12013006	PE/ NMR	Foremost Dairy	2277	Kamehameha Hwy	1957
DB	12013007	PE/ NMR	GasPro retail store	2335	Kamehameha Hwy	1958
DB	15007002	HR/E	OR&L Office and Document Storage Building and Station	870	lwilei Rd	1914,1925
DB	15015008	PE	Six Quonset huts	1001	Dillingham Blvd	1954
DB	Not applicable	PE/ NMR	Kapālama Stream Bridge		Dillingham Blvd	1930
DB, NKS	15007001	PE	OR&L basalt paving			ca. 1925
NKS	13005022	HR/NRHP	Kalihi Fire Station		N King St	ca. 1920s
NKS	17031049	HR	Kaumakapili church		Pālama St	1911
NKS	12001041	PE/ NMR	Barber shop	1881	N King St	1948
NKS	12001092	PE	James R. Winston Building	1947	N King St	1948
NKS	12011001	PE	Yamamoto Building	2003	N King St	1923
NKS	12011046	PE/ NMR	Happy Snack Shop	2021	N King St	1929
NKS	12011047	PE	Itoga Building	2037	N King St	1928
NKS	12014049 12015001, -002, -005	PE	Kalihi Shopping Center	2295	N King St	1956
NKS	12016004	PE/ NMR	Leong's Café	2343	N King St	1948
NKS	13002005	PE/ NMR	Total Home Care at PoePoe Pl and N. King	2186	N King St	1940
NKS	13002037	PE	FHB	2250	N King St	1960
NKS	13003026	PE/ NMR	Edward ML Ching Building	1004	Gulick Ave	1951
NKS	13004017	PE/ NMR	Oʻahu Noodle Factory	1924	N King St	1946
NKS	13005044	PE/ NMR	Butcher Man and Thrift Shop	1712	N King St	1947
NKS	15003020	PE	Kalihi Pumping Station BoWS Ohrt Museum	1381	N King St	1927
NKS	15004019	PE/ NMR	Hall Saimin and other businesses	925	N King St	1955
NKS	15004021	PE/ NMR	Shonk one-story commercial building	1009	N King St	1946

Alignmen		Register		Addres		
<u>t </u>	TMK#	Status	Historic Resource	s	Street	Year
NKS	15005014	HR/NRHP	Pālama Fire Station	879	N King St	1901
NKS	15006033	PE	Zamboanga	701	N King St	1930
NKS	15007003	E	Tong Fat Company, Ltd.	393	N King St	1920
NKS	16001001	PE	Tamashiro Market	802	N King St	1962
NKS	16001002	PE	House on other Wong lot	826	N King St	1924
NKS	16001003	PE	House with concrete garage	842	N King St	1926
NKS	16001013	PE	Siu Hoy/Nakamori House	908	N King St	1910
NKS	16001068	PE	Green Wooden Building	944	N King St	1909
NKS	16001102	PE	Siu Hoy/Miyamoto House	922	N King St	1910
NKS	16001103	PE/ NMR	Family Market	930	N King St	1948
NKS	16002038	PE/ NMR	Agmata	1170	N King St	1937
NKS	16021005	HR	Farrington High School	1101	Kalihi St	1939
NKS	17031048	PE/ NMR	St. Elizabeth's Episcopal Church	720	N King St	1952
NKS	Not applicable	PE/ NMR	Kalihi Stream Bridge		N King St	1933
NKS	Not applicable	PE/ NMR	Kapālama Stream Bridge		N King St	1938

^{1.} Shaded resources were added during fieldwork.

2. Date in **bold** indicates that the researched date for the resource (shown here) differs from the date in the City and County database.

Alignment codes:	Register Status Codes:		
DB: Dillingham			
Boulevard	PE = Potentially Eligible		
NKS: North King Street	PE/NMR = Potentially Eligible but Needs More Research to confirm		
	E = Listed as Eligible for NRHP		
	HR = Listed on Hawai'i Register of Historic Places		
	NRHP = Listed on National Register of Historic Places		

	Alternative 4: Fixed Guideway, Section V Historic Resources							
Alignment	TMK#	District	Register Status	Historic Resource	Addr.	Street	Year	
All alignments except WS	28006017		HR/NRHP	Church of the Crossroads	1212	University Ave	1935	
All alignments except WS	28006032		PE	Varsity Theater	1106	University Ave	1939	
BS/SKS	23026001		PE	Washington Middle School		S King St	1939/ 1953 1887/	
BS/SKS	24001001		NRHP	Thomas Square		S King St	1932	
BS/SKS	17004018	Chinatown Hist. Dist.	HR/NRHP	Beretania and Maunakea florist	1189	Maunakea St	1918	
BS/SKS	17004019	Chinatown Hist. Dist.	HR/NRHP	Quarry-faced stone bldg	79	N Beretania St	1918	
BS/SKS	17004036	Chinatown Hist. Dist.	HR/NRHP	Fong bldg	1197	River St	1923	
BS/SKS	21003001		PE	Model/Progress Block	1188	Fort St Mall	1898	
BS/SKS	21003004		PE	Bethel & Chaplain Ln	1171	Bethel St	1951	
BS/SKS	21003005		PE	Schnak bldg Beretania St	1183	Bethel St	1929	
BS/SKS	21009026		HR/NRHP	Central Fire Station	116	S Beretania St	1935	
BS/SKS	21018001	HI Capitol Hist. Dist	NR	Washington Place	320	S Beretania St	1936	
BS/SKS	21018002		PE	St. Andrew's Episcopal Church	1253	Queen Emma St	1934	
BS/SKS	21035001		HR/NRHP	Mabel Smythe Memorial Building	510	S Beretania St	1940	
BS/SKS	21036004		PE	Board of Water Supply Engineering Bldg	630	S Beretania St	1939	
BS/SKS	21036005		PE	Board of Water Supply Administration Bldg	630	S Beretania St	1957	
BS/SKS	23009001		HR/ NRHP	McKinley High School	1039	S King St	1945	
BS/SKS	23011012		PE/ NMR	Nitta Commercial Buildling	1103	S King St	1951	
BS/SKS	23011013		PE/ NMR	Fukumoto Commercial Building	1111	S King St	1947	
BS/SKS	23011014		PE/ NMR	Ishikawa 1-story Commercial Building	1117	S King St	1940	
BS/SKS	23011015		PE/ NMR	Chang Commercial Building	1125	S King St	1948	
BS/SKS	23011016		PE/ NMR	Chow 1-story Commercial Building	1133	S King St	1950	
BS/SKS	23011017		PE/ NMR	Masui 1-story Commercial Building	1145	S King St	1940	
BS/SKS	23011018		PE/ NMR	Saiki 1-1/2 Story Commercial Building	1149	S King St	1941	
BS/SKS	23011019		PE/ NMR	Wong Commercial Building	1155	S King St	1947	

	Alternative 4: Fixed Guideway, Section V Historic Resources						
Alignment	TMK#	District	Register Status	Historic Resource	Addr.	Street	Yea
BS/SKS	23013008		PE/ NMR	Trophy House	1301	S King St	1957
BS/SKS	23013011		PE/ NMR	American Stereo	1327	S King St	1964
BS/SKS	23013034		PE/ NMR	Mediterraneo	1275	S King St	1949
BS/SKS	23018001		PE/ NMR	Prof Center	1479	S King St	1955
BS/SKS	23018010		PE/ NMR	Ikuta Commercial Building	1401	S King St	1955
BS/SKS	23018011		PE/ NMR	Sushi Sasabune	1423	S King St	1960
BS/SKS	23018016		PE	King Center BOH	1451	S King St	1960
BS/SKS	23019001		PE/ NMR	Continental Building	1515	S King St	1955
BS/SKS	23028013		PE	Kimura Florist	1809	S King St	1925
BS/SKS	23028017		PE/ NMR	T. Ishibashi Building	1869	S King St	1962
BS/SKS	23028025		PE/ NMR	King Florist	1915 B	S King St	1945
BS/SKS	24002004		PE	First Chinese Church of Christ	1050	S King St	1930
BS/SKS	24002031		PE	1-story Deco Building	1026	S King St	1951
BS/SKS	24003002		PE/ NMR	Precision Radio	1160	S King St	1950
BS/SKS	24004012		PE	Dr. A Tsuda office	1290	S King St	1917
BS/SKS	24004025		PE/ NMR	Clydes' Cleaners	1234	S King St	1949
BS/SKS	24005018		HR	Territorial Board of Agriculture and Forestry Building	1428	S King St	1961
BS/SKS	24006010		PE/ NMR	Heu Commercial Building	1562	S King St	1940
BS/SKS	24006012		PE	King Kalākaua Building	1534	S King St	1946
BS/SKS	27001001		PE/ NMR	Safety Loan Building	2065	S King St	1964
BS/SKS	27001009		PE	James M. Chrones Building	2017	S King St	1948
BS/SKS	27008017		PE/ NMR	J.C. Tom Building	2239	S King St	1929
BS/SKS	27009034		PE/ NMR	HK Restaurant	2425	S King St	1963
BS/SKS	28001003		PE/ NMR	Miss Hawai'i Building	1738	S King St	1930
BS/SKS	28001006		PE/ NMR	Dental Office in House	1702	S King St	1928
BS/SKS	28001061		PE/ NMR	KNDI Radio	1734 B	S King St	1928
BS/SKS	28002007		PE/ NMR	Tenrikyo Honolulu Church	1902	S King St	1946
BS/SKS	28003006		PE/ NMR	Ishizuchi Shrine	2020	S King St	1962
BS/SKS	28004001		PE/ NMR	Choy Commercial Building	2342	S King St	1955
BS/SKS,HS/KS/KB,HS/	/W/KB 21007001	HI Capitol Hist. Dist	HR/NRHP	No. 1 Capitol Dist (Armed Forces YMCA)		S. Hotel and Richards Streets	1928

	Alternative 4: Fixed Guideway, Section V Historic Resources								
Alignment	TMK#	District	Register Status	Historic Resource	Addr.	Street	Year		
BS/SKS,HS/KS/KB,HS/W/KB	21024001	HI Capitol Hist. Dist	HR/NRHP	State Capitol		S. Beretania and Hotel Streets	1968		
HS/KS/KB,HS/W/KB	17003006	Chinatown Hist. Dist.	HR/NHRP	Smiths Union Bar	15	N. Hotel St	1900		
	47002027	Chinatawa Ulat Diat	LID/NILIDD	Civ. Dida		N Hotel St at	4026		
HS/KS/KB,HS/W/KB	17003037	Chinatown Hist, Dist.	HR/NHRP	Siu Bldg	25	Maunakea St.	1926 1900		
HS/KS/KB,HS/W/KB	17003083	Chinatown Hist, Dist.	HR/NHRP	Hubba Hubba		N Hotel St			
HS/KS/KB,HS/W/KB	17003097	Chinatown Hist. Dist.	HR/NHRP	Amy's	49	N Hotel St S Hotel St and	1900		
HS/KS/KB,HS/W/KB	21003017		PE	Perry Block		Nuʻuanu Ave.	1888		
HS/KS/KB.HS/W/KB	21010013		Е	Portland bldg		S Hotel St & Union	1918		
HS/KS/KB,HS/W/KB	21010020		E	McCorriston bldg	1111	Fort St Mall	1914		
TIO/TO/TO/TO/TTO	21010020		_	Ţ.		S. King and	10.1		
HS/KS/KB,HS/W/KB	21025001	HI Capitol Hist. Dist	HR/NRHP	State Library		Punchbowl Streets	1913		
HS/KS/KB,HS/W/KB	21032002	HI Capitol Hist. Dist	NR (NHL) /HR	Mission Houses Museum		Mission Ln & S King St	1821 1831		
HS/KS/KB,HS/W/KB	17003004	Chinatown Hist. Dist.	HR/NRHP	Bar 35	35	N Hotel St	1935		
HS/KS/KB,HS/W/KB	17003007	Chinatown Hist. Dist.	HR/NRHP	Island Keepsakes	1050	Nuʻuanu Ave	1914		
HS/KS/KB,HS/W/KB	17003015	Chinatown Hist. Dist.	HR/NRHP	Aloha Fashion	1040	Smith St	1908		
HS/KS/KB,HS/W/KB	17003016	Chinatown Hist. Dist.	HR/NRHP	Mendonca	1042	Smith St	1906		
HS/KS/KB,HS/W/KB	17003025	Chinatown Hist. Dist.	HR/NRHP	Lum Yip Kee	1016	Maunakea St	1936		
HS/KS/KB,HS/W/KB	17003026	Chinatown Hist. Dist.	HR/NRHP	Wo Fat	1040	Maunakea St	1938		
HS/KS/KB,HS/W/KB	17003031	Chinatown Hist. Dist.	HR/NRHP	Chang Block	182	N King St	1903		
HS/KS/KB,HS/W/KB	17003033	Chinatown Hist. Dist.	HR/NRHP	Lung Doo Society	1040	Kekaulike St	1963		
HS/KS/KB,HS/W/KB	17003050	Chinatown Hist. Dist.	HR/NRHP	Consuelo Foundation	1110	Maunakea St	1956		
HS/KS/KB,HS/W/KB	17003051	Chinatown Hist. Dist.	HR/NRHP	Mendonca	1101	Maunakea St	1901		
HS/KS/KB,HS/W/KB	17003056	Chinatown Hist. Dist.	HR/NRHP	Noodle House	1102	Nuʻuanu Ave	1901		
HS/KS/KB,HS/W/KB	17003057	Chinatown Hist. Dist.	HR/NRHP	Paradise Video	24	N Hotel St	1908		
HS/KS/KB,HS/W/KB	17003058	Chinatown Hist. Dist.	HR/NRHP	Peep Show Bld	30	N Hotel St	1907		
HS/KS/KB,HS/W/KB	17003064	Chinatown Hist. Dist.	HR/NRHP	Lai Fong	1118	Nuʻuanu Ave	1912		
HS/KS/KB,HS/W/KB	17003089	Chinatown Hist. Dist.	HR/NRHP	Martial Arts	1041	Maunakea St	1921		
HS/KS/KB,HS/W/KB	21002001		E	James Campbell Building	1032	Fort St Mall	1935		
HS/KS/KB,HS/W/KB	21003016		PE	McLean Block	1121	Nuʻuanu Ave	1903		

	Alternative 4: Fixed Guideway, Section V Historic Resources							
Alignment	TMK#	District	Register Status	Historic Resource	Addr.	Street	Year	
							1882 (-	
HS/KS/KB,HS/W/KB	21025002	HI Capitol Hist. Dist	NR (NHL) /HR	ʻlolani Palace complex	364	S King St	others	
HS/KS/KB,HS/W/KB	21033007	HI Capitol Hist. Dist	HR/NRHP	Mission Mem Bldg	530	S King St	1915/ 1916	
HS/KS/KB,HS/W/KB	21033007	HI Capitol Hist. Dist	HR/NRHP	Mission Mem Bldg Annex	530	S King St	1930	
		The Capitor First. Dist			300			
HS/KS/KB,HS/W/KB HS/KS/KB,HS/W/KB,NH/QS/	Not applicable		PE/ NMR	King St Bridge Nu'uanu Stream		N King St	N/A	
KB,NH/HS/KB	Not applicable		PE/ NMR	Makiki Stream Bridge		Kapiʻolani Blvd	1931	
HS/KS/KB,HS/W/KB,NH/QS/ KB,NH/HS/KB	27036005		HR	Ala Wai Park Clubhouse		Kapiʻolani Blvd	1937	
HS/KS/KB,HS/W/KB,NH/QS/ KB,NH/HS/KB	23007054		PE/ NMR	Hi-Pace Racing	1246	Kona St & Pi'ikoi	1938	
HS/KS/KB,HS/W/KB,NH/QS/	20001001		1 2 111111	The dec reading	12.10	Trong of Girmon	1000	
KB,NH/HS/KB	23033045		PE	Nakano Apartment Building	1856	Kapiʻolani Blvd	1948	
HS/KS/KB,HS/W/KB,NH/QS/ KB,NH/HS/KB	23033046		PE	Rainbow Court Apartment Building	701 5	Hauʻoli St	1948	
HS/KS/KB,HS/W/KB,NH/QS/								
KB,NH/HS/KB	23039023		PE	Hawai'ian Life bldg	1319	Kapiʻolani Blvd	1951	
HS/KS/KB,HS/W/KB,NH/QS/ KB,NH/HS/KB	27004007		PE	Kapiʻolani Apartments	2233	Kapiʻolani Blvd	1946	
HS/KS/KB,HS/W/KB,NH/QS/								
KB,NH/HS/KB	27014002		PE	Fukumoto Apts (courtyard)	2424 C	Kapiʻolani Blvd	1948	
HS/KS/KB,HS/W/KB,NH/QS/ KB,NH/HS/KB	27014027		PE	Yamato House	642 A	University Ave	1943	
HS/KS/KB,HS/W/KB,NH/QS/			· -		· · ·	Charterenty / Cre	1.0.10	
KB,NH/HS/KB	27014029		PE	Infiesto House	630	University Ave	1943	
HS/KS/KB,HS/W/KB,NH/QS/	07045044			la a Bundan	707	Links well a Asse	4000	
KB,NH/HS/KB HS/KS/KB,HS/W/KB,NH/QS/	27015011		PE	Ing Duplex	707	University Ave	1938	
KB,NH/HS/KB	27015024		PE	Ching House	713	University Ave	1943	
HS/KS/KB,HS/W/KB,NH/QS/	27010024		12	Offing Floude	710	Oniversity 7 (ve	10-10	
KB,NH/HS/KB	27015025		PE	Takenaka House	717	University Ave	1943	
HS/KS/KB,HS/W/KB,NH/QS/								
KB,NH/HS/KB	27015026		PE	Ako House	723	University Ave	1943	
HS/KS/KB,HS/W/KB,NH/QS/	27045029		DE DE	Strobl House	722	Linivoroity Asso	1044	
KB,NH/HS/KB HS/KS/KB.NH/QS/KB	27015028		PE PE	Strohl House American self store	733 720	University Ave South St	1944 1931	
	21032010							
HS/KS/KB,NH/QS/KB	21032012		PE	Elizabeth bldg	827	Mission Ln	1911	
HS/KS/KB,NH/QS/KB	21032017	HI Capitol Hist. Dist	NR (NHL) /HR	Kawaiaha'o Church		King & Punchbowl Streets	1842	

	Alternative 4: Fixed Guideway, Section V Historic Resources							
Alignment	TMK#	District	Register Status	Historic Resource	Addr.	Street	Year	
HS/W/KB	21047004		E	Advertiser Building	605	Kapiʻolani Blvd	1930	
NH/HS/KB	21013007		HR	Irwin Park		Nimitz Hwy	1930	
NH/HS/KB	21051006, - 003 & -019		HR	Mother Waldron Park		Halekauwila St	1937	
NH/HS/KB	21001005		PE	Pier 12 Harbors Div DOT	700	Nimitz Hwy	1952	
NH/QS/KB	21031021		NRHP	Royal Brewery		Queen St	1900	
NH/QS/KB	21013001		HR/NRHP	Alexander & Baldwin Building	141	Merchant St	1929	
NH/QS/KB	21013003		NR	C. Brewer Building	827	Fort St Mall	1931	
NH/QS/KB	21016009		PE	Catton, Neill & Co. Building	801	Alakea St	1918	
NH/QS/KB	21025003	HI Capitol Hist. Dist	HR/NRHP	Ali'lolani Hale	417	S King and Mililani Sts	1874	
NH/QS/KB	21025003	HI Capitol Hist. Dist	HR/NRHP	Kapuaiwa Hale	426	Queen St	1884	
NH/QS/KB	21025004	HI Capitol Hist. Dist	HR/NRHP	U.S. Post Office, Custom House & Court House	335	Merchant St	1921	
NH/QS/KB	21031018		HR/NRHP	Old Kaka'ako Fire Station	620	South St	1929	
NH/QS/KB	21049008		HR	Yee/Kobayashi Store	894	Queen St	1918	
NH/QS/KB	21050049		PE	Island Roses	905	Queen St	1912	
NH/QS/KB	21050052		PE	ASB	929	Queen St	1962	
NH/QS/KB	21051001		PE	Kewalo Theatre	711	Queen St	1938	
NH/QS/KB,NH/HS/KB	17002013	Chinatown Hist. Dist.	HR/NRHP	C.Q.YeeHop 1919		Maunakea St	1919	
NH/QS/KB,NH/HS/KB	21001045		PE	HFD Waterfront Fire Station	111	N Nimitz Hwy	1952	
NH/QS/KB,NH/HS/KB	21026022	HI Capitol Hist. Dist	HR/NRHP	Attorney General Offices Hale Auhau	403	Queen St	1939	
NH/QS/KB,NH/HS/KB	17002011	Chinatown Hist. Dist.	HR/NRHP	Kawahara	900	Maunakea St	1910	
NH/QS/KB,NH/HS/KB	17002016	Chinatown Hist. Dist.	HR/NRHP	Kayas	152	N Nimitz Hwy	1961	
NH/QS/KB,NH/HS/KB	17002017	Chinatown Hist. Dist.	HR/NRHP	3-story bldg	919	Kekaulike St	1920	
NH/QS/KB,NH/HS/KB	17002024	Chinatown Hist. Dist.	HR/NRHP	Cast-in-place 2-story bldg	950	Maunakea St	1918	
NH/QS/KB,NH/HS/KB	17002025	Chinatown Hist. Dist.	HR/NRHP	Schnack Bldg	922	Maunakea St	1915	
NH/QS/KB,NH/HS/KB	17002026	Chinatown Hist. Dist.	HR/NRHP	Chinatown Market Place	168	N Nimitz Hwy	1938	
NH/QS/KB,NH/HS/KB	21001047		PE	Pier 13/14	65	Nimitz Hwy	1932	
NH/QS/KB,NH/HS/KB	21014003		NR	Dillingham Transportation Building	701	Bishop St	1930	
NH/QS/KB,NH/HS/KB	21031012		PE	Dept of Transportation	869	Punchbowl St	1959	
NH/QS/KB,NH/HS/KB	Not applicable		PE/ NMR	Nu'uanu Stream Bridge		N Nimitz Hwy	1932	

Alternative 4: Fixed Guideway, Section V Historic Resources							
Alignment	TMK#	District	Register Status	Historic Resource	Addr.	Street	Year
WS	Not applicable		E	Kalākaua bridge		Ala Wai Canal	1929
WS	26015047		PE	Sofos Building	1984	Kalākaua Ave	1948
WS	26017008		PE/ NMR	Tropic Surf Apts		Kūhiō Ave	1939
WS	26017038		PE	Waikīkī Cove Apartments	2118	Kūhiō Ave	1959
WS	26017051		PE/ NMR	Kūhiō Court	2170	Kūhiō Ave	1959
WS	26019008		PE	Valentine Mall (Tudor-style)	2229	Kūhiō Ave	1929
WS	26023047		PE/ NMR	Royal Grove Hotel	151	Uluniu Ave	1963
WS	26024022		PE	Kaʻiulani Court Apts.	209	Kaʻiulani Ave	1947
Notos:							

Notes:

- 1. Shaded resources were added during fieldwork.
- 2. Date in **bold** indicates that the researched date for the resource (shown here) differs from the date in the City and County database.

Alignment codes:	Register Status Codes:
HS/KS/KB: Hotel Street/Kawaihao St/Kapi'olani Blvd	HR = Listed on Hawai'i Register (very likely to be eligible for the NR)
HS/W/KB: Hotel St/Waimanu/Kapiʻolani Blvd	NHL = Listed on National Register as a National Historic Landmark
NH/QS/KB: Nimitz Hwy/Queen St/Kapiʻolani Blvd	NRHP = Listed on National Register of Historic Places
NH/HS/KB: Nimitz Hwy/Halekauwila St/Kapi'olani Blvd	PE = Potentially Eligible
BS/SKS: Beretania Street/South King St	PE/NMR = Potentially Eligible but Needs More Research to confirm
WS: Waikīkī Spur	E = Listed as Eligible for NRHP

2

Draft Historic and Archaeological Technical Report

Part II. Archaeological Technical Report Honolulu High-Capacity Transit Corridor Project

September 1, 2006

Prepared for: City and County of Honolulu and Federal Transit Administration

Prepared by: Cultural Surveys Hawaiii, Inc.

Table of Contents

SUMMARY	S-1
CHAPTER 1 INTRODUCTION	1-1
Project Description	1-1
Description of the Study Corridor	1-1
Alternatives under Consideration	1-4
Project Purpose	1-6
Project Area Needs	1-6
Improved mobility for travelers facing increasingly severe traffic congestion.	1-6
Improved transportation system reliability.	
Accessibility to new development in 'Ewa/Kapolei/Makakilo as a way of sup	
area as a second urban center Improved transportation equity for all travelers	
History of Project	
Project Schedule	1-11
CHAPTER 2 STUDIES AND COORDINATION	2-13
Archaeological Resources Regulatory Requirements	2-13
Alternative Analysis Technical Report	
CHAPTER 3 METHODOLOGY	
Archaeological Investigations Associated with Prior High-Capacity Rapid T	
Documentation	
Archaeological Approach for "Affected Environment" and "Impacts"	3-1
Alternatives Analysis Phase Methodology	3-2
Draft EIS Phase Methodology	3-3
CHAPTER 4 AFFECTED ENVIRONMENT	4-1
Alternative 3: Managed Lane	4-1
'Ewa Section	
Koko Head Section	4-1
Alternative 4: Fixed Guideway	
Section I – Kapolei to Fort Weaver Road	
Section II – Fort Weaver Road to Aloha Stadium	
Section III – Aloha Stadium to Middle Street	
Section IV – Middle Street to Iwilei	

CHAPTER 5 IMPACTS	5-93
Alternative 1: No Build	5-97
Alternative 2: Transportation System Management	5-97
Alternative 3: Managed Lane	5-97
Alternative 3a: Two-Direction Option	5-97
Alternative 4: Fixed Guideway	5-101
Section I – Kapolei to Fort Weaver Road	5-101
Section II – Fort Weaver Road to Aloha Stadium	
Section III – Aloha Stadium to Middle Street	5-110
Section IV – Middle Street to Iwilei	5-111
Section V – Iwilei to UH Mānoa	5-113
Chapter V Impacts References	5-134
CHAPTER 6 MITIGATION	6-1
REPORT REFERENCES	R-1
APPENDIX A LIST OF PDF MAPS	A-1

List of Tables

Table S-1. Summary of Potential Impacts to Archaeological Resources	S-3
Table 1-1. Fixed Guideway Alternative Analysis Sections and Alignments	1-6
Table 4-1. Alternative 3 Managed Lane ('Ewa Section) Waikele Spur Previous Archaed Studies	_
Table 4-2. Alternative 3 Managed Lane (Koko Head Section) Previous Archaeological	Studies4-2
Table 4-3. Known Cultural Resources NAS Barbers Point near Saratoga Avenue Alignu (from Kaneshiro and Schilz, 1994)	
Table 4-4. Section 1 (Kapolei to Fort Weaver Road) Previous Archaeological Studies	4-15
Table 4-5. Section II (Fort Weaver Road to Aloha Stadium) Previous Archaeological St	udies4-27
Table 4-6. Section III Salt Lake-Boulevard Previous Archaeological Studies	4-31
Table 4-7. Section IV North King Street Previous Archaeological Studies	4-41
Table 4-8. Section IV Dillingham Boulevard Previous Archaeological Studies	4-42
Table 4-9. Section IV, Beretania Street Tunnel Vicinity Previous Archaeological Studie	es 4-43
Table 4-10. Section V – Hotel Street/Kawaiaha'o Street (and Tunnel) Previous Archaed Research	_
Table 4-11. Section V – Hotel Street/Waimanu Street (and Tunnel) Previous Archaeolo Studies	_
Table 4-12. Section V - Nimitz Highway/Queen Street Previous Archaeological Studie	s 4-54
Table 4-13. Section V – Nimitz Highway/Halekauwila Street Previous Archaeological	Studies4-56
Table 4-14. Section V – Beretania Street/South King Street Previous Archaeological St	udies 4-57
Table 4-15. Section V – Beretania Street/South King Street Tunnel	4-58
Table 4-16. Section V – Confluence of Waimanu Street, Kawaiaha'o Street, Queen Street Halekauila Street Alignments	
Table 4-17. Section V – Kona Street/University Avenue Previous Archaeological Studi	es 4-61
Table 4-18. Section V – Waikīkī Spur Previous Archaeological Investigations	4-64
Table 5-1. Summary of Potential Impacts to Archaeological Resources	5-96
Table 5-2. Waiawa IC to Hālawa Stream	5-97
Table 5-3. Hālawa Stream to Pacific Street	5-99
Table 5-4. Kamokila Boulevard/Farrington Highway	5-102
Table 5-5. Kapolei Parkway/North-South Road	5-104
Table 5-6. Saratoga Avenue/North-South Road	5-105
Table 5-7. Geiger Road/Fort Weaver Road	5-106
Table 5-8. Farrington Highway/Kamehameha Highway	5-108
Table 5-9. Salt Lake Boulevard	5-110
Table 5-10. Mauka of the Airport Viaduct	5-110
Table 5-11. Makai of the Airport Viaduct	5-111
Table 5-12. Aolele Street	5-111

Table 5-13. North King Street	5-112
Table 5-14. Beretania Street/South King Street Tunnel Only	5-114
Table 5-15. Beretania Street/South King Street, Excluding Tunnel	5-115
Table 5-16. Hotel Street/Waimanu Street/Kapi'olani Boulevard	5-117
Table 5-17. Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard, Excluding Tunnel	5-119
Table 5-18. Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard, Tunnel Only	5-122
Table 5-19. Nimitz Highway/Queen Street/Kapi'olani Boulevard	5-124
Table 5-20. Nimitz Highway/Halekauwila Street/Kapi'olani Boulevard	5-127
Table 5-21. Waikīkī Spur	5-131
List of Figures	
Figure 1-1. Project Vicinity	1-1
Figure 1-2. Areas and Districts in the Study Corridor	1-2
Figure 1-3. Project Schedule	1-11
Figure 4-1. TMK plats with prior archaeological documentation, Alternative 3, 'Ewa Sect	ion . 4-4
Figure 4-2. TMK plats with prior archaeological documentation, Alternative 3, Koko Hea	d
Section	4-5
Figure 4-3. TMK plats with prior archaeological documentation, Alternative 4, Section I	4 - 6
Figure 4-4. TMK plats with prior archaeological documentation, Alternative 4, Section II	
Figure 4-5. TMK plats with prior archaeological documentation, Alternative 4, Section III	[4 - 8
Figure 4-6. TMK plats with prior archaeological documentation, Alternative 4, Section IV	⁷ 4-9
Figure 4-7. TMK plats with prior archaeological documentation, Alternative 4, Section V	4-10
Figure 4-8. Pertinent prior archaeological investigations for Section I	4-12
Figure 4-9. Pertinent prior archaeological investigations for Section II.	4-26
Figure 4-10. Pertinent prior archaeological investigations within Section III	4-33
Figure 4-11. Alignments of Alternative 4, Section V through Downtown Honolulu's Historia	
Districts.	
Figure 4-12. Archaeological Studies near Section V – Waikīkī Spur (Kūhiō Avenue)	4-63

Acronyms Used in this Document

AA Alternatives Analysis

ARPA Archaeological Resource Protection Act

DBEDT Department of Business, Economic Development and Tourism

DP Development Plan

CSH Cultural Surveys Hawai'i, Inc.

DLNR Department of Land and Natural Resources

DTA Department of Transportation Act
DTS Department of Transportation Services
EIS Environmental Impact Statement
FTA U.S. Federal Transit Administration
GIS Geographic Information System
HAR Hawai'i Administrative Rule
HOV High Occupancy Vehicle

HOV High Occupancy Vehicle
HRS Hawai'i Revised Statutes
LCA Land Commission Award

NEPA National Environmental Policy Act

NAGPRA Native American Grave Protection and Repatriation Act

NHPA National Historic Preservation Act

OIBC O'ahu Island Burial Council

OMPO O'ahu Metropolitan Planning Organization

ORTP O'ahu Regional Transportation Plan SHPD State Historic Preservation Division SIHP State Inventory of Historic Places

TMK Tax Map Key

TSM Transportation System Management

UH University of Hawai'i

USDA U.S. Department of Agriculture

The City and County of Honolulu Department of Transportation Services (DTS), in coordination with the U.S. Department of Transportation Federal Transit Administration (FTA), is preparing an Alternatives Analysis (AA) and an Environmental Impact Statement (EIS) to evaluate alternatives for the Honolulu High-Capacity Transit Corridor Project that would provide high-capacity transit service on Oʻahu, City and County of Honolulu, Hawaiʻi. The alternatives being considered are a No Build Alternative, a Transportation System Management (TSM) Alternative, a Managed Lane Alternative, and a Fixed Guideway Alternative. The primary project study area is the travel corridor between Kapolei and the University of Hawaiʻi at Mānoa.

Because the project is receiving federal funds, it must comply with both state and federal historic preservation regulations, including Section 106 of the National Historic Preservation Act (Section 106 NHPA), the National Environmental Policy Act (NEPA), the Department of Transportation Act (DTA), State of Hawai'i environmental and historic preservation review legislation, and State of Hawai'i burial law. Additional compliance with the federal Archaeological Resource Protection Act and Native American Graves Protection and Repatriation Act (NAGPRA) may be required pending the investigation, use, and/or appropriation of federal lands.

For this AA, the analysis generally identifies likely impacts for each alternative related to archaeological resources. Three general categories of archaeological resource impacts are identified: burials, pre-contact archaeology, and historic archaeology. With few exceptions, the archaeological resources that could be affected by the project are subsurface features and deposits that have not been previously identified. Such impacts would occur during construction. Once negative impacts from construction (e.g., archaeological resource destruction) and positive impacts from construction (e.g., an increase in archaeological knowledge about Oʻahu's south shore) have occurred, no long-term project-related impacts are expected on archaeological resources.

Alternative 1, No Build, and Alternative 2, Transportation System Management, may involve construction that could impact archaeological resources; however, these impacts are not considered in this AA because these alternatives would undergo a separate environmental review as part of their planning and implementation. Most areas affected by Alternative 3, Managed Lane, would also be within the area affected by Alternative 4, Fixed Guideway. Depending on the alignment chosen for the Fixed Guideway Alternative, the Managed Lane Alternative may result in fewer impacts on archaeological resources than the Fixed Guideway Alternative (Table S-1).

In relation to archaeological impacts, there are no differences between Managed Lane Alternative 3a, the two-direction option, and 3b, the reversible option. For the section of the Managed Lane Alternative from the Waiawa Interchange to Hālawa Stream, the potential to impact burials is rated as low, and the potential to impact archaeological resources and historic resources is rated as medium. The section of the Managed Lane

Alternative from Hālawa Stream to Pacific Street has a medium rating for all archaeological resource types.

For Section I of the Fixed Guideway Alternative, four alignments are under consideration. The potential for all three types of archaeological resources decreases for alignments in direct correlation with their distance from the coast. Thus, the most *mauka* alignment, Kamokila Boulevard-Farrington Highway, has the least potential to impact archaeological resources. All three *mauka* alignments, Kamokila Boulevard/Farrington Highway, Kapolei Parkway/North-South Road, and Saratoga Avenue/North-South Road, have a low impact potential for all archaeological resource types. The most seaward (seaward) alignment, Geiger Road/Fort Weaver Road, has a medium impact potential for pre-contact archaeological resources, and a low impact potential for burials and historic resources.

Only one alignment is being considered for Section II of the Fixed Guideway Alternative: Farrington Highway-Kamehameha Highway. This alignment has a low impact potential rating for burials, and a medium impact potential rating for pre-contact archaeological and historic resources.

Section III of the Fixed Guideway Alternative has four potential alignments. The impact potential to burials is rated as low for all alignments. The potential to impact archaeological and historical resources along the Mauka (inland) of the Airport Viaduct, Makai (seaward) of the Airport Viaduct, and Aolele Street alignments is rated as medium. For the Salt Lake Boulevard alignment, the potential impact rating for archaeological and historical resources is rated as low, primarily because of the extensive land modification that has occurred in this area.

Section IV of the Fixed Guideway Alternative has two alignments: North King Street and Dillingham Boulevard, both of which have medium impact potential for all archaeological resource types.

Of the five alignments being considered for the Fixed Guideway Alternative, Section V has the greatest potential to impact archaeological resources because of the intensive land use history of the area through pre-contact and historic times. Of the six alignments, the more *mauka* alignment, Beretania Street/South King Street, has a medium impact rating for all archaeological resource types. All other alignments are rated as having a high impact potential for all archaeological resources.

Potential impacts and mitigation are directly correlated, particularly for the project's direct construction impacts on archaeological resources. Archaeological mitigation will likely take the form of burial treatment, archaeological data recovery, and archaeological monitoring. If there is some flexibility in the construction design, it is possible that preservation of archaeological resources in place might be another form of mitigation.

Table S-1. Summary of Potential Impacts to Archaeological Resources

Alternative	Burials	Pre-contact	Historic		
Alternative 1: No Build Alternative		Archaeology	Archaeology		
No Build Alternative	N/A	N/A	N/A		
Alternative 2: TSM Alternative	IN/A	IN/A	IN/A		
TSM Alternative	N/A	N/A	N/A		
			IN/A		
3a. Two-Direction Option	Alternative 3: Managed Lane Alternative (by section)				
Waiawa IC to Hālawa Stream	Low	Medium	Medium		
Hālawa Stream to Pacific Street	Medium	Medium	Medium		
3b. Reversible Option	Mediam	Wiedluiti	Mediam		
Waiawa IC to Hālawa Stream	Low	Medium	Medium		
Hālawa Stream to Pacific Street	Medium	Medium	Medium		
Alternative 4: Fixed Guideway Alter			IVICUIUIII		
	native (by Section	1)			
I. Kapolei to Fort Weaver Road Kamokila Boulevard/Farrington	Llow	Low	Low		
Kamokiia Boulevard/Famington Highway	Low	Low	Low		
Kapolei Parkway/North-South Road	Low	Low	Low		
Saratoga Avenue/North-South Road	Low	Low	Low		
Geiger Road/Fort Weaver Road	Low	Medium	Low		
II. Fort Weaver Road to Aloha Stadi		IVICUIUIII	LOW		
Farrington Highway/Kamehameha	Low	Medium	Medium		
Highway	LOW	IVICUIUIII	Mediam		
III. Aloha Stadium to Middle Street					
Salt Lake Boulevard	Low	Low	Low		
Mauka of the Airport Viaduct	Low	Medium	Medium		
Makai of the Airport Viaduct	Low	Medium	Medium		
Aolele Street	Low	Medium	Medium		
IV. Middle Street to Iwilei	LOW	Wicalam	Wicalam		
North King Street	Medium	Medium	Medium		
Dillingham Boulevard	Medium	Medium	Medium		
V. Iwilei to UH Mānoa	Mediam	IVICUIUIII	Mediam		
	Medium	Modium	Medium		
Beretania Street/South King Street Hotel Street/Waimanu		Medium			
Street/Kapiʻolani Boulevard	High	High	High		
Hotel Street/Kawaiaha'o	High	High	High		
Street/Kapiʻolani Boulevard	' ''9''	' "9"	Tilgii		
Nimitz Highway/Queen Street/	High	High	High		
Kapiʻolani Boulevard	g.,	' "9"	1 11911		
Nimitz Highway/Halekauwila	High	High	High		
Street/Kapiʻolani Boulevard	· ··• g ···	13			
Waikīkī Spur	High	High	High		

Chapter 1 Introduction

The City and County of Honolulu Department of Transportation Services (DTS), in coordination with the U.S. Department of Transportation Federal Transit Administration (FTA), will be preparing an Alternatives Analysis (AA) and an Environmental Impact Statement (EIS) to evaluate alternatives that would provide high-capacity transit service on Oʻahu. The primary project study area is the travel corridor between Kapolei and the University of Hawaiʻi at Mānoa (Figure 1-1). This corridor includes the majority of housing and employment on Oʻahu. The east-west length of the corridor is approximately 23 miles. The north-south width of the corridor is at most four miles, as much of the corridor is bounded by the Koʻolau and Waiʻanae Mountain Ranges to the north and the Pacific Ocean to the south.




Figure 1-1. Project Vicinity

Project Description

Description of the Study Corridor

The study corridor extends from Kapolei in the west (Wai'anae or 'Ewa direction) to the University of Hawai'i at Mānoa in the east (Koko Head direction), and is confined by the Wai'anae and Ko'olau mountain ranges to the north (*mauka* direction) and the ocean to the south (*makai* direction).

The corridor is constrained geographically to a narrow band between the mountains and ocean. In the Pearl City, Waimalu, and 'Aiea area, the corridor's width is less than one mile between the Pacific Ocean and the base of the Ko'olau Mountains.

The General Plan for the City and County of Honolulu directs future population and employment growth to the 'Ewa, Central O'ahu, and Primary Urban Center development plan areas, with the highest rate of growth in the 'Ewa area. The largest increases in population and employment are projected in the 'Ewa, Waipahu, Downtown, and Kākā'āko districts, which are all located in the corridor (Figure 1-2).




Figure 1-2. Areas and Districts in the Study Corridor

Kapolei is the center of the 'Ewa development area. It is located in a plain of former sugar cane fields and is rapidly developing. To date, residential development has outpaced commercial development, placing additional commuter pressure on the constrained roadway system serving the area. Kapolei has been designated O'ahu's "second city," and City and State government offices have opened there. The Kalaeloa Community Development District (formerly known as Barbers Point Naval Air Station) consists of several hundred acres adjacent to Kapolei. Several alternatives exist for the redevelopment of this area, including the possibility of developing some of the area for the onshore support of an aircraft carrier with a homeport at Pearl Harbor. The University of Hawai'i is developing a master plan for a new West O'ahu campus in Kapolei. The Department of Hawaiian Homelands is also a major landowner in the area, and has plans for shopping center development. Also, developers have several proposals to continue the construction of residential subdivisions.

Continuing Koko Head, the corridor follows Farrington and Kamehameha Highways through a mixture of low-density commercial and residential development. This part of the corridor passes through the *makai* portion of the Central Oʻahu Development Plan area, which lies at the bottom of the valley between the Waiʻanae and Koʻolau Mountain Ranges. Farrington Highway and the H-1 Freeway are the principal 'Ewa-Koko Head routes through this part of the corridor.

Moving further Koko Head, the corridor enters the Primary Urban Center Development Plan area. Commercial and residential densities begin to increase in the vicinity of Aloha Stadium. H-1 Freeway, Kamehameha Highway, Salt Lake Boulevard and Moanalua Freeway are the principal 'Ewa-Koko Head roadways in the western portion of the Primary Urban Center development plan area. The Pearl Harbor Naval Reserve, Hickam Air Force Base, and the Honolulu International Airport border the corridor on the *makai* side. Military and civilian housing are the dominant land uses *mauka* of the H-1 Freeway, with a concentration of high-density housing along Salt Lake Boulevard.

As the corridor continues Koko Head across Moanalua Stream, the land use continues to urbanize with increasing density. There are four principal transportation links through this portion of the corridor: Nimitz Highway, Dillingham Boulevard, North King Street, and the H-1 Freeway. Industrial and port land uses dominate along the harbor, shifting to primarily commercial uses along Dillingham Boulevard, changing to a mixture of residential and commercial uses along North King Street, with primarily residential use *mauka* of the H-1 Freeway.

Koko Head of Nu'uanu Stream, the corridor continues through Chinatown and downtown. The Chinatown and downtown areas have the highest employment density in the corridor. Streets in this area form an urban grid pattern, with traffic spread over several arterials. The Kākā'āko and Ala Moana neighborhoods, comprised historically of low-rise industrial and commercial uses, are revitalizing with several high-rise residential towers currently under construction. Ala Moana Center is both a major transit hub and shopping destination.

The corridor continues to Waikīkī and through the McCully neighborhood to the University of Hawai'i. Today, Waikīkī is one of the densest tourist areas in the world, serving approximately 72,000 visitors daily (DBEDT, 2003). The University of Hawai'i at Mānoa is the other major destination at the Koko Head end of the corridor. It has an enrollment of over 20,000 students and approximately 6,000 staff (UH, 2005). Approximately 60 percent of the students do not live within walking distance of the campus (UH, 2002) and must travel to attend classes.

Currently, morning travel patterns in the corridor are heavily directional. Morning town-bound traffic volumes through the Waipahu and 'Aiea areas (Koko Head direction) are more than twice the volume in the 'Ewa direction. Afternoon flows are less directional with 'Ewa bound traffic volumes about 50 percent greater than town-bound (Koko Head bound) traffic.

Alternatives under Consideration

Four alternatives will be evaluated in the Alternatives Analysis (AA) report. They were developed through a screening process that considered alternatives identified through previous transit studies, a field review of the study corridor, an analysis of current housing and employment data for the corridor, a literature review of technology modes, work completed by the Oʻahu Metropolitan Planning Organization (OMPO) for its Draft 2030 Regional Transportation Plan, and public and agency comments received during a formal project scoping process held in accordance with requirements of the National Environmental Policy Act (NEPA) and the Hawaiʻi EIS Law (Chapter 343). The four alternatives are described in detail in the *Honolulu High-Capacity Transit Corridor Project Alternatives Analysis Definition of Alternatives Report (DTS, 2006a)*. The alternatives identified for evaluation in the AA report are:

- No Build Alternative
- Transportation System Management Alternative
- Managed Lane Alternative
- Fixed Guideway Alternative

Alternative 1: No Build Alternative

The No Build Alternative includes existing transit and highway facilities and committed transportation projects anticipated to be operational by 2030. Committed transportation projects are those programmed in the Oʻahu 2030 Regional Transportation Plan prepared by OMPO. The committed highway elements of the No Build Alternative will also be included in the build alternatives (discussed below).

The No Build Alternative's transit component would include an increase in fleet size to accommodate growth in population, while allowing service frequencies to remain the same as today. The specific number of buses, as well as required ancillary facilities, will be determined during the preparation of the AA.

Alternative 2: TSM Alternative

The Transportation System Management (TSM) Alternative would provide an enhanced bus system based on a hub-and-spoke route network, conversion of the present morning peak-hour-only zipper-lane to both a morning and afternoon peak-hour zipper-lane operation, and relatively low-cost capital improvements on selected roadway facilities to give priority to buses. The TSM Alternative will include the same committed highway projects as assumed for the No Build Alternative.

Alternative 3: Managed Lane Alternative

The Managed Lane Alternative would include construction of a two-lane, grade-separated facility between Waipahu and Downtown Honolulu for use by buses, paratransit vehicles, and vanpool vehicles. High-occupancy vehicles (HOV) and toll-paying, single-occupant vehicles also would be allowed to use the facility provided that sufficient capacity would be available to maintain free-flow speeds for buses and the above noted

para-transit and vanpool vehicles. Variable pricing strategies for single-occupant vehicles would be implemented to ensure free-flow speeds for high-occupancy vehicles.

Intermediate bus access points would be provided in the vicinity of Aloha Stadium and Middle Street. Bus service utilizing the managed lane facility would be restructured and enhanced, providing additional service between Kapolei and other points 'Ewa of the Primary Urban Center, and downtown Honolulu and the University of Hawai'i at Mānoa.

Alternative 4: Fixed Guideway Alternative

The Fixed Guideway Alternative would include the construction and operation of a fixed-guideway transit system between Kapolei and the University of Hawai'i at Mānoa. The system could use any fixed-guideway transit technology approved by FTA and meeting performance requirements, and could be automated or employ drivers.

Station and supporting facility locations are currently being identified and would include a vehicle maintenance facility and park-and-ride lots. Bus service would be reconfigured to bring riders on local buses to nearby fixed-guideway transit stations.

Although this alternative would be designed to be within existing street or highway rights-of-way as much as possible, property acquisition in various locations is expected. Future extensions of the system to Central O'ahu, East Honolulu or within the corridor are possible, but are not being addressed in detail at present.

A broad range of modal technologies were considered for application to the Fixed Guideway Alternative, including light rail transit, personal rapid transit, automated people mover, monorail, magnetic levitation (maglev), commuter rail, and emerging technologies still in the developmental stage. Several technologies were selected in an earlier screening process and will be considered as possible options for the fixed-guideway technology. Technologies that were not carried forward from the screening process include personal rapid transit, commuter rail, and the emerging technologies. The screening process is documented in the *Honolulu High-Capacity Transit Corridor Project Screening Report* (DTS, 2006b).

The study corridor for the Fixed Guideway Alternative will be evaluated in five sections to simplify analysis and impact evaluation in the AA process and report. In general, each alignment under consideration within each of the five sections may be combined with any alignment in the adjacent sections.

Each alignment has distinctive characteristics, environmental impacts, and provides different service options. Therefore, each alignment will be evaluated individually and compared to the other alignments in each section. The sections that will be evaluated and the alignments being evaluated for each section are listed in Table 1-1.

Table 1-1. Fixed Guideway Alternative Analysis Sections and Alignments

Section	Alignments Being Considered
I. Kapolei to Fort Weaver Road	Kamokila Boulevard/Farrington Highway
	Kapolei Parkway/North-South Road
	Saratoga Avenue/North-South Road
	Geiger Road/Fort Weaver Road
II. Fort Weaver Road to Aloha Stadium	Farrington Highway/Kamehameha Highway
III. Aloha Stadium to Middle Street	Salt Lake Boulevard
	Mauka of the Airport Viaduct
	Makai of the Airport Viaduct
	Aolele Street
IV. Middle Street to Iwilei	North King Street
	Dillingham Boulevard
V. Iwilei to UH Manoa	Beretania Street/South King Street
	Hotel Street/Waimanu Street/Kapiʻolani Boulevard
	Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard
	Nimitz Highway/Queen Street/Kapiʻolani Boulevard
	Nimitz Highway/Halekauwila Street/Kapiʻolani
	Boulevard
	Waikīkī Spur

Project Purpose

The purpose of the Honolulu High-Capacity Transit Corridor Project is to provide improved mobility for persons traveling in the highly congested east-west transportation corridor between Kapolei and the University of Hawai'i at Mānoa (UH Mānoa), confined by the Wai'anae and Ko'olau Mountain Ranges to the north and the Pacific Ocean to the south. The project would provide faster, more reliable public transportation services in the corridor than those currently operating in mixed-flow traffic. The project would also provide an alternative to private automobile travel and improve linkages between Kapolei, the urban core, UH Mānoa, Waikīkī, and the urban areas in between. Implementation of the project, in conjunction with other improvements included in the Oʻahu Regional Transportation Plan (ORTP), would moderate anticipated traffic congestion in the corridor. The project also supports the goals of the Oʻahu General Plan and the ORTP by serving areas designated for urban growth.

Project Area Needs

Improved mobility for travelers facing increasingly severe traffic congestion.

The existing transportation infrastructure in this corridor is overburdened handling current levels of travel demand. Motorists experience substantial traffic congestion and delay at most times of the day during both the weekdays and weekends. Transit is caught in the same congestion. Travelers on Oʻahu's roadways currently experience 42,000 daily vehicle-hours of delay, which is projected to increase over seven-fold to 326,000 daily vehicle-hours of delay by 2030. Current morning peak-period travel times for motorists from Kapolei to downtown average between 40 and 60 minutes, while recent observations of bus travel times from 'Ewa Beach to downtown ranged from 30 to 80

minutes depending on traffic conditions. By 2030, these travel times are projected to more than double. Within the urban core, most major arterial streets will experience increasing peak period congestion, including Ala Moana Boulevard, Dillingham Boulevard, Kalākaua Avenue, Kapi'olani Boulevard, King Street and Nimitz Highway. Expansion of the roadway system between Kapolei and UH Mānoa is constrained by physical barriers and by dense urban neighborhoods that abut many existing roadways. Given the current and increasing levels of congestion, a need exists to offer an alternative way to move within the corridor independent from current and projected highway congestion.

Improved transportation system reliability.

As roadways become more congested, they become more susceptible to substantial delays caused by incidents such as traffic accidents or heavy rain. Because of the operating conditions in the study corridor, current travel times are not reliable for either transit or automobile trips. In order to get to their destination on time, travelers have to allow extra time in their schedules to account for the uncertainty of travel time. This is inefficient and results in lost productivity. Because the bus system primarily operates in mixed-traffic, transit users experience the same level of travel time uncertainty as automobile drivers. Recent statistics from TheBus indicate that on a systemwide basis, for all classes of bus routes, 45 percent of buses were on time, 27 percent were more than five minutes late and 28 percent more than one minute early. In the morning peak period, express buses were on time 27 percent of the time, with 38 percent being late and 35 percent being early. A need exists to reduce the variability of transit travel times, and provide a system with increased predictability and reliability.

Accessibility to new development in 'Ewa/Kapolei/Makakilo as a way of supporting policy to develop the area as a second urban center.

Consistent with the General Plan for the City and County of Honolulu, the highest population growth rates for the island are projected in the 'Ewa Development Plan area (comprised of the 'Ewa, Kapolei and Makakilo communities) which is expected to grow by 170 percent between years 2000 and 2030. This growth represents nearly 50 percent of the total growth projected for the entire island. Within this area, Kapolei, which is developing as a "second city" to downtown Honolulu, is projected to grow by 426 percent, the 'Ewa neighborhood by 123 percent and Makakilo by 94 percent between years 2000 and 2030. Accessibility to the overall 1Ewa Development Plan area is currently severely impaired by the congested roadway network, which will only get worse in the future. This area is less likely to develop as planned unless it is accessible to downtown and other parts of O1ahu; therefore, the 1Ewa/Kapolei/ Makakilo area needs improved accessibility to support its future growth as planned.

Improved transportation equity for all travelers.

Many lower-income and minority workers live in the corridor outside of the urban core and commute to work in the Primary Urban Center Development Plan Area. Many lower-income workers also rely on transit because they are not able to afford the cost of vehicle ownership and operation. In addition, daily parking costs in downtown Honolulu are among the highest in the United States, further limiting this population's access to the

downtown. Improvements to transit capacity and reliability will serve all transportation system users, including low-income and under-represented populations.

History of Project

Transit has a long history on O'ahu starting with the O'ahu Railway and Land (OR&L) system that carried passengers on approximately 150 miles of track between 1890 and 1947. The route structure included a line in the corridor between 'Ewa and Honolulu (Chiddix and Simpson, 2004). The Honolulu Rapid Transit and Land (HRT&L) system began operating an electric streetcar system in Honolulu in 1903 and had over 20 miles of lines in operation during its peak. The population of O'ahu was 59,000 people in 1900, three years before the start of the streetcar system, and had increased to 120,000 by 1920.

Roadway development, buses, and private automobile ownership resulted in decreasing rail-transit demand beginning in the 1920's. Buses were less expensive to operate than rail-transit. They operated on city streets that were developed and maintained with taxpayer funds, rather than railways that had to be privately developed and maintained. The HRT&L streetcars were completely replaced by buses in 1942. Increasing transportation demand was met in the 1950's with the development of the H-1 freeway.

The population of O'ahu kept increasing, from 350,000 people in 1950 to 500,000 in 1960 and 630,000 by 1970. However, despite increasing travel demand, public opposition to extensive freeway expansion began to develop in the early 1960's. A proposal for an elevated Makai Freeway was abandoned. The island-wide O'ahu Transportation Study (OTS) that was completed in 1967 concluded that a fixed-guideway transit system, serving a corridor between Pearl City and Hawai'i Kai, would provide cost-effective transportation capacity as part of a larger transportation system expansion needed to meet increased demand (OTSPC, 1967).

During the early 1970's, the Preliminary Engineering and Evaluation Program (PEEP) I and PEEP II studies further explored options for a fixed-guideway transit system. Based on these studies, the City and County of Honolulu began planning the Honolulu Area Rail Rapid Transit (HART) project to provide transit in the corridor identified in the 1967 OTS study, Pearl City to Hawai'i Kai. In 1982, project planning, environmental analysis, and preliminary engineering culminated in a Final Environmental Impact Statement issued by the City and the Urban Mass Transportation Administration (UMTA was the predecessor to the current Federal Transit Administration [FTA]). However, a change in city administration resulted in changed transportation priorities and work on the HART project stopped. O'ahu's population continued to increase (in 1980 O'ahu's population was 760,000).

In 1985, the City partnered with UMTA to begin a new study for an exclusive right-of-way, fixed-guideway rapid transit project. The Honolulu Rapid Transit Development Project (HRT) built on the planning completed for the HART project, but explored new automated transit technologies. When the Alternatives Analysis/draft Environmental Impact Statement (AA/DEIS) for the project was completed in 1990, the island's population had grown to 840,000 people.

Later in 1990, following completion of the AA/DEIS, the State Legislature passed funding acts to provide State funds and authorize the City to impose a general use and excise tax surcharge to provide local funding for the project. Local funding was needed to leverage the federal funds that Congress would make available for the project. The City selected a grade-separated, fixed-guideway transit alternative that included a tunnel under downtown, and FTA authorized the City to proceed to preliminary engineering for this alternative (the locally preferred alternative, or LPA).

Over the next two years, the City conducted additional engineering studies and issued a request for proposals to construct the system. Soil conditions in the downtown area and updated financing and environmental impact information resulted in an amendment to the LPA. The project was changed to follow Nimitz Highway on an elevated structure, and a branch line to Waikīkī was eliminated. The FTA and the City issued a Supplemental EIS to address the amended LPA, and the addition of several park-and-ride lots to the project. In 1992, a final EIS was issued on the project. However, the City Council failed to authorize the general use and excise tax surcharge to provide the local funding, and the project collapsed. Federal funds allocated to Honolulu were diverted to cities on the mainland.

During this planning, and while O'ahu's population was steadily increasing, the number of trips taken, or "transportation demand," was increasing at a greater rate than population growth. In 1960, 134,000 automobiles were registered on O'ahu and residents made a total of 1,190,000 daily person trips. Eleven percent of those trips were made by transit (OTPP, 1967). In 1980, 2,170,000 daily person trips were made and eight percent of those were made by transit (OMPO, 1984). By 1990, there were 613,000 automobiles registered on O'ahu. Residents made 2,410,000 daily person trips and only seven percent of the trips were made by transit (OMPO, 1995). Between 1960 and 1990, the population of O'ahu increased by 68 percent, while the number of daily person trips more than doubled, and the number of vehicles registered on the island increased five-fold.

In 1998, the City began developing the O'ahu Trans 2K Islandwide Mobility Concept Plan. Through an intensive public involvement program, the Plan identified the increasing need for improved mobility and links between land use and transportation. The plan endorsed an integrated transportation approach, with roadway, high-occupancy vehicle, and transit improvements. Once again the need for high-capacity, frequent transit service was identified for the Primary Urban Center. This study led to the Primary Corridor Transportation Project.

Unlike prior projects, the Primary Corridor Transportation Project focused on alternatives that could be constructed within existing transportation rights-of-way to provide mobility improvements at a lower cost and with fewer impacts. A Major Investment Study and draft EIS was completed in 2000, which proposed a system based on bus rapid transit (BRT) operations. The BRT system continued to be developed and refined into the locally preferred alternative addressed in the Final EIS in 2002. The proposed system included Regional and In-Town BRT operations extending from Kapolei to Waikīkī and the University of Hawai'i at Mānoa.

Some of the Regional and In-Town BRT facilities from the BRT system proposal have been completed. The Hawai'i Department of Transportation has implemented the extension of the morning "zipper lane" between Radford Drive and Ke'ehi Interchange. In-Town BRT facilities that have been constructed include seven transit stops and the reconstruction of Kūhiō Avenue between Kalākaua Avenue and Kapahulu Avenue.

The 2030 O'ahu Regional Transportation Plan includes the afternoon "zipper lane" that was also proposed as part of the regional BRT project. This facility will be included in the No Build and all other alternatives analyzed in this Honolulu High-Capacity Transit Corridor Project. Other elements of the Primary Corridor Transportation Project, such as transit centers, are part of the 2030 O'ahu Regional Transportation Plan, while others, including additional transit centers and expanded bus service, will be part of the proposed TSM Alternative.

Between 1990 and 2000 the island again experienced travel demand growth that outstripped population growth, with a five percent increase in residents and a 15 percent increase in trips. The population of O'ahu in the year 2000 was 880,000, residents made 2,760,000 daily person trips, and transit continued to carry seven percent of the total trips (OMPO, 2001).

Transportation demand has continued to increase on O'ahu since 2'000. As part of its work to update the regional transportation plan, OMPO surveyed O'ahu residents about transportation issues in 2004. The survey identified commute-period traffic congestion in the 'Ewa and Central O'ahu to downtown Honolulu corridor as the greatest concern. Nearly twice as many residents responded that improving transit was more important than building more roadways. Seventy percent of the respondents believed that rail rapid transit should be constructed as a long-term transportation solution and 55 percent supported raising taxes to provide local funding for the system.

During the summer of 2005, the State legislature recognized the need and public support for high-capacity transit on Oʻahu and passed Act 247. Act 247 authorized the County to levy a general excise tax surcharge to construct and operate a mass transit project serving Oʻahu. The City Council subsequently adopted Ordinance 05-027 to levy a tax surcharge to fund public transportation. With secure local funding established for the first time; the City began the AA process to implement a high-capacity transit system in the corridor between Kapolei and the University of Hawaiʻi at Mānoa. A range of alternatives was evaluated and screened to select alternatives that would provide the most improvement to person-mobility and travel reliability in the study corridor. FTA published a Notice of Intent in the *Federal Register* on December 7, 2005, and DTS published an EIS Preparation Notice (EISPN) in the State of Hawaiʻi *Environmental Notice* on December 8, 2005. The public was asked to comment on the selected alternatives, the proposed purpose and need for the project, and the range of issues to be evaluated at a series of scoping meetings held in December 2005.

Project Schedule

Projects developed through the FTA *New Starts* process progress through many stages from system planning to operation of the project. The Honolulu High-Capacity Transit Corridor Project is currently in the Alternatives Analysis phase, which includes defining and evaluating specific projects to address the purpose of and needs for the project discussed earlier in this chapter. The anticipated project development schedule is shown in Figure 1-3.




Figure 1-3. Project Schedule

Chapter 1 Introduction References

Census, 2002. *Population of Counties by Decennial Census: 1900 to 1990.* U.S. Bureau of the Census.

Chiddix and Simpson, 2004. *Next Stop Honolulu: Story of the O'ahu Railway & Land Company*. Jim Chiddix and MacKinnon Simpson. Sugar Cane Press, Honolulu.

DBEDT, 2003. *The Economic Contribution of Waikīkī*. Department of Business, Economic Development and Tourism.

DTS, 1992. Final Environmental Impact Statement Honolulu Rapid Transit Program. City and County of Honolulu Department of Transportation Services and U.S. DOT Federal Transit Administration.

DTS, 2006a. *Honolulu High-Capacity Transit Corridor Project Alternatives Analysis Definition of Alternatives Report t*. City and County of Honolulu Department of Transportation Services.

DTS, 2006b. *Honolulu High-Capacity Transit Corridor Project Screening Report*. City and County of Honolulu Department of Transportation Services.

OMPO, 1984. *HALI 2000 Study Alternatives Analysis Final Report*. O'ahu Metropolitan Planning Organization.

OMPO, 1995. O'ahu Regional Transportation Plan. O'ahu Metropolitan Planning Organization.

Archaeological Resources Regulatory Requirements

Because the Honolulu High-Capacity Transit Corridor Project will receive federal funds, it must comply with Section 106 of the National Historic Preservation Act (Section 106 NHPA), the National Environmental Policy Act (NEPA), and the Department of Transportation Act (DTA). Because portions of the project may involve investigation, use, and/or appropriation of federal lands, for example land from U. S. military installations, compliance with the federal Archaeological Resource Protection Act and Native American Graves Protection and Repatriation Act may be required. Additionally, as a State of Hawai'i and City and County of Honolulu project within state and county property, the project will be subject to State of Hawai'i environmental and historic preservation review legislation (Hawai'i Revised Statutes (HRS) Chapter 343 and HRS 6E-8/Hawai'i Administrative Rules (HAR) Chapter 13-275, respectively). Compliance with State of Hawai'i burial law (HRS Chapter 6E-43 and HAR Chapter 13-300) will also likely be necessary. These historic preservation regulations, as they apply to archaeological resources, are described briefly below.

- The National Environmental Policy Act (NEPA 101[b][4]) establishes a federal policy of preserving not only the natural aspects, but also the historic, cultural, and archaeological aspects of our national heritage when undertakings regulated by federal agencies are planned. Implementing regulations (40 CFR Part 1502.16[g]) issued by the Council on Environmental Quality stipulate that the consequences of federal actions on historic, cultural, and archaeological resources be analyzed.
- Section 106 of the National Historic Preservation Act, as amended (NHPA) requires federal agencies to consider the effects of their activities and programs on cultural resources, including archaeological resources, listed on or eligible for listing on the National Register of Historic Places (National Register).
- Section 4(f) of the Department of Transportation Act of 1966, re-codified in 1983 as 49 United States Code, Section 303 (c), established a federal government policy of making special efforts to preserve the natural beauty of the countryside and public park and recreation lands, wildlife and waterfowl refuges, and historic sites. Section 4(f) stipulates that the U.S. Department of Transportation may approve a program or project that uses or otherwise effects land from any significant historic site, including certain types of archaeological sites, only if two conditions are met. First, there must be no prudent and feasible alternative to the use of the land from the property. Second, the action must include all possible planning to minimize harm to the property resulting from such use.
- The Archaeological Resource Protection Act of 1979 was created in response to congressional recognition that archaeological resources are irreplaceable to the nation's heritage and that these resources are often accessible, have intrinsic commercial value, and are increasingly endangered by looting and pillage. The legislation protects

archaeological resources that are at least 100 years old and located on Tribal and public lands, including U.S. military installations. The legislation establishes a permitting procedure to regulate the excavation and investigation of applicable archaeological resources. Although possible, it is less likely that project-related archaeological investigations will require an ARPA permit because these investigations would likely be completed under the aegis of a federal contract.

- The Native American Graves Protection and Repatriation Act of 1990 protects Native Hawaiian graves and clarifies the right of ownership of Native Hawaiian human remains and artifacts, including funerary objects, religious objects, and objects of cultural patrimony, found on federal or tribal lands. The legislation outlines procedures for the excavation or removal of Native Hawaiian human remains or cultural artifacts, including the consent of the appropriate Native Hawaiian organizations, and establishes notification requirements for the inadvertent discovery of Native Hawaiian human remains or cultural artifacts.
- Hawai'i state historic preservation review legislation (HRS Chapter 6E-8 and HAR
 Chapter 13-275) is designed after federal Section 106 legislation and is applicable to all
 non-federal land within the state. It describes a process that identifies significant historic
 properties, including archaeological resources, and develops and executes plans to handle
 impacts to significant historic properties in the public interest.
- Hawai'i has specific burial laws (HRS Chapter 6E-43 and HAR Chapter 13-300)
 pertaining to human remains older than 50 years that are found outside established,
 maintained cemeteries on non-federal lands within the state. This legislation establishes
 proper notification and treatment procedures for these burials. This legislation is
 particularly designed to ensure appropriate and dignified treatment of Native Hawaiian
 burials discovered though land development projects.

Generally, both State of Hawai'i and federal historic preservation legislation require the identification, documentation, significance assessment, project effect assessment, and development of appropriate mitigation measures for archaeological resources within a project's area of potential effect. These procedural steps are carried out through appropriate investigation and through consultation among project proponents, the Hawai'i State Historic Preservation Officer, and, as appropriate, the Advisory Council on Historic Preservation, interested individuals, and community groups, including Native Hawaiian organizations. The archaeological resource identification and documentation methods for this AA are described in Chapter 3. These methods were discussed with the Office of Hawaiian Affairs in late January 2006 and the State Historic Preservation Division (SHPD) in early February 2006. Response to this approach was positive.

Alternative Analysis Technical Report

For this *Archaeological Technical Report*, an extensive survey of previously identified and potential archaeological resources within the study area was made. This "broadbrush" approach will not identify all documented or potential archaeological resources, but will characterize the potential for different project alignments to affect archaeological

resources. Based on this characterization, recommendations will be made to contribute to the selection of a Locally Preferred Alternative.

The archaeological resources investigation for this AA is structured to initiate the overall project's compliance with both federal and State of Hawai'i historic preservation review legislation. Given the number of alternatives and degree of uncertainty regarding the eventual selection of a Locally Preferred Alternative, it is not possible for the AA to fulfill the requirements of the applicable historic preservation legislation. Instead, the level of effort will be sufficient to generally identify likely problems for each alternative to meet the various federal and state historic preservation regulations pertaining to archaeological resources.

For the subsequent draft EIS, which will be focused on the Locally Preferred Alternative's area of potential effect, a detailed archaeological inventory survey plan will be generated as the first step in the project's formal historic preservation compliance effort. Because there is much uncertainty regarding the Locally Preferred Alternative, postponing the formal start of historic preservation compliance to the draft EIS stage allows for more flexibility and a more appropriate allocation of resources required for the archaeological resource identification effort. Because of the probable diversity, distribution, and number of archaeological resources within the Locally Preferred Alternative, an archaeological inventory survey plan will serve to effectively coordinate the effort. The plan will include detailed procedures for the identification, documentation, significance evaluation, and assessment of project effect for the archaeological resources within the Locally Preferred Alternative (per the requirements of HAR Chapter 13-275 and 13-276). The inclusion of the archaeological inventory survey plan in the draft EIS will ensure appropriate agency and public review of the proposed archaeological resource identification effort.

Archaeological Investigations Associated with Prior High-Capacity Rapid Transit Environmental Documentation

The environmental documentation that accompanied prior proposed high-capacity transit service along the south shore of Oʻahu, including most recently PrimCor (Davis and McGerty, 2002) and the earlier Honolulu Rapid Transit (Rosendahl, 1988) provided varying consideration of potential impacts to archaeological resources. Although these archaeological studies focused on different areas of Oʻahu's south shore, the overall study corridors overlap substantially. These earlier studies served as a starting point for the archaeological resource analysis for this project.

A wealth of previous archaeological research has been carried out within the proposed project's study area. J.G. McAllister conducted some of the earliest archaeological documentation within the study area in the early 1930s as part of his archaeological and ethnographic survey of Oʻahu (McAllister, 1933). Sterling and Summers (1978) collected information on many of the early sites identified by the Bernice P. Bishop Museum (including sites identified by McAllister) in their book "Sites of Oʻahu." Already documented archaeological resources within the study area span nearly the entire history of human habitation of Oʻahu and include remnants of filled fishponds, human burials, subsurface cultural layers related to traditional Native Hawaiian occupation, historic building and structure foundations, and historic trash pits and privies. Various low-energy alluvial deposits also contain paleoenvironmental information that pertains to the history of human land use along the south Oʻahu shoreline.

Archaeological Approach for "Affected Environment" and "Impacts"

For this *Archaeological Technical Report*, an extensive, inclusive survey of potential archaeological resources within the study area has been made. This analysis is presented in two sections, Chapter 4, "Affected Environment" and Chapter 5, "Impacts."

Chapter 4, "Affected Environment" is based on a "broad-brush" approach to archaeological resources that did not identify all documented or potential archaeological resources, but rather characterized the potential for different project alignments to affect archaeological resources. Chapter 4 lists all archaeological projects within the Tax Map Key (TMK) plats through which the study area passes. Using the TMK plat as the unit of search yielded a large data set, including projects that are not directly pertinent to the study area (e.g., projects conducted within the plat but not close to any of the alternative alignments). In addition, archaeological studies that did not include any field work, such as data recovery plans, monitoring plans, and literature searches, and other reports not based on actual fieldwork, are included in Chapter 4. This resulted in a bibliography of more than 550 entries.

Chapter 5, "Impacts" is a refinement of the data set presented in Chapter 4. For the tables in Chapter 5, only archaeological reports that included some fieldwork are included. Reports on archaeological projects conducted within the tax map plats, but which did not record any sites near the alternative alignments were winnowed out. This was accomplished by reviewing all available pertinent reports at the SHPD office in Kapolei, examining the project location, and reviewing any site maps (if any sites were recorded).

Available archaeological information was reduced into a form that provides sufficient detail to evaluate potential impacts to archaeological resources along the various alignments within the study area.

Alternatives Analysis Phase Methodology

In general, archaeological and historic background research and limited field inspection has been used to identify previously documented archaeological resources and areas of potential archaeological resources within the proposed study area. Based on available data, the potential affected environment and impacts of project construction on archaeological resources within various portions of the study area was evaluated. Preliminary mitigation measures for potential impacts on archaeological resources are also provided.

For the purposes of this analysis, the area of investigation within the study area was generally defined as a 100-foot-wide corridor centered on each of the proposed alignments. Exceptions were made in which larger areas were analyzed, for example at proposed station locations and to take into account potential interruption of views from prominent archaeological sites as a result of project construction. At potential station locations, the area of investigation was expanded to include not only the 100-foot-wide corridor of the adjacent alignment, but also the footprint of the station location. Where views from prominent archaeological sites could be compromised by project construction, the investigation area included the footprint of the prominent archaeological site.

The area of investigation includes consideration of overall prehistoric and historic settlement patterns within the study area. These settlement patterns were used to predict areas of potential archaeological resources that might not otherwise be identified on proxy data sets and previous archaeological investigations that were confined to much narrower geographic areas.

Generally, the methods described below were developed as part of another large, linear development project that encompassed vast geographic areas and had the potential to affect archaeological deposits. In 2001, Cultural Surveys Hawai'i completed an archaeological assessment of approximately 112.6 miles of road corridor on the island of O'ahu. The road corridors are proposed for the installation of a telecommunications cable system connecting Department of Hawaiian Home Lands properties on O'ahu. The objective of this assessment was to identify areas within the corridors that have the potential to contain archaeological resources (Hammatt, 2001). The methods for

archaeological resource identification and geographic synthesis using existing archaeological data and proxy historical and environmental data sets proved effective.

During preparation of this report, the following resources were used and activities were employed to identify areas of archaeological concern within the study area. These methods were discussed with the Office of Hawaiian Affairs in late January 2006 and the State Historic Preservation Division in early February 2006. Response to this approach was positive.

- Inspection of U.S. Department of Agriculture (USDA) soil survey data (Foote, et al., 1972) for the study area to identify soil types under or immediately adjacent to the area of investigation that, based on past experience, are more likely to contain archaeological deposits. For example, *Fill Land* in coastal regions is often associated with former Native Hawaiian fishponds, and Jaucas sand deposits are often associated with traditional Hawaiian burials.
- Inspection of tax maps and historic maps showing presence of Land Commission Award (LCA) parcels within or adjacent to the study area. The Organic Acts of 1845 and 1846 initiated the process of the *Mahele* the division of Hawaiian lands which introduced private property into Hawaiian society. In 1848, the crown, the Hawaiian government, and the *ali'i* (royalty) received their land titles. *Kuleana* awards for individual parcels within the *ahupua'a* were subsequently granted in 1850. These LCAs were presented to tenants native Hawaiians, naturalized foreigners, non-Hawaiians born on the islands, or long-term resident foreigners who could prove occupancy on the parcels before 1845. Maps and other documents associated with these awards may provide clues to settlement and other activities within and nearby the study route in the mid-1850s. LCA data are commonly used by archaeologists as indicators of past land use that may not be readily apparent on the current land surface.
- Review of Geographic Information System (GIS) data and archaeological reports at SHPD. The GIS data and archaeological reports provide specific information on the location and distribution of previously recorded surface and subsurface archaeological sites within or near the study area. Additionally, archaeological reports may contain results of subsurface testing near the study area.
- Inspection of historic maps and early land survey maps to locate areas of potential archaeological concern.
- Field observations of portions of the study area to evaluate the relationship of the study area to possible surface and subsurface archaeological resources.
- Consultation with SHPD to make use of its resources and expertise. However, all evaluations and findings in this report are those of Cultural Surveys Hawai'i and should not be interpreted as reflecting those of the SHPD.

Draft EIS Phase Methodology

The draft EIS will build upon information from the AA. It will further analyze and refine the available background research that is pertinent to the LPA and include an archaeological inventory-level investigation to support the project's Section 106 historic property (archaeological resources) identification efforts. Methods specific to the LPA

will be described, as will methods used to evaluate the eligibility of identified archaeological resources' to the National Register. It will also provide more specific guidance regarding potential impacts and mitigation for archaeological resources affected by the LPA.

The following methods will be used for this analysis:

- Intensive field inspection of the entire LPA
- More in-depth background research, including historic maps, LCA records, soil survey data, past archaeological investigation reports, and querying of the SHPD archaeological database and GIS system
- Consultation with SHPD
- Consideration of the appropriate methods for archaeological resource identification and documentation.

•

Chapter 3 Methodology References

Davis, Bertell D. and Leann McGerty, 2002. An Assessment of Archaeological and Cultural Resources along the Proposed Honolulu Bus Rapid Transit Primary Corridor Honolulu, Hawai'i. Scientific Consultant Services, Inc., Honolulu.

Foote, Donald E., E.L. Hill, S. Nakamura and F. Stephens, 1972. *Soil Survey of the Islands of Kauai, Oʻahu, Maui, Molokai and Lanai, State of Hawaiʻi.* U.S. Dept. of Agriculture, U.S. Government Printing Office, Washington, D.C.

McAllister, J. Gilbert, 1933. *Archaeology of O'ahu*. Bernice P. Bishop Museum Bulletin. Bishop Museum Press, Honolulu.

Rosendahl, Margaret L.K., 1988. Archaeological Study of Alternative Corridors Honolulu Rapid Transit Development Project, Honolulu, Island of Oʻahu. Paul H. Rosendahl, Ph.D., Inc. Hilo, Hawaiʻi.

Sterling, Elspeth, and Catherine Summers, 1978. *Sites of O'ahu*. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

The following discussion of the affected environment for archaeological resources is based on research completed to date for the Alternatives Assessment, as described in Chapter 3. This preliminary information is supplemented by maps with various proxy data sets (e.g., historic maps, Land Court Award records, USDA soils survey data), as described in Chapter 3, which provide additional information regarding potential archaeological resources within the study area.

During preparation of this affected environment section, SHPD's historic property GIS database was not available for use. This GIS database contains geographic location and basic descriptive information for most prior archaeological investigations and previously recorded archaeological sites throughout the state. As such, it was necessary to examine SHPD's archaeological reference list to find archaeological reports and sites that pertain to the study area.

Alternative 3: Managed Lane

The Managed Lane Alternative may result in fewer impacts on cultural resources and burials than the Fixed Guideway Alternative. In general, the Managed Lane Alternative would traverse the same alignments discussed in detail for Alternative 4 below. Figures 4-1 and 4-2 show the number and boundaries of these TMK plats that correspond to the archaeological study corridor for each of the five sections associated with Alternative 3. Any associated ground disturbance would result in the same likelihood of encountering cultural resources and burials.

'Ewa Section

One new alignment associated with the 'Ewa Section involves the Waikele Spur, which would connect to central O'ahu. Prior archaeological research pertinent to this section is summarized in Table 4-1. If developed in proximity to the H-2 alignment, the probability of encountering cultural resources and burials appears to be low.

Table 4-1. Alternative 3 Managed Lane ('Ewa Section) Waikele Spur Previous Archaeological Studies

Author	Nature of Study	TMK [1]	Location
Barrera, 1985a	Reconnaissance Survey	9-4-007:001	Kilohana, Waipiʻo Ahupuaʻa
Barrera, 1985b	Reconnaissance Survey	9-4-07:012, 9-4-07:013	Waikele Ahupuaʻa
Dixon, 1993	Reconnaissance Survey	2-9-036, 3-7-004, 4-1-011, 4-5-041, 9-4-007	Five Water Supply Wells, one in Waipi'o Ahupua'a

Koko Head Section

A new alignment associated with the Nimitz Section departs significantly from the Alternative 4 alignments. Archaeological research pertinent to this section is summarized in Table 4-2. In some places, this section appears to traverse coastal lands that may have

been heavily used in the past, while other stretches traverse areas that were almost certainly shallow seas and thus may lack significant cultural deposits.

Table 4-2. Alternative 3 Managed Lane (Koko Head Section) Previous Archaeological Studies

Author	Nature of Study	TMK [1] -	Location
Chiogioji and Hammatt, 1995	Assessment	1-5-020, 1-5-034, 1-5-041, 1-5-042	Hart Street Pump
Hammatt, 1986	Reconnaissance Survey	1-2-024, 1-2-036, 1-2-037	Sand Island Post Office
Kawachi, 1989	Burial Report	1-5-012:005	lwilei Road
Kennedy and Moore, 1999	Burial Report	1-5-032:002	Pier 40, Honolulu Harbor
Moore, 1997	Burial Report	1-5-032:002	Pier 40, Honolulu Harbor
Nakamura, et al., 1994	Assessment	1-6-003:042, 1-6-003:043, 1-6-003:044, 1-6-003:045, 1-6-003:051, 1-6-003:052, 1-6-003:053, 1-6-003:079, 1-6-003:080, 1-6-003:081, 1-6-003:089	Kapālama-King Streets
Sprinkle, 1996	Cultural Resource Investigation	1-1-003, 1-1-004, 2-1-015	Proposed Honolulu Detention Center

Alternative 3 Managed Lane References

Barrera, William, Jr., 1985a. Memo--*Archaeological Reconnaissance of Kilohana, 'Ewa, O'ahu, 1-9-4-007:001*. Chiniago, Honolulu.

Barrera, William, 1985b. Waikele, O'ahu: Archaeological Reconnaissance, TMK 1-9-4-07:12, 13. Chiniago, Honolulu.

Dixon, Boyd, 1993. An Archaeological Reconnaissance of Five Board of Water Supply Wells on O'ahu, Hawai'i, 1-9-4-007; 1-2-9-036; 1-3-7-004; 1-4-1-011; 1-4-5-041. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Chiogioji, Rodney, and Hallett H. Hammatt, 1995. *An Archaeological Assessment of the Hart Street Wastewater Pump Station Force Main Replacement Project at Honolulu Harbor and Sand Island, Island of Oʻahu, TMK 1-1-5-020; -034; -041; -042.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 1986. Archaeological Reconnaissance of TMK 1-2-24: Por. 36, Por. 37, Parcels on Sand Island Proposed for U.S. Postal Service Use, TMK 1-1-2-024:036, 037. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

State Historic Preservation Division, Kapolei, Hawai'i. Kawachi, Carol, 1989. *Iwilei Road Burial Removal, 650 Iwilei Road, Nu'uanu, Honolulu, O'ahu, TMK 1-1-5-012:005.* Department of Land and Natural Resources,

Consultants of the Pacific, Hale'iwa, Hawai'i. Ahupua'a, Kona District, Island of O'ahu, TMK 1-1-5-032:002. Archaeological Kennedy, Joseph, and James R. Moore, 1999. The Archaeological Treatment of the Inadvertent Discovery of a Human Burial at Pier 40, TMK: 1-5-32:2, Kapālama

Pacific, Hale'iwa, Hawai'i. Ahupua'a, Kona District, O'ahu, TMK 1-1-5-032:005. Archaeological Consultants of the Moore, James R., 1997. Inadvertent Burial Discovered at Pier 40 in Kapālama,

Assessment of a Parcel of Land in Kapālama on the Corner of North King and Nakamura, Barry, Jeffrey Pantaleo, and Aki Sinoto, 1994. An Archaeological Houghtailing Streets, Kapālama, Kona District, Oʻahu. Aki Sinoto Consulting

Sprinkle, John H., 1996. Cultural Resource Investigation Honolulu, Hawai'i Proposed Detention Facility, TMK 1-1-1-003; -004:; 1-2-1-015. Louis Berger & Associates.

Alternative 4: Fixed Guideway

the shorter bibliography presented in Chapter 5, Impacts. removed from analysis based on their distance from the study area, which was done for archaeological investigations for these TMK were identified. Some of these were easily important archaeological information was not overlooked. Approximately 575 prior some results that were not directly pertinent to the study area, but it also ensured that sections associated with Alternative 4. Using the TMK plat as the unit of search yielded TMK plats that correspond to the archaeological study corridor for each of the five study area passes. Figures 4-3 through 4-7 show the number and boundaries of these archaeological investigations within the Tax Map Key (TMK) plats through which the The following is a discussion of the previous archaeological sites and prior

study at the end of Chapter 4. with associated summary text, followed by complete bibliographic information for each areas are discussed together as nodes. Information is primarily presented in table form, presented by alignment within each section. Where multiple alignments converge, these For Alternative 4, the discussion proceeds from 'Ewa to Koko Head and is generally




Figure 4-1. TMK plats with prior archaeological documentation, Alternative 3, 'Ewa Section




Figure 4-2. TMK plats with prior archaeological documentation, Alternative 3, Koko Head Section




Figure 4-3. TMK plats with prior archaeological documentation, Alternative 4, Section I




Figure 4-4. TMK plats with prior archaeological documentation, Alternative 4, Section II




Figure 4-5. TMK plats with prior archaeological documentation, Alternative 4, Section III




Figure 4-6. TMK plats with prior archaeological documentation, Alternative 4, Section IV




Figure 4-7. TMK plats with prior archaeological documentation, Alternative 4, Section V

Section I – Kapolei to Fort Weaver Road

tables below, within Section I (Kapolei). Figure 4-8 shows pertinent prior archaeological investigations, discussed in the text and

Kamōkila Boulevard/Farrington Highway

Kamōkila Boulevard

significant finds. More recent archaeological studies in the western 'Ewa Plain have resulted in few or no information regarding archaeological finds during construction of the shopping center. appears to have never been formally covered in an archaeological study. There is no north side of Kamōkila Boulevard (location of the present Kapolei Shopping Center) Kamōkila Boulevard from the junction with Farrington Highway east to Fort Barrette the junction with Farrington Highway. These two studies also covered the south side of Plan) studies covered the western portion of the Kamōkila Boulevard alignment west of The Haun, 1986a 1,400-acre study and the Rosendahl, 1987a (Kapolei Village Master Road. There were no significant finds reported in this area. A wedge of land on the

Farrington Highway

Addition) on the makai side and by Haun, 1986a and O'Hare, et al., 2005a on the mauka east of Fort Barrette Road was covered by Rosendahl, 1990 (Kapolei Golf Community Most of the central portion of the Kamōkila Boulevard/Farrington Highway alignment The only noted archaeological resources consisted of plantation infrastructure

Farrington Highway that merits further consideration. The O'Hare, et al., 2006a study identified certain plantation infrastructure (Site 50-80-12-4344 features D to G) near Farrington Highway, but no further work was recommended for these twentieth century The Dicks, et al., 1987 study identified a habitation deposit (site 50-80-12-3321) near alignment were addressed in the Dicks, et al., 1987 and O'Hare, et al., 2006a studies Lands adjacent to the east portion of the Kamōkila Boulevard/Farrington Highway

with Fort Weaver Road that merits more detailed study. exception of the approximately 4,000 feet at the extreme east end near the intersection Kamōkila Boulevard/Farrington Highway alignment is regarded as low, with the possible The likelihood for human burials or other archaeological and cultural properties on the

Kapolei Parkway/North-South Road

Kapolei Parkway

alignment is regarded as low. for human burials and other archaeological or cultural properties on the Kapolei Parkway archaeological sites were noted in the immediate vicinity of the Parkway. The likelihood approximately the western 85 percent of the Kapolei Parkway alignment. No and the Rosendahl, 1990 (Kapolei Golf Community Addition) studies covered The Haun, 1986a 1,400-acre study, the Rosendahl, 1987a (Kapolei Village Master Plan),




Figure 4-8. Pertinent prior archaeological investigations for Section I

North-South Road

Reconnaissance survey studies (Hammatt and Chiogioji, 1997; Chiogioji and Hammatt, 1997) were carried out for two slightly different alignments of the (then proposed) North-South Road corridor. The Chiogioji and Hammatt, 1997 study corresponds to that road alignment segment under consideration for the Honolulu High-Capacity Transit Corridor Project. The Hammatt and Chiogioji, 1997b study reviewed previous archaeological work (up to 1997) in the vicinity (including McAllister, 1933; Rosendahl, 1987b; Kennedy, 1988; Davis, 1988; Hammatt, et al., 1990) and also included a field inspection. No traditional Hawaiian sites were noted in the vicinity from either the previous archaeological studies or in the project-specific fieldwork. The Chiogioji and Hammatt, 1997 study notes the presence of plantation constructions (remnants of flumes, a ditch, and roadways) in the vicinity, but these were not classified as sites at that time. The proximity of the 'Ewa Villages Historic District (Site 50-80-12-9786) and the O.R.&L. right-of way (Site 50-80-12-9714; listed on the National Register of Historic Places) were noted, but these are not immediately adjacent to the road alignment segment under consideration for this project. The authors of this study concluded: "no further archaeological investigation is recommended for the entire [North-South Road] project area corridor and on-site or on-call monitoring is not justified during future construction activities" (Chiogioji and Hammatt, 1997: 22).

Despite the recommendation, the Department of Transportation initiated an archaeological monitoring program during construction of the North-South Road project. On-going archaeological monitoring of this construction through a combination of on-site and on-call archaeological monitoring continues (as of March 2006). No archaeological finds have been made to date.

Further documentation of plantation infrastructure that may be affected by project construction might be appropriate. It appears there have been no other archaeological or cultural properties identified in this corridor. The likelihood for human burials or other archaeological and cultural properties on the North-South Road alignment is low.

Saratoga Avenue/North-South Road

Saratoga Avenue

The Saratoga Avenue alignment runs through the much studied Barbers Point Naval Air Station lands (Tuggle, 1994; Welch, 1987; Haun, 1991; Burgett and Rosendahl, 1992; Landrum, 1992; Tuggle and Tomonari-Tuggle, 1997; Tuggle, 1997, and others). Preliminary analysis indicates a number of sites in the vicinity of Saratoga Road. Identified sites believed to lie within one-half mile of Saratoga Road are listed in Table 4-3.

Table 4-3. Known Cultural Resources NAS Barbers Point near Saratoga Avenue Alignment (from Kaneshiro and Schilz, 1994)

Site # 50-80-12-	Site Type	Comments
1718	Habitation Complex	Six features, pre-contact
1719	Habitation Complex	Nine features, pre-contact
1720	Habitation/Agricultural	Four features, pre-contact

Site #	Site Type	Comments
50-80-12-		
1721	Habitation Complex	Five features, pre-contact
1722	Habitation Complex	10 features, pre-contact
1723	Habitation Complex	Eight features, pre-contact
1724	Habitation/Agricultural	Seven features, pre-contact
1725	Habitation Complex	20 features, pre-contact
1726	Platform, cairn, wall	Three features, pre-contact
1727	Cave and sinkhole	Two features, pre-contact, also shell
		midden and historic artifacts
1729	Sinkhole	One feature, pre-contact "currently used
		as a dump"
3721	Habitation Complex	Five features, pre-contact
3722	Boundary wall	One post-contact sisal plantation wall
4649	Wall	One feature dating to 1898-1930
4650	Habitation Complex	Five features, pre-contact
4651	Site Complex	Two features (terrace, mound), pre-contact
4652	Mounds	Three features, time frame unknown
4653	Wall	One feature, post-contact

In general, on the 'Ewa plain the likelihood of encountering cultural resources or burials increases the closer one is to the coast. Preliminary investigations indicate the Saratoga Avenue alignment may have a higher likelihood of encountering cultural resources or burials than the more *mauka* alignments. This likelihood, however, may still be low. Further analysis of archaeological studies of the former Naval Air Station (NAS) will clarify the likelihood, density, and distribution of finds.

North-South Road

Please see "North-South Road" discussion above under "Kapolei Parkway-North-South Road" above.

Geiger Road/Fort Weaver Road

Geiger Road

The western third of the Geiger Road portion of the Geiger Road/Fort Weaver Road alignment (one-third of the way east from North-South Road toward Fort Weaver Road) lies within the much studied Barbers Point Naval Air Station (NAS). Sites 50-80-12-3721 and 50-80-12-3722 (see Table 4-3 above) lie approximately one-quarter mile south of the North-South Road/Geiger Road intersection. The eastern third of the Geiger Road section (and the southern third of the Fort Weaver Road section) lie in the 'Ewa Gentry project lands (Davis, 1988, Kennedy, 1988). No archaeological sites were identified in the vicinity of Geiger Road in these studies.

Similar to Saratoga Avenue, the Geiger Road alignment may have a higher likelihood of encountering cultural resources and burials than the more *mauka* alignments. This likelihood, however, may still be low. Further analysis of archaeological studies on the former Naval Air Station will clarify the likelihood, density, and distribution of finds.

Fort Weaver Road

The southern third of the Fort Weaver Road alignment lies in the 'Ewa Gentry project lands (Davis, 1988; Kennedy, 1988). Just northeast of where Fort Weaver Road intersects the O.R.&L. alignment, excavations have yielded what appears to be a weakly expressed cultural layer that has been designated site 50-80-12-5334.

At its northern end, the Fort Weaver Road alignment passes through the Dicks, et al., 1987 project lands. Sites noted in this study as lying near Fort Weaver Road include site 50-80-12-3316 (an historic cemetery), and sites 50-80-12-3315 and 50-80-12-3317 (both described as surface artifact collection areas). The study's findings merit further study, as they may provide insight into the potential cultural resources in the area where the Fort Weaver Road alignment skirts the edge of Pearl Harbor.

The northern portion of Fort Weaver Rode in proximity to West Loch and the natural resources of Pearl Harbor merits particular attention as part of a more detailed investigation.

Summary of Geiger Road/Fort Weaver Road Alignment

In summary, the western portion of the Geiger Road/Fort Weaver Road alignment extends through: the Barbers Point Naval Station area, at which modified sinks and precontact habitation sites have been recorded, and the northern section extends through a portion of the "West Loch" project area, at which pre-contact artifact scatters and post-contact cemeteries have been recorded. In light of these archaeological properties, this alignment has a "medium" potential impact for pre-contact archaeology. Pertinent references for this alignment are presented in Table 4.4.

Table 4-4. Section 1 (Kapolei to Fort Weaver Road) Previous Archaeological Studies

Author	Nature of Study	TMK [1] -	Location
Ahlo and Hommon, 1980	Reconnaissance Survey	9-1-	Solid Water Processing Plant, Honoʻuliʻuli
Apple and Kikuchi, 1975	Fishpond Survey	Various	Island-wide
Athens, et al., 1997a	Cultural Resource Inventory	Various	'Ewa Plain
Barrera, 1979a	Reconnaissance Survey	9-	Honolulu Water Energy Proposed Site
Barrera, 1986	Archaeological Investigation	9-1-015:003, 9-1-015:004, 9-1-015:007	West Beach
Bath, 1989	Burial Report	9-1-017:023	Hōʻaʻeae Point, West Loch
Bowen and Soehren, 1962	Burial Report	9-1-013	Barbers Point NAS
Burgett and Rosendahl, 1992	Inventory Survey	9-1-013	Barbers Point NAS
Chiogioji and Hammatt, 1997	Reconnaissance Survey	9-1-017:004, 9-1-018:001	4.5 kilometer corridor in Honoʻuliʻuli
Clark, 1977	Reconnaissance Survey	9-1-016:002	Pu'uokapolei

Author	Nature of Study	TMK [1] -	Location
Clark and	Reconnaissance	9-1-012	Honoʻuliʻuli Sewage Treatment Plant
Connolly, 1975	Survey		
Cleghorn and	Reconnaissance	9-1-010:007, 9-1-069:005	'Ewa Gentry
McIntosh, 2003	Survey		
Davis, 1988	Subsurface	9-1-012:001, 9-1-012:007,	'Ewa Gentry
	Survey	9-1-019:002, 9-1-019:006	
Davis, 1990a	PhD Dissertation	Various	'Ewa Plain
Dicks, et al., 1987	Reconnaissance	9-1-017:001, 9-1-017:006,	West Loch Estates
	Survey	9-1-017:013, 9-1-017:014,	
		9-1-017:015, 9-1-017:018,	
		9-1-017:025, 9-1-017:041	
Frierson, 1972	College Paper	Various	Honoʻuliʻuli
Goodfellow, et al.,	Data Recovery	9-1-017:	West Loch Estates
1998			
Goodman and	Literature Search	9-1-010:007, 9-1-012:005	Laulani Housing Project, Puʻuloa
Cleghorn, 1991			
Hammatt, 1991	Reconnaissance	Various	Honoʻuliʻuli Livestock Park
	Survey		
Hammatt and	Reconnaissance	Various	29,100 foot corridor in Honoʻuliʻuli
Chiogioji, 1997	Survey		
Hammatt and	Inventory Survey	9-1-017:004	West Loch Bluffs
Shideler, 1990			
Hammatt and	Assessment	9-1-017:060	Saint Francis Medical Center - West
Shideler, 1999			
Hammatt and	Status Clarification	9-1-015:004, 9-1-015:018	Kapolei
Shideler, 2003			·
Hammatt, et al.,	Reconnaissance	Various	'Ewa Villages
1990	Survey		
Haun, 1986a	Reconnaissance	9-1-015:005, 9-1-015:017,	'Ewa Town Center
	Survey	9-1-016:006, 9-1-016:030	
Haun, 1986b	Reconnaissance	9-1-015:005, 9-1-015:017,	'Ewa Town Center
	Survey	9-1-016:006, 9-1-016:030	
Haun 1991	Inventory Survey	9-1-013	Barbers Point NAS
Hommon, et al.,	Inventory Survey	Various	Honoʻuliʻuli
1973			
Jayatilaka, et al.,	Inventory Survey	9-1-010	Proposed Hawai'i Prince Golf Course
1992			
Jensen, and	Cultural	Various	Naval Magazine Lualualei
Bouthillier, 1998	Resources		
	Management Plan		
Jensen, et al.,	Mitigation Plan	9-1-017:009, 9-1-017:010,	West Loch Estates
1988		9-1-017:013, 9-1-017:014,	
		9-1-017:018 to 9-1-017:033,	
		9-1-017:041	
Kaneshiro and	Literature Search	9-1-013	Barbers Point NAS
Schilz, 1994			
Kennedy, 1988	Reconnaissance	9-1-010:002, 9-1-010:007	'Ewa Gentry
	Survey	9-1-012:001, 9-1-012:029	
Kennedy, 1991a	Subsurface	9-1-016:002	Fort Barrette/Kapolei
	Testing		

Author	Nature of Study	TMK [1] -	Location
Landrum, 1992	Reconnaissance Survey	9-1-013	Barbers Point NAS
Landrum and Schilz, 1993	Reconnaissance Survey	9-1-013	Barbers Point NAS
Landrum and Schilz, 1996	Monitoring Report	9-1-013	Nimitz Beach, Barbers Point NAS
Magnuson, 1999	Reconnaissance Survey	9-1-000:000	Farrington Highway Expansion
Magnuson and Tomanari-Tuggle, 2002	Assessment	9-1-, 9-3-, 9-4-, 9-6-, 9-8-	Waiau Fuel Pipeline
McDermott and O'Leary, 2006	Literature Search and Field Inspection	9-1-014:027, 9-1-014:034, 9-1-015:001	Proposed West Kalaeloa Industrial Development
McIntosh and Cleghorn, 1999	Literature Search	Various	Honoʻuliʻuli Wastewater Treatment Plan
Mitchell and Hammatt, 2004	Cultural Impact Assessment	9-1-015:004, 9-1-015:018, 9-1-015:020,9-1-014:033	Mauka of Barbers Point Barge Harbor
Neller, 1982	Literature Search	9-1-013	Barbers Point NAS
O'Hare, et al, 1996	Intensive Survey	9-1-013	Barbers Point NAS
O'Hare, et al.,	Archaeological	9-1-015:004, 9-1-015:017,-	Proposed Interstate H-1
2005a	and Cultural Impact Evaluation	9-1-016:006, 9-1-016:024	Improvements, Kapolei
O'Hare, et al., 2006a	Inventory Survey	9-1-010:002, 9-1-017:004, 9-1-017:059, 9-1-017:072, 9-1-018:001, 9-1-018:004, 9-2-001:001	Hoʻopili Project, East Kapolei
O'Hare, et al., 2006b	Assessment	9-1-016:001, 9-1-016:012, 9-1-016:032	Kamōkila Boulevard Extension
Pantaleo and Sinoto, 1993	Inventory Survey	9-1-010:015	'Ewa Gentry Drainage
Peterson, et al., 2002	Monitoring Plan	9-1-, 9-3-, 9-4-, 9-6-, 9-7-, 9-8-	Waiau Fuel Pipeline
Rosendahl, 1987a	Reconnaissance Survey	9-1-016:023	Kapolei Village
Rosendahl, 1987b	Survey	8-9-, 9-1-015:003, 9-1- 15:018	Ko Olina Resort
Rosendahl, 1987c	Reconnaissance Survey	9-1-052, 9-1-053, 9-1-054	West Loch Estates
Rosendahl, 1987d	Reconnaissance Survey	9-1-015:005, 9-1-015:017, -1-016:006, 9-1-016:030	'Ewa Town Center
Rosendahl, 1988	Mitigation Program	9-1-052, 9-1-053, 9-1-054	West Loch Estates
Rosendahl, 1990	Reconaissance Survey	9-1-006:025	Kapolei Golf Course
Rosendahl, 2002	Cultural Impact Assessment	9-1-, 9-3-, 9-4-, 9-6-, 9-8-	Waiau Fuel Pipeline
Sinoto, 1988	Inventory Survey	9-1-010:006, 9-1-010007	'Ewa Golf Course
Sinoto, 1995	Monitoring Plan	9-1-010:015	'Ewa Gentry Drainage

Author	Nature of Study	TMK [1] -	Location
Souza, et al., 2005	Cultural Impact Assessment	9-1-010:004, 9-1-010:014, 9-1-010:015, 9-1-017:012	'Ewa Gentry Drainage
Souza and Hammatt, 2006	Cultural Impact Assessment	9-1-010:002, 9-1-017:004, 9-1-017:059, 9-1-017:072, 9-1-018:001, 9-1-018:004, 9-2-001:001	Hoʻopili Project, East Kapolei
Spear, 1996a	Reconnaissance Survey	9-1-016:017	East Kapolei
Spear, 1996b	Cultural Resources Review	9-1-016:017, 9-1-016:025, 9-1-017:004	Kapolei town
Tuggle, 1994	Inventory Survey	9-1-013	Barbers Point NAS
Tuggle and Tomonori-Tuggle, 1997	Literature Search	9-1-013	Barbers Point NAS
Tuggle, et al., 1994	Literature Search	9-1-013	Barbers Point NAS
Tuggle, et al., 1997	Literature Search	9-1-013	Barbers Point NAS
U.S. Dept. Navy, 1978	National Historic Landmark Report	9-1-013	Barbers Point NAS
U.S. Dept. Navy, 1998	Cultural Impact Statement	9-1-013	Barbers Point NAS
Welch, 1987	Reconnaissance Survey	9-1-013	Barbers Point NAS
Welch and Tuggle, 1996	Management Plan	9-1-013	Barbers Point NAS
Wickler, et al., 1996	Cultural Resource Inventory	9-1-013	Barbers Point NAS
Wulzen and Rosendahl, 1995	Assessment	Various	Barbers Point NAS, and Lualualei West Loch
Yoklavich, et al., 1992	Cultural Resources Survey	9-1-013	Barbers Point NAS

Section I – Kapolei to Fort Weaver Road References

Ahlo, Hamilton M., Jr., and Robert J. Hommon, 1980. *An Archaeological Reconnaissance Survey of the Site of the Proposed Solid Waste Processing Plant and Resource Recovery Facility, Hono'uli 'uli, 'Ewa, O'ahu.* Science Management, Honolulu.

Apple, Russell A., and William K. Kikuchi, 1975. *Ancient Hawai'i Shore Zone Fishponds: An Evaluation of Survivors for Historical Preservation*. Office of the State Director, National Park Service, U.S. Dept. of the Interior, Honolulu.

Athens, J. Stephen, Jerome V. Ward, H. David Tuggle, and David J. Welch, 1997a. Environment Vegetation Change and Early Human Settlement on the 'Ewa Plain: A Cultural Resource Inventory of Naval Air Station, Barbers Point, O'ahu Hawai'i, Part III: Paleoenvironmental Investigations. International Archaeological Research Institute, Inc., Honolulu. Barrera, William M., Jr., 1979a. Archaeological and Historic Reconnaissance of Alternate Sites for the Honolulu Program of Waste Energy Recovery. Chiniago, Inc., Kamuela, Hawai'i.

Barrera, William M., 1986. West Beach, O'ahu: Archaeological Investigations. Chiniago, Inc., Kamuela, Hawai'i.

Bath, Joyce, 1989. Burial on Hō'a'eae Point in West Loch Project Area, Hono'uli'uli, 'Ewa, O'ahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Bowen, Kelly, and Lloyd Soehren, 1962. *Barbers Point Burial*. Bernice P. Bishop Museum, Honolulu.

Burgett, Berdena D., and Paul H. Rosendahl, 1992. *Archaeological Inventory Survey, Contaminated Soil Stockpile/Remediation Facility, Naval Air Station, Barbers Point, O'ahu, Hawai'i (TMK: 9-1-13)*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1997. *Archaeological Reconnaissance Survey of a 4.5 Kilometer (14,730-FT) Long Land Corridor within Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Clark, Stephen D.,1977. An Archaeological Reconnaissance Survey at Pu'u O Kapolei, Hono'uli 'uli, O'ahu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Clark, Steve, and Robert Connolly, 1975. Archaeological Reconnaissance Survey for Hono'uli 'uli Sewage Treatment Plant and Barbers Point Outfall. Kualoa.

Cleghorn, Paul L., and James McIntosh, 2003. Archaeological Survey for the Proposed 'Ewa Gentry Makai Development 'Ewa District, Ahupua'a of Hono'uli'uli, Island of O'ahu. Pacific Legacy, Inc., Kailua, Hawai'i.

Connolly, Robert, III, 1980. Archaeological Reconnaissance Survey at the Salt Lake District Park Site. Archaeological Research Associates, Honolulu.

Davis, Bertell D., 1988. Archaeological Subsurface Survey of the Proposed 'Ewa Gentry Project Area, Hono'uli'uli, 'Ewa, O'ahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Davis, Bertell D., 1990a. Discussion of Seasonal Variation, Environmental Constraints, and Human Settlement in Southwestern O'ahu, Human Settlement in Pristine Insular Environments: A Hawaiian Case Study from Barbers Point, Southwestern O'ahu. Ph.D. Dissertation, University of Hawai'i, Honolulu.

Dicks, Merrill A., Alan E. Haun, and Paul H. Rosendahl, 1987. *Archaeological Reconnaissance Survey for Environmental Impact Statement, West Loch Estates - Golf Course and Parks, Land of Hono 'uli 'uli, 'Ewa District, Island of O 'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Frierson, Barbara, 1972. A Study of Land Use and Vegetation Change: Hono'uli'uli, 1790-, 1925. Manuscript prepared for Graduate Seminar in Geography (750), University of Hawai'i, Honolulu.

Goodfellow, Susan, Amy Dunn, Linda Scott Cummings, and Diane Trembly, 1998. *Archaeological Data Recovery Program, West Loch Estates, Residential Increment I and Golf Course and Shoreline Park, Land of Hono'uli'uli, 'Ewa District, Island of O'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Goodman, Wendy L., and Paul Cleghorn, 1991. *Historical Documents and Literature Search, and Archaeological Surface Survey of the Proposed Laulani Housing Project, Pu'uloa, 'Ewa, O'ahu Island.* Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Hammatt, Hallett H., 1991. *Archaeological Reconnaissance of Hono'uli 'uli Livestock Park*. Cultural Surveys Hawai'i, Kailua, Hawai'i

Hammatt, Hallett H., and Rodney Chiogioji, 1997. *Archaeological Reconnaissance Survey of a 29,100 Ft. Long Land Corridor within Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island.* Cultural Surveys Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David Shideler, 1990. *Archaeological Inventory Survey of the West Loch Bluffs Project Site, Hono'uli'uli, 'Ewa, O'ahu.* Cultural Surveys Hawai'i.

Hammatt, Hallett H., and David Shideler, 1999. *Archaeological Assessment for a Proposed Expansion of Saint Francis Medical Center West (TMK 9-1-17 & 60), Hono 'uli 'uli, 'Ewa. O 'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David Shideler, 2003. Request for Status Clarification Regarding Historic Preservation Concerns at Certain Lands at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu (TMKs 9-1-16:1, 30, 34, 121, 122, 123, & 124). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., David W. Shideler, and William H. Folk, 1990. Archaeological Reconnaissance of the 'Ewa Villages Project Site, Hono'uli'uli, 'Ewa, O'ahu, In *Draft Environmental Impact Statement for the 'Ewa Villages Master Plan, 'Ewa, O'ahu, Hawai'i*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Haun, Alan E., 1986a. *Preliminary Archaeological Reconnaissance Survey for Environmental Assessment (EA) 'Ewa Town Center/Secondary Urban Center Land of Hono'uli'uli, 'Ewa, Island of O'ahu, (TMK 9-1-15 and 9-1-16).* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Haun, Alan E., 1986b. *Preliminary Archaeological Reconnaissance Survey for Environmental Assessment (EA) 'Ewa Town Center/Secondary Urban Center Land of Hono'uli'uli, 'Ewa, Island of O'ahu, (TMK 9-1-15 and 9-1-16).* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Haun, Alan E., 1991. *An Archaeological Survey of the Naval Air Station, Barbers Point, O'ahu, Hawai'i.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Hommon, Robert J., Timothy K. Earle, and Eliza Earle, 1973. *Archaeological Survey and Excavations in Hono'uli'uli, O'ahu*. Bernice P. Bishop Museum, Honolulu.

Jayatilaka, Hemanta, Tomasi Patolo, Barry Nakamura, and Richard C. Nees, 1992. *Archaeological Survey and Subsurface Testing of the Proposed Hawai'i Prince Golf Course, Ahupua'a Hono'uli'uli, 'Ewa District, Island of O'ahu*. Bernice P. Bishop Museum, Honolulu.

Jensen, Peter, and Katharine Bouthillier, 1998. Cultural Resources Management Plan Naval Magazine Lualualei Lands of Waikele and Lualualei, Districts of 'Ewa and Wai 'anae, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Jensen, Peter, Alan E. Haun, and Paul H. Rosendahl, 1988. *Phase I - Mitigation Plan for Archaeological Data Recovery Excavations, West Loch Estates Mitigation Program Residential Increment I and Golf Course & Shoreline Park, Land of Hono'uli'uli, 'Ewa District, Island of O'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Kaneshiro, Ralph, and Allan J. Schilz, 1994. Base Realignment and Closure (BRAC) III Actions and the Comprehensive Long-Term Environmental Action Navy (CLEAN) Program at 13 Sites within the Naval Air Station, Barbers Point, Oʻahu. Ogden Environmental and Energy Services, Inc., Honolulu.

Kennedy, Joseph E., 1988. Archaeological Reconnaissance Report Concerning the Proposed 'Ewa Gentry Project in Hono'uli 'uli, O'ahu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Kennedy, Joseph, 1991a. Subsurface Testing at the Proposed Kapolei Park/Fort Barrette, Pu'u Kapolei, Island of O'ahu, TMK:9-1-16:2. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Landrum, Jim, 1992. Post-Field Summary of Archaeological Reconnaissance and Limited Testing at Naval Air Station Barbers Point. Ogden Environmental and Energy Services, Inc., Honolulu.

Landrum, Jim, and Allan J. Schilz, 1993. Archaeological Reconnaissance and Limited Subsurface Testing at the Proposed Family Housing Construction Area, Project No. 34863, Barbers Point Naval Air Station, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island. Ogden Environmental and Energy Services Co., Inc., Honolulu.

Landrum, Jim, and Allan J. Schilz, 1996. *Archaeological Monitoring of Construction Excavation at Nimitz Beach, Naval Air Station, Barbers Point, O'ahu.* Bernice P. Bishop Museum, Honolulu.

Magnuson, Coral M., 1999. Final Cultural and Historic Resources: Archaeological Reconnaissance Survey of Farrington Highway Expansion, 'Ewa Plain, O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Magnuson, Coral M., and Myra J. Tomanari-Tuggle, 2002. *Historical and Archaeological Assessment for the Proposed Waiau Fuel Pipeline, 'Ewa District, Island of O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

McDermott, Matt, and Owen L. O'Leary, 2006. *Cultural Resource Literature Review and Field Inspection for the Proposed 339-Acre West Kalaeloa Industrial Development, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island, [TMK: (1) 9-1-14:027 & 034, & 9-1-15:001]*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McIntosh, James, and Paul L. Cleghorn, 1999. Report Of Archaeological Archival Research For The Hono'uli'uli Wastewater Treatment Plant Water Reclamation Project, O'ahu. Pacific Legacy, Inc., Kailua, Hawai'i.

Mitchell, Auli'i, and Hallett H. Hammatt, 2004. A Cultural Impact Assessment For Project Area I and Project Area II Certain Lands Lying Mauka of the Barbers Point Barge Harbor and Upland and Seaward of the OR&L Railroad Alignment at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District of O'ahu (TMK 9-1-15:4 and 18) (TMK 9-1-14 por. 33 and 9-1-15: 20). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i

Neller, Earl, 1982. The Barbers Point Archaeological District, Oʻahu, Hawaiʻi, Committee on Public Archaeology (COPA) Communications 5(3): 19-21. Society for American Archaeology.

O'Hare, Constance R., Thomas R. Wolforth, and Paul H. Rosendahl, 1996. *Phase II Intensive Survey and Testing, Naval Air Station, Barbers Point.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2005a. *An Archaeological Assessment and Cultural Impact Evaluation for the Proposed I-H1 Addition and Modification of Highway Accesses, Palailai Interchange/Makakilo Interchanges, Hono 'uli 'uli Ahupua'a, 'Ewa District, O'ahu, TMK: (1) 9-1-015: 004 (por.), 017 (por.) and 9-1-016:006 (por.), 024 (por.).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006a. *An Archaeological Inventory Survey for the East Kapolei Project, Hono'uli'uli Ahupua'a, 'Ewa District, Island of O'ahu, TMK: (1) 9-1-010:002, 9-1-017:004, 059, 072; 9-1-018:001, 004; 9-2-001:001.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006b. *Archaeological Assessment and Cultural Impact Evaluation for the Kamōkila Boulevard Extension Project at Kapolei, Honoʻuliʻuli Ahupuaʻa, 'Ewa District Oʻahu, TMK: (1) 9-1-016:001, 012, 032.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Pantaleo, Jeffrey, and Aki Sinoto, 1993. Archaeological Inventory Survey for the Proposed Off-Site Drainage System, 'Ewa Gentry East, Hono'uli 'uli, 'Ewa, O'ahu Island. Aki Sinoto Consulting, Honolulu.

Peterson, John A., Carol M. Magnuson, and M. J. Tomanari-Tuggle, 2002. *Archaeological Monitoring Plan for the Proposed Waiau Fuel Pipeline, 'Ewa District, Island of O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Rosendahl, Paul, 1987a. Archaeological Reconnaissance Survey for Environmental Impact Statement, Kapolei Village Master Plan Project, Hono'uli'uli. 'Ewa District, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1987b. Archaeological Reconnaissance Survey, Ko Olina Resort Phase II Development Site, Hono'uli 'uli, 'Ewa District, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1987c. Archaeological Reconnaissance Survey for Environmental Impact Statement, West Loch Estates - Residential Increments I and II. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1987d. Preliminary Archaeological Reconnaissance Survey for Environmental Assessment, 'Ewa Town Center/Secondary Urban Center, Land of Hono 'uli, 'Ewa, Island of O 'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1988. A Proposal for West Loch Estates Mitigation Program Residential Increments I & II and Golf Course & Shoreline Park. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul H.,1990. Archaeological Survey Kapolei Golf Course Addition, Hono'uli'uli, 'Ewa District, Island of O'ahu.. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 2002. Cultural Impact Assessment Study HECO Waiau Fuel Pipeline Project: State Energy Corridor: Campbell Industrial Park to HECO's Waiau Power Plant. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Sinoto, Aki, 1988. Surface Survey of Proposed 'Ewa Golf Course, Hono 'uli 'uli, 'Ewa, O 'ahu. Letter Report. Bernice P. Bishop Museum, Honolulu.

Sinoto, Aki, 1995. Archaeological Monitoring Plan for the Proposed Off-Site Drainage System 'Ewa Gentry East, Hono'uli 'uli, 'Ewa, O'ahu. Aki Sinoto Consulting, Honolulu.

Souza, Kēhaulani E., Constance R. O'Hare, David W. Shideler, and Hallett H. Hammatt, 2005. *Cultural Impact Assessment for the 'Ewa Gentry Drainage Ditch, 'Ewa District, Hono'uli'uli Ahupua'a, O'ahu Island, (TMK [1] 9-1-010:004, 014, 015: and 9-1-017:012).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

- Souza, Kēhaulani E., and Hallett H. Hammatt, 2006. Cultural Impact Assessment for the Proposed 339-Acre West Kalaeloa Industrial Development, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island, [TMK: (1) 9-1-14:027 & 034, & 9-1-15:001]. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- Spear, Robert L., 1996a. A Cultural Resources Review of Properties Considered for Development at Kapolei. Letter Report. Scientific Consulting Services, Honolulu.
- Spear, Robert L., 1996b. *Archaeological Reconnaissance and Assessment of the H.F.D.C-East Kapolei Development Project*. Scientific Consulting Services, Honolulu.
- Tuggle, H. David, 1994. Archaeological Inventory Survey for Construction Projects at Naval Air Station Barbers Point, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.
- Tuggle, H. David, Myra J. Tomonari-Tuggle, and D. Colt Denfeld, 1994. *Cultural Resources of Naval Air Station Barbers Point, O'ahu, Assessment and Inventory Research Design, Task 1b: Archaeological Research Services for the Proposed Cleanup, Disposal and Reuse of Naval Air Station Barbers Point, O'ahu, Hawai'i.* International Archaeological Research Institute, Inc., Honolulu.
- Tuggle, H. David, and Myra J. Tomonari-Tuggle, 1997a. *Synthesis of Cultural Resource Studies of the 'Ewa Plain, Task 1a: Archaeological Research Services for the Proposed Cleamup, Disposal and Reuse of Naval Air Station Barbers Point, O'ahu, Hawai'i.* International Archaeological Research Institute, Inc., Honolulu.
- Tuggle, H. David, Myra J. Tomanari-Tuggle, D. Colt Denfeld, and Ann Yoklavich, 1997b. *A Cultural Resource Inventory of Naval Air Station, Barbers Point, O'ahu, Hawai'i; Part I: Phase I Survey and Inventory Summary.* International Archaeological Research Institute, Inc., Honolulu.
- U.S. Department of the Navy, 1978. U.S. Naval Base, Pearl Harbor National Historic Landmark, Historic Preservation Plan. Prepared by Dept. of the Navy, Pacific Division.
- U.S. Department of the Navy, 1998. Draft Environmental Impact Statement for the Disposal and Reuse of Naval Air Station, Barbers Point, Hawai'i. Pacific Division, Naval Facilities Engineering Command, Pearl Harbor, Hawai'i.
- Welch, David J., 1987. Archaeological Reconnaissance of Former 'Ewa Marine Corps Air Station, Barbers Point Naval Air Station, O'ahu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.
- Welch, David J., and H. David Tuggle, 1996. *NAS Barbers Point Cultural Resource Management Plan: Interim Recommendations for Archaeological Site Significance and Historic Preservation Treatment*. International Archaeological Research Institute, Inc., Honolulu.

Inventory Survey of Selected Sites. International Archaeological Research Institute, Inc., Inventory of Naval Air Station, Barbers Point, Oʻahu, Hawaiʻi: Part II: Phase II Wickler, Stephen K., H. David Tuggle, and Gail Murakami, 1996. A Cultural Resource

Naval Air Station Barbers Point, and Marine Corps Base Hawai'i, Kaneohe Bay. Land of BRAC 93 Project Areas at Lualualei Naval Weapons Magazine, West Loch Station Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i. Honoʻuliʻuli, 'Ewa District: and Lands of Kanēʻohe and Heʻeia, Koʻolau Poko District, Wulzen, Warren, and Paul H. Rosendahl, 1995. Archaeological Assessment at Seven

O'alnu, Hawai'i. Ogden Environmental and Energy Services, Inc., Honolulu Cultural Resources Management Overview Survey, Naval Air Station Barbers Point Yoklavich, Ann K., Robert Drolet, and Patricia Drolet, 1992. Preliminary Report

Section II – Fort Weaver Road to Aloha Stadium

tables below, within Section II - Fort Weaver Road to Aloha Stadium. Figure 4-5 shows pertinent prior archaeological investigations, discussed in the text and

Farrington Highway/Kamehameha Highway

2004). No clear pattern of traditional Hawaiian burial locations is evident. Chafee and Anderson, 1995; Jourdane, 1995a; Ostroff, et al., 2001a; Perzinski, et al., Relatively few burials have been reported and these are widely scattered (Bath, 1988; petroglyphs, burials, pre-contact cultural layers, fishponds, and plantation infrastructure the end of this section). The archaeological sites reported are diverse and include archaeological study (studies are summarized in Table 4-5 and in the list of references at Farrington Highway-Kamehameha Highway alignment has had remarkably little Given its length and proximity to the many cultural resources of Pearl Harbor, the

Department of Land and Natural Resources. research design, which may be required by the State Historic Preservation Division, Paleoenvironmental studies in Section II may be the most illuminating focus for a potential for recovery of paleoenvironmental data along the margins of Pearl Harbor. A number of studies (Nagaoka and Davis, 1989; Athens, 2000) have emphasized the

dressed basalt wall segments that may be of historic preservation concern. development of these lands is mention of former plantation camps, old bridges, and reporting thick fill layers near Pearl Harbor. One aspect of the long residential Many projects emphasize the extent of agricultural and urban disturbance with several

land documents and the available literature on the fishponds of Pearl Harbor archaeological studies may be of limited use because there are so few that encompass the For the Farrington Highway/Kamehameha Highway alignment previous contract length of the alignment. Particular emphasis should be placed on mid-nineteenth century




Figure 4-9. Pertinent prior archaeological investigations for Section II

Table 4-5. Section II (Fort Weaver Road to Aloha Stadium) Previous Archaeological Studies

	T	Γ	Τ
Source	Nature of Study	TMK [1]	Location
Athens, 2000	Hawaiian Fishpond Study	Various	U.S. Navy Lands Pearl Harbor
Bath, 1988	Burial Report	9-6-002:033, 9-6-002:034	S. Bank of Waiawa Stream, Leeward Community College
Chafee and Anderson, 1995	Burial Report	9-6-003:005	96-035 Waiawa Road (<i>makai</i> of LCC)
Cleghorn, 1996a	Inventory Survey	9-4-002:004	(Old sugar mill lot) Waipahu, Waikele, Oʻahu TMK 9-4-2: por. 4
Cleghorn, 1999	Walk Through Survey	9-3-002:000	Proposed 20-inch Irrigation Line for the Waipi'o Peninsula Soccer Park Waikele, Waipi'o Ahupua'a
Connolly, 1980	Reconnaissance Survey	1-1-063:017, 1-1-063:018	Salt Lake District Park
Dega and OʻRourke, 2003	Archaeological Evaluation	9-8-007:020	Blaisdell Park (Waiau Drum Storage Facility), Pearl City
Folk, 1990	Reconnaissance Survey	9-4-	Proposed Waipahu Street Widening Project, Waipahu, Waikele
Goodman and Cleghorn, 1998	Inventory Survey	9-3-002, 9-3-031, 9-3-032, 9-3-033, 9-3-034, 9-4-008, 9-4-010:008, 9-4-010:027, 9-4-010:057, 9-4-011:003, 9-4-011:046, 9-4-011:104	Proposed Waipiʻo Sports Complex, Waipiʻo Peninsula Waikele and Waipiʻo Ahupuaʻa; 200-acres
Goodman and Nees, 1991	Reconnaissance and Inventory Surveys	9-4-006:011, 9-4-026, 9-6- 004:001, 9-6-004:004, 9- 6-004:016, 9-6-005:001 to 014	3,600 acres in Waiawa Ahupua'a
Hammatt and Borthwick, 1985	Reconnaissance Survey	9-6-003:025, 9-6-003:026, 9-6-003:027, 9-6-003:028	37-acre wetland parcel, Waiawa, makai of L.C.C.
Hammatt and Chiogioji, 1998a	Assessment	9-4-011	Approximately 7.6 kilometer-long portion of the H-1 from Hālawa to the H-1/H-2 Interchange
Hammatt and Chiogioji, 2000	Assessment	9-4-011	Approximately 2,600-foot portion of Farrington Hwy. Project between 'Anini Place and Waipahu Deport Road, Waikele Ahupua'a
Hammatt, H., et al., 2000	Inventory Survey	9-4-002:005	40-acre parcel along Manager's Drive, Waipahu Waikele Ahupua'a
Hammatt, H., et al., 2004 b	Archaeological and Cultural Assessment	9-4-009, 9-4-059:072, 9-4- 059:073, 9-4-059:074	Waipahu Street Drainage Improvements Project, Waipahu
Hammatt, J., et al., 2000	Assessment	9-6-003	Leeward Bike Path, Waiawa Ahupua'a (<i>makai</i> of LCC)
Henry, et al., 1993	Inventory Survey	9-7-016:001	Waiawa Floodplain Feasibility Study Project Area, Land of Mānana 23 acres
Jourdane, 1995a	Burial Report	9-6-003:005	Waiawa Road, Waiawa (<i>makai</i> of LCC)
Kennedy, 1990	Field Surveys	9-7-, 9-8-, 9-9-	Waiau-Makalapa No. 2 138kV Transmission Line

Source	Nature of Study	TMK [1]	Location
Magnuson and Tomonari- Tuggle, 2002	Historical and Archaeological Assessment	9-1-, 9-3-, 9-4-, 9-6-, 9-8-	Proposed Waiau Fuel Pipeline
McGerty and Spear, 1995	Assessment	9-7-023:001, 9-7-024:006	Mānana and Pearl City Junction
Nagaoka and Davis, 1989	Subsurface Survey and Monitoring	9-4-001:029	Proposed Pupuʻole Park, Waipahu
Ostroff, et al., 2001a	Burial Report	9-4-161:001	Filipino Community Center at in Waikele Ahupua'a
Perzinski, et al., 2004	Inventory Survey	9-4-038:083, 9-4-050:059	13.2-acre Queen Emma Foundation Parcel Waipi'o Peninsula, Waipi'o Ahupua'a
Pietrusewsky and Mahoney, 1988	Burial Report	9-6-002:033, 9-6-002:034	Leeward Community College (Bath described site)
Sinoto, 1986	Archaeological Surface Survey	9-8-014:003, 9-8-014:006, 9-8-014:007, 9-8-015:044, 9-8-015:045	Proposed Pearl Promenade, Kalauao
Sinoto, 1989	Cultural Resources Reassessment	9-8-014, 9-8-015:057, 9-8- 015:058, 9-8-019:003, 9-9-001:008, 9-9-001:015, 9-9-001:016, 9-9-003:032	Ford Island Causeway Study
Sinoto and Nakamura, 1984	Cultural Resources Assessment	9-8-014, 9-8-015:057, 9-8- 015:058, 9-8-019:003, 9- 9-001:008, 9-9-001:015, 9-9-001:016, 9-9-003:032	Proposed Ford Island Causeway Pearl Harbor
Spear, 1993	Reconnaissance Survey	9-4-002:004	The Oʻahu Sugar Mill Project Waipahu
Spear, 1994	Reconnaissance Survey	9-4-002:004	Waikele Industrial Subdivision Waipahu
Yent and Ota, 1981	Reconnaissance Survey	9-8-, 9-9-	Proposed Rainbow Bay State Park

Section II - Fort Weaver Road to Aloha Stadium References

Athens, J. Stephen, 2000. *Ancient Hawaiian Fishponds of Pearl Harbor: Archaeological Studies on U.S. Navy Lands, Hawai'i*. International Archaeological Research Institute, Inc., Honolulu.

Bath, Joyce, 1988. Burial Site, Leeward Community College Vicinity, Waiawa, 'Ewa, O'ahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Chafee, David B., and Lisa J, Anderson, 1995. *Archaeological Excavations of an Inadvertent Burial Discovery at 96-035 Waiawa Road, Waipahu, Oʻahu, Hawaiʻi.* Scientific Consulting Services, Honolulu.

Cleghorn, Paul, 1996a. Archaeological Inventory Survey at Waipahu, Waikele, Oʻahu TMK 9-4-2: por. 4. Pacific Legacy, Inc., Haleʻiwa, Hawaiʻi.

Cleghorn, Paul, 1999. Walk Through Survey for the Proposed 20" Irrigation Line for the Waipi o Peninsula Soccer Park at Waipi o Peninsula Island of O ahu Waikele, Waipi o Ahupua a District of Ewa. Pacific Legacy, Inc., Hale wai i.

Dega, Michael, and Laura C. O'Rourke, 2003. Archaeological Evaluation Report of Additional Environmental Focused Site Inspection Data at Blaisdell Park (Waiau Drum Storage Facility, Pearl City, and Archival Research on Nāpuanani Park ('Aiea... [AAA] Command Post), ... for the Defense Environmental Restoration Program Former Used Defense Sites. Scientific Consulting Services, Honolulu.

Folk, William H., 1990. Archaeological Reconnaissance for the Proposed Waipahu Street, Widening Project Waipahu, Waikele, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Goodman, Wendy, and Paul L. Cleghorn, 1998. Archaeological Inventory Survey for the Proposed Waipi 'o Sports Complex, Waikele and Waipi 'o Ahupua 'a, Waipi 'o Peninsula, 'Ewa, O'ahu. Pacific Legacy, Inc. Kailua, Hawai'i.

Goodman, Wendy L., and Rich Nees, 1991. *Archaeological Reconnaissance and Inventory Surveys of 3,600 Acres in Waiawa Ahupua'a, 'Ewa, O'ahu.* Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Hammatt, Hallett H., and Douglas Borthwick, 1985. *Archaeological Reconnaissance of a 37 Acre Wetland Parcel, Waiawa, 'Ewa, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1998a. *Archaeological Assessment of an Approximately 7.6 Km Long Portion of the H-1 Highway from Hālawa to the H-1 – H-2 Interchange 'Ewa District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 2000a. *Archaeological Assessment of an Approximately 2,600-ft Portion of Farrington Highway Project between 'Anini Place and Waipahu Depot Road, Waikele Ahupua'a, 'Ewa District, Island of O'ahu, (TMK 9-4-11).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., Matt McDermott and Rodney Chiogioji, 2000. *Archaeological Inventory Survey of an Approximately 40-Acre Parcel Along Manager's Drive, Waipahu, Ahupua'a of Waikele, 'Ewa District, Island of O'ahu, (TMK 9-4-02:05).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., Sallee Freeman, and David Shideler, 2004. *Archaeological and Cultural Assessment in Support of the Waipahu Street Drainage Improvements Project, Waipahu, Waipi 'o Ahupua 'a, 'Ewa District O 'ahu (TMK 9-4-09 and 9-4-059: 72, 73 & 74).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i

Hammatt, Jared H., David Shideler, and Hallett H. Hammatt, 2000. *Archaeological Assessment of the Leeward Bike Path, Waiawa Ahupua'a, Island of O'ahu, (TMK 9-6-03)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Henry, Jack D., Susan T. Goodfellow, and Paul H. Rosendahl, 1993. *Archaeological Inventory Survey Waiawa Floodplain Feasibility Study Project Area, Land of Mānana, 'Ewa District, Island of O'ahu*. Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Jourdane, Elaine, 1995a. *Inadvertent Discovery of Human Remains During Excavation of Sewer Line, Waiawa Road, Waiawa, 'Ewa, O'ahu. (TMK 9-6-03:005)*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Kennedy, Joseph, 1990. Archaeological Field Survey Report and Phase I: Cultural Resources Technical Report and Phase II Field Survey for Waiau-Makalapa No. 2 138kV Transmission Line. Archaeological Consultants Hawai'i, Inc., Haleiwa, Hawai'i.

McGerty, Leann, and Robert Spear, 1995. An Archaeological Assessment of the Mānana and Pearl City Junction Sites Mānana and Waiawa Ahupua'a, 'Ewa District, O'ahu Island. Scientific Consultant Services, Honolulu.

Magnuson, Coral M. and M. J. Tomonari-Tuggle 2002. *Historical and Archaeological Assessment for the Proposed Waiau Fuel Pipeline*, 'Ewa District, Island of O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Nagaoka, Lisa A., and Bertell D. Davis, 1989. *Archaeological Subsurface Survey and Monitoring of the Proposed Pupu 'ole Park, Waipahu, 'Ewa, O'ahu.* International Archaeological Research Institute, Inc., Honolulu.

Ostroff, Brad, James R. Moore & Joe Kennedy, 2001a. A Report Concerning the Inadvertent Discovery of Human Remains at the Filipino Community Center Located at TMK 9-4-161:001 in Waikele Ahupua'a, 'Ewa District, Island of O'ahu. Archaeological Consultants Hawai'i, Inc., Haleiwa, Hawai'i.

Perzinski, David, Rodney Chiogioji, and Hallett H. Hammatt, 2004. *Archaeological Inventory Survey for the 13.2 19 Acre Queen Emma Foundation Parcel in Waipi 'o Ahupua'a, 'Ewa District, O'ahu Island (TMK 9-4-038:083 and 9-4-050:059).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pietrusewsky, Michael, and Mark Mahoney, 1988 *Human Skeletal Remains from Leeward Community College, Pearl City, O'ahu.* University of Hawai'i, Honolulu.

Sinoto, Aki, 1986. Archaeological Surface Survey of the Proposed Pearl Promenade, Kalauao, 'Ewa, O'ahu. Bernice P. Bishop Museum, Honolulu.

Sinoto, Aki, 1989. *Cultural Resources Reassessment for the 1989 Ford Island Causeway Study*. Bernice P. Bishop Museum, Honolulu.

Sinoto, Akihiko, and Barry Nakamura, 1984. *Cultural Resources Assessment for the Proposed Ford Island Causeway Pearl Harbor, 'Ewa, O'ahu Island.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Spear, Robert L., 1993 A Reconnaissance Survey Letter Report The O'ahu Sugar Mill Project, Waipahu Hawai'i Scientific Consultant Services, Honolulu.

Spear, Robert L., 1994 An Addendum to: The Reconnaissance Survey Letter Report for the Waikele Industrial Subdivision Waipahu Oʻahu Hawaiʻi [TMK: 9-4-02: Por. of 4] Scientific Consultant Services, Honolulu.

Yent, Martha, and Jason Ota, 1981. *A Reconnaissance of the Proposed Rainbow Bay State Park*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Section III - Aloha Stadium to Middle Street

Figure 4-10 shows pertinent prior archaeological investigations in this section, which are discussed in the following text and tables.

Salt Lake Boulevard

Few archaeological studies have been conducted near the Salt Lake Boulevard alignment (as shown in Table 4-5 and in the list of references at the end of this section) and these are concentrated at the north end adjacent to Pearl Harbor (Cluff, 1970; Barrera, 1971; Erkelens, 1995; Hammatt, 1995a). The extensive Bishop Museum documentation associated with the H-3 project (for both Hālawa and the previously considered Moanalua Valley) may include pertinent data for seaward lands as well as overall studies of Fort Shafter (Hammatt, 1984) and Hickam (Jordan, 1980).

Table 4-6. Section III Salt Lake-Boulevard Previous Archaeological Studies

Source	Nature of Study	TMK [1]	Location
Avery, et al.,	Paleo-	9-9-001, 9-9-003:	Hālawa Stream Mouth
1994	environmental		
	Study		
Barrera, 1971	Archaeological	9-9-	Honolulu Stadium
	Site Survey		
Cluff, 1970	Inventory Survey	9-9-	Hālawa Interchange
Cochrane and	Monitoring Plan	9-9-000:000	Bilge and Oil Facilities
Athens, 2000			
Crozier, 1974	Settlement Plan	Various	Focused on three valleys
Dye, 1999	Archaeological	9-9-001:001; 9-9-002:004;	Hālawa Bridge, Hālawa
	Resources	9-9-003:026, 9-9-003:029,	
	Survey	9-9-003:056	
Erkelens, 1995	Archaeological	9-9-001:	Ford Island Bridge
	Study		
Guerriero and	Inventory Survey	1-5-008:001, 1-5-008:009,	Proposed Reservoir and Well Sites
Spear, 1994		1-5-008:011	
Hammatt, 1995a	Reconnaissance	9-9-003:035	Proposed Hālawa Well – 2 acres
	Survey		

Source	Nature of Study	TMK [1]	Location
Jackson, et al.,	Data Recovery	1-1-008	Child Development Center, Fort
1994			Shafter
Rechtman and	Reconnaissance	Various	Red Hill Fuel Storage Area
Henry, 1998	Survey		
Williams, 1993	Monitoring and	9-9-001:016	Hālawa
	Testing		
Williams, 1994	Inventory Survey	9-9-001:016	Hālawa
Yent and Ota,	Reconnaissance	9-8-, 9-9-	Proposed Rainbow Bay State Park
1981	Survey		-

Mauka of the Airport Viaduct

For purposes of this study, the area of archaeological concern is almost identical for both areas *mauka* and *makai* of the Airport Viaduct alignments. The task is to analyze the voluminous data (approximately 200 studies) pertaining to Hickam Air Force Base and the Pearl Harbor Naval Base (many listed in the Section III bibliography, but not presented in table form). Fortunately, preliminary analysis (informed in particular by Anderson and Bouthillier, 1996a, 1996b) indicates that the majority of cultural resources and report study areas lie along the coast. This coastal zone is significantly richer and different archaeologically from the more *mauka* lands of the proposed segments. An appropriate and convenient demarcation line is that of Kuntz and Vandenburg Avenues (Figure 4-10). The current study area is almost exclusively north of this line.

Makai of the Airport Viaduct

Please see discussion under "Mauka of Airport Viaduct," above.

Aolele Street

The research conducted on the neighboring Kamehameha Highway/Airport Viaduct alignments (see discussion under "Mauka of Airport Viaduct," above) is directly pertinent to this short alternate route along Aolele Street. A study for a proposed detention facility (Sprinkle, 1996) is one of the few projects specific to this area.

Section III - Aloha Stadium to Middle Street References

Anderson, Lisa, and Katharine S. Bouthillier, 1996a. Assessment and Analysis of Historic Properties at Hickam Air Force Base, Honolulu, Hawai'i for Preparation of a Historic Preservation Plan. Ogden Environmental and Energy Services, Inc., Honolulu.

Anderson, Lisa, and Katharine S. Bouthillier, 1996b. *Historic Research and Design for the Legacy Resource Management Program of the Parade Ground, Hickam Air Force Base, Oʻahu Island, Hawaiʻi.* Ogden Environmental and Energy Services, Inc., Honolulu




Figure 4-10. Pertinent prior archaeological investigations within Section III

Services, Inc., Honolulu. Naval Submarine Base, Pearl Harbor, O'ahu. Ogden Environmental and Energy Activities in Conjunction with Sewer Installation (Milcon P-115) Kūdhua Peninsula, Anderson, Lisa, and Alan Schilz, 1995. Archaeological Monitoring of Construction

During Construction for FY88 SR PN67 Warehouse/Administrative Facility, Shafter Flats, O'alnu Island, Hawai'i. Ogden Environmental and Energy Services, Inc., Anderson, Lisa, and Scott Williams, 1997. Archaeological Monitoring and Sampling

Archaeological Consultants of Hawai'i, Pupukea, Hawai'i. Halawa Ahupua'a, 'Ewa District, Island of O'ahu, TMK 1-9-9-001:; -003:. Monitoring Report of the Waiau-Makalapa No. 2 138 kV Overhead Lines (Phase II), Avery, Serge, Peter Brennan, Tim Denham, Joseph Kennedy, and Jerome Ward, 1994 Paleoenvironmental and Reconstruction Adjacent to the Mouth of Halawa Stream:

Archaeological Research Institute, Inc., Honolulu. Cochrane, Ethan, and J. Stephen Athens, 2000. Archaeological Monitoring for Job No. 8 2050: Bilge and Oily Waste Water Collection Facilities, Phase I. International

Archaeological Research Institute, Inc., Honolulu. Athens, J. Stephen, and Jerome V. Ward, 1997. Paleoenvironmental Coring as Kaʻthikapu Fishpond, Vault-XProject, Honolulu International Airport. International

International Archaeological Research Institute, Inc., Honolulu. Coring at Tank 2, Hickam Air Force Base, Honolulu, Hawai i. Final Report Athens, J. Stephen, Dean W. Blinn, and Jerome V. Ward, 2001. Paleoenvironmental

Hawai'i. Final Report. International Archaeological Research Institute, Inc., Honolulu Athens, J. Stephen, Dean W. Blinn, and Jerome V. Ward, 2002. Paleoenvironmental Investigations at an Unnamed Hawaiian Fishpond, Pearl Harbor Shipyard, Oʻahu,

Base, Honolulu, Hawai'i. Final. International Archaeological Research Institute, Inc., Athens, J. Stephen, Jerome V. Ward and M. J. Tomonari-Tuggle, 1997b. Loko Kaʻihikapu: Paleoenvironmental Coring For The Tracon Expansion, Hickam Air Force

with a Survey of Moanalua History by Dorothy Barrere. Bernice P. Bishop Museum, Moanalua Ahupua'a, South Hālawa Valley, Hālawa Ahupua'a, O'ahu, June-September, Ayres, William S., 1970. Archaeological Survey and Excavations Kamana-Nui Valley,

Site at Halawa, O'ahu. Bernice P. Bishop Museum, Honolulu. Barrera, William, 1971. Archaeological Site Survey of the Proposed Honolulu Stadium

Chiniago Inc., Honolulu Barrera, William, 1979b. Archaeological Reconnaissance of Proposed 138 KV Transmission Line from Hālawa Substation to Pūkele Substation, Honolulu, Hawaiʻi.

Barrera, William, 1979c. Salt Lake Archaeological Reconnaissance. Chiniago Inc., Honolulu.

Bennett, John D., n.d. Sand Island's Military Past, 1916-1945, Vol. 16, Issue 3, *The Coast Defense Journal*, Page 66.

Bower, Patrick, and Alice K.S. Roberts, 2001. *Archaeological Monitoring Plan for Helipad Fence (KNMD 001076) Hickam Air Force Base, Oʻahu Island, Hawaiʻi.* Garcia and Associates (GANDA), Kailua, Hawaiʻi.

Bower, Patrick, and Alice K.S. Roberts, 2002a. *Archaeological Monitoring for Fire Rescue Training Facility Project Hickam Air Force Base, O'ahu Island, Hawai'i (Contract No. DACA83-00-C-0024)*. Garcia and Associates (GANDA), Kailua, Hawai'i.

Bower, Patrick, and Alice K.S. Roberts, 2002b. *Archaeological Monitoring for Helipad Fence (KNMD 001076) Hickam Air Force Base, O'ahu Island, Hawai'i (Contract No. DACA83-01-P-004)*. Garcia and Associates (GANDA), Kailua, Hawai'i.

Bush, Anthony R., Douglas F. Borthwick, and Hallett H. Hammatt, 2003a. *Archaeological Monitoring Report for Geotechnical Sampling for Hawai'i ANG Project No. KNBD 989064A Clear Water Rinse Facility, Hickam AFB, Hawai'i.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Carlson, Ingrid, 2001. Archaeological Monitoring of Dredging Activities of the Manuwai Canal, Hickam Air Force Base, Oʻahu, Hawaiʻi. Bernice P. Bishop Museum, Honolulu.

Cleghorn, Paul, and Diane Guerriero, 1998. Final Report of the Results of Archival Research in the Ahupua'a of Moanalua, Kahauiki and Kalihi, Honolulu (Kona), O'ahu, Hawai'i. Pacific Legacy, Kailua, Hawai'i.

Cluff, Deborah F., 1970. *The Archaeological Survey of a Portion of Hālawa Interchange, FAP No. 1-H1 (41), Hālawa, Oʻahu*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Cluff, Deborah F., 1970. "The Archaeology of 'Ewa: The Ahupua'a of Hālawa. The Archaeological Survey of a Portion of Hālawa Interchange FAP No. 1-H1-1(41), Halawa, O'ahu Island." *Hawai'i State Archaeological Journal* 70-1.DLNR, Department of Land and Natural Resources, Division of State Parks, Honolulu.

Connolly, Robert, III, 1980. Archaeological Reconnaissance Survey at the Salt Lake District Park Site. Archaeological Research Associates, Honolulu.

Cordy, Ross, and Thomas Dye, 1992. *Re-Evaluation of the Functional Interpretations and Significance of Sites B1-75 and B1-85, H-3 Project, Hālawa Ahupua'a, 'Ewa, O'ahu*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Crozier, S. Neal, 1974. *Pre-contact Archaeological Contrasts of Three Valley Systems on O'ahu, Hawai'i.* Unpublished M.A. Thesis (Anthropology), University of Victoria (B.C.).

Curtis, Valerie, and Fred L. McGhee, 2002a. *Archaeological Monitoring in Conjunction with Repair and Upgrade of Sewer Lines, Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002b. *Archaeological Monitoring for Soil Sampling in Conjunction with Military Housing Replacement Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002c. *Archaeological Monitoring Plan for Fence and Gate Installation Near Building 3004, Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002d. *Archaeological Monitoring Plan for Battery Hasbrouck Fence Installation Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002e. *Archaeological Monitoring Plan for Fire Sprinkler Installation Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002f. Archaeological Monitoring Plan for Repair and Upgrade of Sewer Lines, Hickam Air Force Base. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2003. *Archaeological Monitoring of Fence and Gate Installation Near Building 3004 Hickam Air Force Base, Oʻahu, Hawaiʻi.* Hickam Air Force Base, Hawaiʻi.

Davis, Bertell D., 1990b. Archaeological Assessment of Proposed Developments at the U.S. Naval Base, Pearl Harbor, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Davis, Bertell D., and Leann McGerty, 2002. *An Assessment of Archaeological and Cultural Resources Along the Proposed Honolulu Bus Rapid Transit Primary Corridor Honolulu, Hawai'i.* Scientific Consultants Services, Honolulu.

Denham, Tim, and Paul Cleghorn, 1994. Report of Archaeological Inventory Survey and Limited Subsurface Testing for the Proposed Family Housing Revitalization Projects, Work Areas B and C, Hickam AFB, Oʻahu. BioSystems Analysis, Inc., Santa Cruz, California.

Denham, Tim, Peter Brennan, Jerome Ward, Serge Avery, and Joseph Kennedy, 1994. Paleoenvironmental and Reconstruction Adjacent to the Mouth of Hālawa Stream: Monitoring Report of the Waiau-Makalapa No. 2 138 kV Overhead Lines (Phase II), Hālawa Ahupua'a, 'Ewa District, Island of O'ahu. Archaeological Consultants of Hawai'i, Pupukea, Hawai'i.

Desilets, Michael, 2000. Third Party Oversight for Archaeological Monitoring for the Runway 8L Engineering Evaluation/Cost Analysis (EE/CA), SS22 EE/CA, Phase 1 Underground Storage Tank (UTS) Removal Project, and Site Inspection Sites. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Desilets, Michael, 2001. Archaeological Monitoring Plan for Multiple Environmental Restoration Projects, Hickam Air Force Base, Oʻahu, Hawaiʻi. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Desilets, Michael, 2002. Archaeological Monitoring Report for DO-58 Underground Storage Tank Verification and Removal, Hickam Air Force Base, Oʻahu. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Desilets, Michael, 2003. Archaeological Monitoring Report for DO-81 Underground Storage Tank Verification and Removal, Hickam Air Force Base, Oʻahu. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dye, Thomas, 1977. Archaeological Phase I Survey of the Leeward Portion of Proposed Interstate H-3, North Hālawa Valley, Oʻahu. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Dye, Thomas, 1999. *Completion of Archaeological Resources Survey Hālawa Bridge Replacement EA*, *Hālawa*, 'Ewa, O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., and Myra J. Tomonari-Tuggle, 1997. *Archaeology Monitoring Plan for Environmental Projects, Hickam Air Force Base, Oʻahu, Hawaiʻi*. International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., and Myra J. Tomonari-Tuggle, 1999. *Archaeological Monitoring Plan for Removal of Underground Storage Tanks, Hickam Air Force Base, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., and Myra J. Tomonari-Tuggle 2000. *Archaeological Monitoring Plan AMC Parking Ramp Fuel Spill Clean-up Hickam Air Force Base, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2000a. *An Archaeological Monitoring Plan for a Proposed Waterline located in Honolulu, Island of Oʻahu*. Archaeological Consultants Pacific, Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2000b. *A Background Research Project for a Proposed Waterline Located in Honolulu, Island of O'ahu*. Archaeological Consultants Pacific, Honolulu.

Elmore, Michelle, Brad Ostroff, and Joseph Kennedy, 2001. *An Archaeological Monitoring Plan for the Proposed Water-line Located in Honolulu, Island of O'ahu (TMK:1-1-00 to 2-9-00). DRAFT.* Archaeological Consultants Pacific, Honolulu.

Erkelens, Conrad, 1995. Archaeological Study of the Proposed Ford Island Golf Park and Saratoga Boulevard Relocation, Ford Island Bridge Project, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Erkelens, Conrad, 2000. Archaeological Monitoring of Underground Storage Tank Removals, Hickam Air Force Base and Pearl City Peninsula Victor Dock, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Evetts, Kent, 1992. Comprehensive Long-Term Environmental Action Navy (CLEAN) for Pacific Division, Naval Facilities Engineering Command, Pearl Harbor, Hawai'i. Ogden Environmental and Energy Services, Inc., Honolulu.

Guerriero, Diane, and Robert L. Spear, 1994. *An Archaeological Inventory Survey of Proposed Reservoir and Well Sites 1.20 Acres in the Ahupua'a of Kapālama, Honolulu District, Island of O'ahu.* Scientific Consultant Services, Honolulu.

Hammatt, Hallett H., 1984. A History of Fort Shafter: 1898-1974. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 1995. Archaeological Reconnaissance Survey of Proposed Hālawa Well, Hālawa, 'Ewa, O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Henry, Jack D., and Robert B. Rechtman, 1998. *Archaeological Reconnaissance Survey, Red Hill Fuel Storage Area and 'Ewa Drum Filling and Fuel Storage Area, Lands of Waipi'o, Waiawa, Hālawa,. 'Ewa District and Moanalua, Honolulu District, Island of O'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Hommon, Robert J., 1980. An Intensive Cultural Survey of Ukanipo Heiau and Kahanahaiki Terrace, Kahanahaiki, Mauka Military Reservation, Oʻahu. Hawaiʻi Marine Research, Honolulu.

Jackson, Thomas L., Kanalei Shun, and Marshall Weisler, 1992. *Data Recovery Plan for Archaeological Investigations at Proposed Child Development Center Fort Shafter, Kalihi, Oʻahu*. BioSystems Analysis, Inc., Santa Cruz, California.

Jackson, Thomas, William Shapiro, and Carol Silva, 1994. *Archaeological Data Recovery Excavations Proposed Child Development Center, Fort Shafter, Kalihi, Oʻahu.* BioSystems Analysis, Inc., Santa Cruz, California.

Jordan, Kaye A., 1980. The Land On Which Hickam Was Built.

Lawrence, Tim and Robert L. Spear, 1995. *Archaeological Monitoring and Sampling of Underground Storage Tanks at Hickam Air Force Base, Hickam Field, Hawai'i.* Scientific Consultant Services/Cultural Resource Management Services, Honolulu.

McAllister, J. Gilbert, 1933. *Archaeology of O'ahu*. Bernice P. Bishop Museum Bulletin 104. Bishop Museum Press, Honolulu.

McIntosh, James, Robert Spear, and Paul Cleghorn, 1999. *Archaeological Monitoring Plan for Monitoring and Sampling During Installation of Fiber Optic Cable for Combat Information Transportation System Hickam Air Force Base, Oʻahu Island, Hawaiʻi.* Hickam Air Force Base. Oʻahu.

Murray, Jim, 1986. A Cave Site in Hālawa Valley, 'Ewa, O'ahu. Ms. on file at Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Newman, T. Stell, 1974. Report of the Hawai'i State Historic Preservation Officer on the Matter of the Proposed H-3 Project and its Effect on Moanalua Valley/Pōhaku Ka Luahine, O'ahu, Hawai'i. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Newman, T. Stell, Dorothy R. Pyle, Anne Takemoto, and Charles W. Kenn, 1973. *Analysis of the Moanalua Historic Landmark Application Significance Statement. Prepared for State of Hawai'i.* Department of Transportation and Department of Land and Natural Resources by State Historic Preservation Office.

Oppenheimer, Nathan E., 1976. *Makauea Island, A Historical Study*. Prepared for Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Oshima, Neal, 1976. Archaeological Reconnaissance Survey of Portions of North Hālawa Valley, 'Ewa District, Island of O'ahu. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Rechtman, Robert, and Thomas R. Wolforth, 1999. Archaeological Monitoring of Trenching for the Digester Repair at the Wastewater Treatment Plant at Fort Kamehameha, Oʻahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

Roberts, Alice K.S., 2000. Archaeological Monitoring Plan for Grease Pit and Sewerline Connection Excavations Hickam Air Force Base, Oʻahu Island, Hawaiʻi (Contract No. DACA83-00-P-0054). Garcia and Associates (GANDA), Kailua, Hawaiʻi.

Roberts, Alice K.S., 2001. Archaeological Monitoring for Grease Pit Excavations at Building 1654 Hickam Air Force Base, Oʻahu Island, Hawaiʻi (Contract No. DACA83-00-P-0054). Garcia and Associates (GANDA), Kailua, Hawaiʻi.

Roberts, Alice K.S, Katherine S. Brown, and Eric W. West, 2002. *Archaeological Monitoring and Sampling for Outside Cable Rehabilitation (Oscar) Project, Marine Corps Base Hawai'i (MCBH-KB), Kaneohe Bay, Ko'olaupoko District, Island of O'ahu, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

Rosendahl, Margaret L.K., 1988. Archaeological Study of Alternative Corridors Honolulu Rapid Transit Development Project. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1977. Archaeological Inventory and Evaluation Report for Installations of Environmental Impact Statement for U.S. Army Support Command, Hawai'i. Dept. of Anthropology, MS. No. 030177, Bernice P. Bishop Museum, Honolulu.

Shun, Kanalei, and T. Jackson, 1992. Post Field Summary Report Of Archaeological Data Recovery Operations At Kahauiki Terraces Ft. Shafter, Kalihi, Oʻahu. BioSystems Analysis, Inc., Santa Cruz, California.

Somer, Lonnie, and Sara Collins, 1993. *Analysis of Osteological Faunal Remains from Bishop Museum Site 50-0a-B1-123, North Hālawa Valley, 'Ewa, O'ahu.* Bernice P. Bishop Museum, Honolulu.

Sprinkle, John H., 1996. *Cultural Resource Investigation Honolulu, Hawai'i Proposed Detention Facility*. Louis Berger & Associates, Honolulu.

Tomonari-Tuggle, Myra, 1998. Archival Background Research for The Honolulu Airport Post Office, Island of Oʻahu, Hawaiʻi. FINAL. International Archaeological Research Institute, Inc., Honolulu.

Tomonari-Tuggle, Myra, and David Tuggle, 1996. *Archaeological Monitoring Plan for Removal of Underground Storage Tanks at Wheeler Army Air Field, Helemano Military Reservation and Fort Shafter Flats, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

U.S. Department of the Navy, PACDIV, Naval Facilities Engineering Command, 2000. *Archaeological Monitoring Plan In Support of KNMD 981018R1, Replace POL Pipelines, Hickam Air Force Base (AFB) Hawai'i.* Pacific Naval Facilities Engineer Com.

Watanabe, Farley, 1986. Archaeological Site Survey and Subsurface Testing for the FY 88 Chapel Center Facility, Fort Shafter, Hawai'i. U.S. Army Engineer District, Honolulu.

Watanabe, Farley, 1986. Archaeological Site Survey and Subsurface Testing for the FY89 Chapel Center Facility and Daycare Center, Fort Shafter. U.S. Army Engineer District, Honolulu.

West, Eric W., and Alice K. S. Roberts, 2002a. *Archaeological Monitoring for the Installation of KNMD 97-4011*, *M/R Waterline and Hydrants, MFH Hickam Air Force Base, O'ahu Island, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

West, Eric W., and Alice K. S. Roberts, 2002b. *Archaeological Monitoring for Hickam Alert Aircraft Terminal (HAAT) Security System Installation Project, Hickam Air Force Base, O'ahu Island, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

Wickler, Stephen, 1991. Vegetation and Landscape Change in a Leeward Coastal Environment, Paleoenvironmental and Archaeological Investigation, Fort Shafter Flats Sewerline Project, Honolulu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.

Williams, Scott, 1993. End of Field Summary Report for Monitoring and Testing of CTO-039 Trenching at Pearl Harbor, Oʻahu, Hawaiʻi. Ogden Environmental and Energy Services, Inc., Honolulu.

Williams, Scott, 1994. Results of Subsurface Archaeological Investigations at Pearl Harbor (Trench excavations conducted in conjunction with Subsurface Fuel Investigations NAVBASE), Appendix H. Ogden Environmental and Energy Services, Inc., Honolulu.

Section IV - Middle Street to Iwilei

North King Street

The North King Street alignment between Middle Street on the west and Nu'uanu Stream on the east skirts much of the preferred traditional Hawaiian cultural landscape that lies *makai*. Thus it is expected that this alignment would contain fewer cultural resources and burials than the Dillingham Boulevard alignment, although burials have been reported from both alignments. For its relatively short length this alignment has been well documented in the archaeological literature, as summarized in Table 4-6 and the references listed at the end of this section.

Table 4-7. Section IV North King Street Previous Archaeological Studies

Source	Nature of Study	TMK [1] -	Location
Borthwick, et al., 1995	Inventory Survey	1-5-001:001	Kapālama
Chiogioji and Hammatt, 2000	Monitoring Plan	1-5-006, 1-5-007, 1-5-008, 1-7-026, 1-7-027	Nuʻuanu, Liliha
Cleghorn and Guerriero, 1998	Literature Review	1-1, 1-2-	Moanalua
Folk, et al., 1992	Inventory Survey	1-2-016:007	Kalihi
Folk and Hammatt, 1993	Mitigation Plan	1-2-016:007	Kalihi-Middle Street
Hammatt, 1995b	Burial Report	1-5-005:	Kalihi-Austin Lane
Hammatt and Chiogioji, 2001a	Monitoring	1-5-006, 1-5-007, 1-5-008, 1-7-026	Nuʻuanu, Liliha
Hammatt and Folk, 1992	Burial Report	1-2-016:007	Kalihi-Middle Street
Jourdane, 1994	Burial Report	1-5-005	Kalihi-Austin Lane
Landrum and Klieger, 1991	Literature Review	1-2-016:007	Kalihi
McDermott and Mann, 2001	Inventory Survey Report	1-5-008, 1-7-001, 2-1-002	Nu'uanu

Source	Nature of Study	TMK [1] -	Location
Nakamura, et al., 1994	Assessment	1-6-003:042, 1-6-003:043, 1-6-003:044, 1-6-003:045, 1-6-003:046, 1-6-003:051, 1-6-003:052, 1-6-003:053, 1-6-003:079, 1-6-003:080, 1-6-003:081, 1-6-003:087, 1-6-003:089	Kapālama-King Street
Neller, 1980a	Reconnaissance Survey	1-5-005:014	Kapālama
O'Hare, et al., 2003a	Data Recovery Plan	1-5-008, 1-7-001, 2-1-002	Nu'uanu
Ostroff, et al., 2002	Monitoring	1-5-006, 1-5-007, , -5-008 1-7-026, 1-7-027	Nuʻuanu, Liliha
Shideler and Hammatt, 2002	Assessment	1-2-018:001, 1-2-018:002, 1-2-018:003,2-018:008, 2- 018:009, 1-2-018:010	Kalihi-Middle Street

Dillingham Boulevard

The Dillingham Boulevard alignment is also relatively well studied along its short length, as summarized in Table 4-7 and the listed references at the end of this section. The alignment's proximity to coastal resources, including extensive fishponds, probably encouraged more habitation than did the North King Street alignment.

Table 4-8. Section IV Dillingham Boulevard Previous Archaeological Studies

Source	Nature of Study	TMK [1] -	Location
Chiogioji and Hammatt, 1995	Assessment	1-5-020, 1-5-034, 1-5-041, 1-5-042	Kapālama-Sand Island
Chiogioji and Hammatt, 2000	Monitoring Plan	1-5-006, 1-5-007, 1-5-008, 1-7-026, 1-7-027	Nuʻuanu, Liliha
Cleghorn and Guerriero, 1998	Literature Review	1-2-, 1-1-	Moanalua
Hammatt, 1995b	Burial Report	1-5-005	Kalihi-Austin Lane
Hurst and Pantaleo, 1992	Literature Review	1-5-007:001, 1-5-07:014, 1- 5-007:015, 1-5-07:018, 1-5- 007:057, 1-5-07:058, 1-5- 007:060 to 1-5-007:078	· ·
Jourdane, 1994	Burial Report	1-5-005	Kalihi-Austin Lane
McDermott and Mann, 2001	Inventory Survey	1-5-008, 1-7-001, 2-1-002	Nuʻuanu
McGerty, et al., 1997	Data Recovery	1-5-007:001, 1-5-07:014, 1- 5-007:015, 1-5-07:018, 1-5- 007:057, 1-5-07:058, 1-5- 007:060 to 1-5-007:078	l
Neller, 1980a	Reconnaissance Survey	1-1-5-005:014	Kapālama

Source	Nature of Study	TMK [1] -	Location
O'Hare, et al., 2003a	Data Recovery Plan	1-5-008, 1-7-001, 2-1-002	Nu'uanu
O'Hare, et al., 2003b	Data Recovery Plan	1-5-007:001, 1-5-07:014, 1-5-007:015, 1-5-07:018, 1-5-007:057, 1-5-07:058, 1-5-007:060 to 1-5-007:078	· ·
Ostroff et al., 2002	Monitoring	1-5-006, 1-5-007, 1-5-008, 1-7-026, 1-7-027	Nuʻuanu, Liliha
Shideler and Hammatt, 2002	Assessment	1-2-018:001, 1-2-018:002, 1-2-018:003, 1-2-018:008, 1-2-18:009, 1-2-018010	Kalihi-Middle Street

Beretania Street Tunnel Vicinity (near Nu'uanu Stream)

This short stretch on the northwest side of the mouth of Nu'uanu Stream merits close attention as all routes (North King Street, Dillingham Boulevard, Hotel Street and Nimitz alignments) converge at this location. Furthermore, the former Hawaiian village of Kou was located in the vicinity, which may increases historic preservation concern for this area. To avoid repetition of information pertinent to all of the alignments, this area is treated as a separate study node. The immediate vicinity is relatively well studied, as shown in Table 4-8 and the following list of references at the end of this section.

Table 4-9. Section IV, Beretania Street Tunnel Vicinity Previous Archaeological Studies

Source	Nature of Study	TMK [1]	Location
Ching and Kwan, 1987	Literature Review	7-000:000, 2-1-000:000	Honolulu town
Chiogioji and Hammatt, 2000	Monitoring Plan	1-5-006, 1-5-007, 1-5-008, 1-7-026, 1-7-027,	Nuʻuanu, Liliha
Cleghorn, 2003	Monitoring Plan	1-4-004, 1-7-002, 1-7-003, 1-7-004, 2-1-002, 2-1-003	Nuʻuanu-Chinatown
Colin and Hammatt, 1997a	Monitoring Plan	1-7-002, 1-7-003, 2-1-002, 2-1:013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-30, 2-1-031, 2-1-032	Nimitz Highway
Denham, et al., 1992	Inventory Survey	1-7-003:032	Nu'uanu
Elmore and Kennedy, 2001	Monitoring	1-7-002:000, 1-7-003:000, 2-1-002:000	Nu'uanu
Erkelens, et al., 1994	Burial Report	1-7-003:020	Nuʻuanu-Kekaulike Park
Goodwin, 1994	Mitigation Plan	1-7-003:	Nuʻuanu-Kekaulike Park
Goodwin, 1997	Inventory Survey	1-7-003:020, 1-7-003:023, 1-7-003:024	Nuʻuanu-Kekaulike Park
Goodwin, et al., 1992	Burial Report	1-7-002:003, 1-7-002:004, 1-7-002:005	Nuʻuanu-Marin Tower

Course	Noture of Study	TMK [4]	Location
Source	Nature of Study	TMK [1]	
Goodwin, et al., 1996	Data Recovery	1-7-002:003, 004, 005, 042	Nuʻuanu-Marin Tower
Hammatt and Chiogioji, 2001a	Monitoring	1-5-006, 1-5-007, 1-5-008, 1-7-026	Nuʻuanu, Liliha
Heidel and Hammatt, 1994	Data Recovery	1-7-003:014	Nu'uanu-Chinatown
Hurst, 1990	Literature Review	1-7-004:001, 1-7-004:004	Smith Street
Hurst, 1991	Literature Review	1-7-003	Nuʻuanu-Kekaulike Park
Kennedy and Riley, 1995	Fishpond Study	1-7-003:032	Nu'uanu
Kennedy, et al., 1994	Inventory Survey	1-7-003:032	Nuʻuanu-Kekaulike Park
Landrum and Dixon, 1992	Mitigation	1-7-002:027	Nuʻuanu
Lebo, 1997	Data Recovery Plan	1-7-002:002	Nu'uanu
Lebo and McGuirt, 2000a	Geological Report	1-7-002:002	Nu'uanu
Mann and Hammatt, 2002a	Monitoring	1-7-, 2-1-	King Street
McGerty, et al., 1995	Assessment Report	1-7-003:014, 015	Nu'uanu-Chinatown
Lebo and McGuirt, 2000b	Data Recovery	1-7-002:002	Nu'uanu
Perzinski and Hammatt, 2002	Monitoring Plan	1-7-003, 1-7-004	Nu'uanu-Chinatown
Pietrusewsky and Douglas, 1989	Burial Report	1-7-002:027	Nu'uanu
Riley, et al., 1995	Data Recovery	1-7-003:032	Nuʻuanu-Kekaulike Park

Section IV Middle Street to Iwilei References

Borthwick, Douglas F., Ian Masterson, Victoria Creed, and Hallett H. Hammatt, 1995. An Archaeological Inventory Survey of the Kamehameha Homes Project, Kapālama, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Ching, Francis K.W., and Leonard K. Kwan, Jr., 1987. *Na Alamii O Honolulu, The Streets of Honolulu.* Bernice P. Bishop Museum, Honolulu.

Chiogioji, Rodney, and Hallett H. Hammatt, 1995. *An Archaeological Assessment of the Hart Street Wastewater Pump Station Force Main Replacement Project at Honolulu Harbor and Sand Island, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2000. Archaeological Monitoring Plan for the Installation of a 24-Inch Water Main Within a Portion of North King Street Between

Liliha Street and River Street; Honolulu; Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Cleghorn, Paul, 2003. Archaeological Monitoring Plan for the Anti-Crime Street Lighting Improvements Chinatown II, Honolulu, Island of Oʻahu. Pacific Legacy, Kailua, Hawaiʻi.

Cleghorn, Paul, and Diane Guerriero, 1998. Final Report of the Results of Archival Research in the Ahupua'a of Moanalua, Kahauiki and Kalihi, Honolulu (Kona), O'ahu, Hawai'i. Pacific Legacy, Kailua, Hawai'i.

Colin, Brian, and Hallett H. Hammatt, 1997a. *Archaeological Monitoring Plan for the Nimitz Highway Reconstructed Sewer, Honolulu, Oʻahu, Hawaiʻi (TMK 1-7-02, 03 and 2-1-02, 13-16, 25, 27, 29-32)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Denham, Tim, Peter Brennan, and Joseph Kennedy, 1992. *Interim Archaeological Inventory Survey with Subsurface Testing Report for a Property Located at TMK: 1-7-03:32; Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Elmore, Michelle, and Joseph Kennedy, 2001a. *An Archaeological Monitoring Report* for the C & C of Honolulu, Miscellaneous Sidewalk Improvements Project, Job No. 18-98 Located at TMK: 1-7-02, 1-7-03 & 2-1-02, in the Ahupua'a of Nu'uanu, Honolulu. Archaeological Consultants Pacific, Haleiwa, Hawai'i.

Erkelens, Conrad, Michael Pietrusewsky, Rona Ikehara-Quebral, and Vincent Sava, 1994. *Interim Report on Human Skeletal Remains, Kekaulike-Diamond Head Project, Honolulu, Kona, Oʻahu*. International Archaeological Research Institute, Inc., Honolulu.

Folk, William, and Hallett H. Hammatt, 1993. *A Mitigation Plan for Site 50-80-14-4525 Human Burials at 711 Middle Street (TMK 1-2-16:7)*. Cultural Surveys Hawai'i Kailua, Hawai'i.

Folk, William H., Susan Crotty, and Hallett H. Hammatt, 1992. *Archaeological Survey With Subsurface Testing at 711 Middle Street, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Goodwin, Conrad "Mac", 1994. *Kekaulike (Diamond Head) Project, Archaeological Site No. 50-80-14-4875, Honolulu, Hawaiʻi, Revised Mitigation Plan.* International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad "Mac", 1997. *Archaeological Inventory Survey of the Kekaulike Diamond Head Project, Site 50-8-14-4875, Honolulu, Island of Oʻahu*. International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad, Michael Pietrusewsky, Michele Douglas, and Rona Michi Ikehara, 1992. *The Burials From the Marin Tower Property, Preliminary Report, (part)*. International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad Mac, Coral Rasmussen, Gail M. Murakami, Alan Ziegler, Michael Pietrusewsky, Michele Toomay Douglas, Rona Ikehara-Quebral, Felicia Beardsley, Stephen Wickler, and Bruce Jones, 1996. *Honoruru to Honolulu: From Village to City, Volume I: History and Archaeology of a City Block; Archaeological Data Recovery Report, Marin Tower Property, Site No. 50-80-14-4494, Honolulu, Hawai'i.* International Archaeological Research Institute, Inc., Honolulu.

Hammatt, Hallett H., 1995. Archaeological Disinterment and Investigation of an Inadvertent Burial Find at Austin Lane in Kalihi, Island of Oʻahu (TMK 1-5-05). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 2001b. *The Installation of a 24-inch Water Main within a Portion of North King Street between Liliha Street and River Street; Honolulu; Island of Oʻahu (TMK 1-5-006, 1-5-007, 1-5-008, 11-7-026 & 1-7-026).* Cultural Surveys Hawaiʻi, Inc, Kailua, Hawaiʻi

Hammatt, Hallett H., and William H. Folk, 1992. *Burial Treatment for the Proposed City Bus Repair Facility at 711 Middle Street.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i

Heidel, Melody J., and Hallett H. Hammatt, 1994. *Archaeological Testing of a 1,700 Sq. Foot Lot in Chinatown, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu (TMK 1-7-03:14)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hurst, Gwen, 1990. Historical Literature and Documents Search, Archaeological Testing and Subsequent Procedures for the Proposed Redevelopment of the Smith-Beretania Parking Lot, Downtown Honolulu, Oʻahu Island, Part 1: Historical Literature and Documents Survey. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1991. Historical Literature and Documents Search for the Proposed Redevelopment of the Kekaulike Parking Lot, Honolulu, Oʻahu, TMK 1-7-03, in Kekaulike Revitalization Project. Wilson Okamoto and Assoc., Honolulu.

Hurst, Gwen, and Jeffrey Pantaleo, 1992. *Historical Literature and Documents Search for the Proposed Liliha Civic Center Development, Honolulu, Oʻahu (TMK 1-5-077:1, 14, 15, 18, 57, 58, 60-78).* Aki Sinoto Consulting, Honolulu.

Jourdane, Elaine, 1994. *Inadvertent Discovery of Human Remains at Austin Lane, Honolulu, Hawai'i.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Kennedy, Joseph, and Thomas Riley, 1995. *Pehu's Place: A Small Fry Pond Provides Data on Large Issues in Hawaiian Archaeology*. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Kennedy, Joseph, Peter Brennan, Tim Denham, Sandra Ireland, James Moore, and Thomas Riley, 1994. *An Archaeological Inventory Survey with Subsurface Testing Report for the Kekaulike Revitalization Project, 'Ewa Block, Located at TMK: 1-7-03:32*

in Nu'uanu Ahupua'a, Honolulu District. Island of O'ahu, December 1994. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Landrum, Jim, and Boyd Dixon, 1992. *Emergency Mitigation of Archaeological Resources at the River -Nimitz Redevelopment Project, Site 50-Oa-A5-16, Nu'uanu, Kona District, O'ahu, Hawai'i. Prepared for the City & County of Honolulu, Dept. of Housing.* Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Landrum, James, III and Paul Christiaan Klieger, 1991. *Historical Literature and Documents Search for the City and County of Honolulu, Department of Transportation Services, Bus Unit Repair Shop Facility, Kalihi, Oʻahu, Hawaiʻi, TMK 1-2-16:7.*Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Lebo, Susan (editor), 1997. *Native Hawaiian and Euro-American Culture Change in Early Honolulu, Archaeological Data Recovery, Harbor Court Property, Site No. 50-80-14-2456, Honolulu, Hawai'i.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Lebo, Susan A., and Michael D. McGuirt, 2000a. *Geoarchaeology at 800 Nu 'uanu, Archaeological Inventory Survey of Site 50-80-14-5496 (TMK 1-7-02:02), Honolulu.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Lebo, Susan A., and Michael D. McGuirt, 2000b. *Pili Grass, Wood Frame, Brick, and Concrete: Archaeological Data Recovery at 800 Nu'uanu (site 50-80-14-5496)*. Bernice P. Bishop Museum, Honolulu.

Mann, Melanie, and Hallett H. Hammatt, 2002a. *Archaeological Monitoring Report for the King Street Rehabilitation Project, Honolulu Ahupua'a, Kona District, Island of O'ahu (TMK 2-1 por. And 1-7 por.)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matthew, and Melanie M. Mann, 2001. *Archaeological Inventory Survey for the Proposed Nimitz Highway Water System Improvements, Part I, Downtown Honolulu, Nu'uanu Ahupua'a, District of Kona, Island of O'ahu (TMK 1-5-08, 1-7-01, 2-1-02).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McGerty, Leann, Peter Mills, and Robert Spear, 1995. An Archaeological Assessment of the Chinatown Community Service Center Project, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu, (TMK 1-7-00314 and 15). Scientific Consultant Services, Honolulu, Hawai'i.

McGerty, Leann, Michael E. Dega, and Robert L. Spear, 1997. *Archaeological Excavations at Kūwili Fishpond, Site of the Proposed Liliha Civic Center, Kalihi-Palāma, Oʻahu, Hawaiʻi, (TMK: 1-5-7:1, 14, 15, 18, 57, 58, 60-78).* Scientific Consultant Services, Honolulu, Hawaiʻi.

Nakamura, Barry, Jeffrey Pantaleo, and Aki Sinoto, 1994. *An Archaeological Assessment of a Parcel of Land in Kapālama on the Corner of North King and*

Houghtailing Streets Kapālama, Kona District, Oʻahu Island. Aki Sinoto Consulting, Honolulu.

Neller, Earl, 1980a. *The Archaeology of the Kapālama Fire Station, Honolulu, Hawai'i (TMK: 1-5-05:14) (#80-14-1302): A Field Reconnaissance Made During Building Renovation*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

O'Hare, Constance R., David W. Shideler and Hallett Hammatt, 2003a. *Archaeological Data Recovery Plan for the Proposed Nimitz Highway Water System Improvements, Part I, Downtown Honolulu, Nu'uanu Ahupua'a, District of Kona, Island of O'ahu (TMK 1-5-08, 1-7-01, 2-1-02).* Cultural Surveys, Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett Hammatt, 2003b. *Data Recovery Plan for the Proposed Iwilei Senior Housing Project Kapālama Ahupua'a, Kona District, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Ostroff, Bradford L., Eric W. West, and Alice K. S. Roberts, 2002. *Report of Archaeological Monitoring for King Street 24-inch Waterline Project Honolulu, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

Perzinski, Mary, and Hallett H. Hammatt, 2002. *Archaeological Monitoring Plan for Sidewalk Improvements at the Intersection of Maunakea Street and Pauahi Street, Historic Chinatown District, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pietrusewsky, Michael, and Michele Douglas, 1989. A Human Skeleton Found At The River-Nimitz Construction Site, Honolulu, O'ahu. University of Hawai'i, Honolulu.

Riley, Thomas J., Joseph Kennedy, Sandra Ireland, and Etsuko Yoshifuku, 1995. *A Report on Archaeological Data Recovery at Sites 50-80-14-4587 and 50-80-14-4588 for the Kekaulike Revitalization Project, 'Ewa Block, Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Shideler, David W., and Hallett H. Hammatt, 2002. *Archaeological Assessment of the Proposed Middle Street Transit Center, Kalihi Ahupua'a, Kona District, O'ahu, (TMK: 1-2-18: 1,2,3,8,9 & 10).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Section V – Iwilei to UH Mānoa

Figure 4-11 shows various alternative alignments through Downtown Honolulu. These alignments are shown in relation to pertinent prior archaeological investigations in the downtown area, as well as the boundaries of the Chinatown, Merchant, and Hawai'i Capital Historic Districts. Most of the Section V alignments either pass through one or more of these historic districts, or at least skirt their boundaries. Prior archaeological research in Downtown Honolulu has documented rich archaeological remains, predominantly historic and some prehistoric components, that are preserved beneath the modern land surface.

Hotel Street/Kawaiaha'o Street (and Tunnel)

another. Fortunately the rich archaeological record (as shown in Table 4-9 and the impossible to characterize in detail and certainty the likely finds of one alignment over uncovering significant archaeological finds. From the beginnings of a Hawaiian village following list of references) should provide sufficient data to draw conclusions. Kingdom, these streets are rich with the remains of former times. Currently, it is century center of first contacts with the west on O'ahu, to the bustling seaport of the taking advantage of the waters of Nu'uanu Stream and the protected reef, to the 18th-Entering the core area of Downtown Honolulu greatly increases the prospect of




Figure 4-11. Alignments of Alternative 4, Section V through Downtown Honolulu's Historic Districts

Table 4-10. Section V – Hotel Street/Kawaiaha'o Street (and Tunnel) Previous Archaeological Research

Source	Nature of Study	ТМК	Location
Bath, 1987	Burial Report	2-1-026:022	Honolulu town
Charvet-Pond and	Literature Review	2-1-003:015, 2-1-003:023,	Chinatown
Pantaleo, 1989		2-1-003:024, 2-1-003:025	
Chiogioji and	Monitoring Plan	1-2-1-002, 2-1-003, 2-1-012	Fort St. Mall
Hammatt, 2005a			
Chiogioji, et	Investigations	2-1-025:001	Hawaiʻi Library
al.,1991	Report	2.4.002.045	Chin atown
Cleghorn, 1989	Data Recovery	2-1-003:015	Chinatown
Cleghorn, 2003	Monitoring Plan	1-4-004, 1-7-002, 1-7-003, 1-7-004, 2-1-002, 2-1-003	Nu'uanu-Chinatown
Colin and Hammatt, 1997b	Burial Report	1-7-002, 1-7-003, 2-1-002, 2-1:013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-30, 2-1-031, 2- 1-032	Nimitz Hwy
Davis and McGerty, 2002	Assessment	1-1-, 1-9-, 2-	Hon. Rap. Tr.
Denham, 1993	Monitoring	2-1-025:002	Nu'uanu-Capitol
Dunn, et al., 1993	Inventory Survey	2-1-002:026	Nuʻuanu Court
Dye, 2001	Monitoring Plan	2-1-017:001, 2-1-017:002	Capitol
Dye, 2002	Monitoring	2-1-017:001, 2-1-017:002	Capitol
Dye and Puette, 2003	Monitoring Plan	2-1-025:003	Capitol
Fairfax, 1971	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Fairfax, 1972	Salvage Report	2-1-025:002	Nu'uanu-Capitol
Fairfax, 1973	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Fairfax, n.d.	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Griffin, et al., 1987	Literature Review	2-1-, 2-1-029:001, 2-1-031	Kākā'āko
Hammatt, 1990	Data Recovery	2-1-025:001	Hawaiʻi Library
Hammatt and Borthwick, 1989	Assessment	2-1-017:007	Hotel Street
Hammatt and Chiogioji, 2001b	Monitoring Plan	2-1-002:000, 2-1-011:000, 2-1-012:000, 2-1-025:000, 2-1-032:000, 2-1-033:000	King Street
Hawaiʻi Bottle Museum, 1980	Historic Artifact Analysis	2-1-017:003, 2-1-017:004	Nu'uanu
Hawaiʻi Bottle Museum, 1981	Historic Artifact Analysis	2-1-011:007	Nu'uanu
Hawaiʻi Bottle Museum, 1981	Historic Artifact Analysis	2-1-010:046	Nu'uanu
Hawaiʻi Bottle Museum, 1982	Historic Artifact Analysis	2-1-012:004	Nu'uanu
Hurst, 1991	Data Recovery	2-1-002:016, 2-1-002:020, 2-1-002:056	Nuʻuanu-Harbor Court
Hurst, 1992	Monitoring and Inventory Survey	2-1-002:016, 2-1-002:020, 2-1-002:056	Nuʻuanu-Harbor Court

Source	Nature of Study	TMK	Location
Hurst, 1994	Literature Review	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Kawachi, 1990	Monitoring	2-1-025:002	Nu'uanu-Capitol
Kennedy, 1984	Investigations Report	2-1-002:038, 2-1-002:039	Nu'uanu
Lebo, et al., 1997	Data Recovery	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Luscomb, et al., 1976	Inventory Survey	2-1-025:002	Nu'uanu-Capitol
Moore, 1992	Assessment	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Pantaleo and Sinoto, 2002	Monitoring Plan	2-1-025:004	Capitol
Pfeffer, et al.,1993	Literature Review	2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055	Pauoa-Kākā'āko ID-1
Putzi & Dye, 2004	Monitoring	2-1-025:003	Honolulu town
Rosendahl, 1971	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Seelye, 1968	Reconnaissance Survey	2-1-025:002	Nu'uanu
Simons, et al., 1991	Monitoring	2-1-017:001	Honolulu town
Sinoto, 1977	Inventory Survey	2-1-025	Capitol
Spilker, 1974	Salvage Report	2-1-025:002	Nu'uanu-Capitol
Winieski and Hammatt, 2000a	Monitoring	2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-047:000, 2-1-048:000, 2-1-050:000, 2-1-051:000, 2-1-052:000, 2-1-054:000	Kākā'āko ID-3
Winieski and Hammatt, 2001a	Monitoring	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-032, 7-2-003, 7-2-003:	Nimitz Hwy

Hotel Street/Waimanu Street (and Tunnel)

At this time it is impossible to characterize in detail and certainty the likely finds of one alignment through Downtown Honolulu over another. Fortunately the rich archaeological record (as shown in Table 4-10 and the following list of references) should provide sufficient data to draw conclusions.

Table 4-11. Section V – Hotel Street/Waimanu Street (and Tunnel) Previous Archaeological Studies

Source	Nature of Study	ТМК	Location
Charvet-Pond and Pantaleo, 1989	Literature Review	2-1-003:015, 2-1-003:023, 2-1-003:024, 2-1-003:025	Chinatown
Chiogioji and Hammatt, 2005a	Monitoring Plan	2-1-002, 2-1-003, 2-1-012	Fort St. Mall
Cleghorn, 1989	Data Recovery	2-1-003:015	Chinatown
Cleghorn, 2003	Monitoring Plan	1-4-004, 1-7-002, 1-7-003, 1-7-004, 2-1-002, 2-1-003	Nu'uanu-Chinatown
Colin and Hammatt, 1997b	Burial Report	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-030, 2-1-031, 2-1-032, 7-0-002	Nimitz Hwy
Davis and McGerty, 2002	Assessment	1- , 2-, 9-	Hon. Rap. Tr.
Dunn, et al. 1993	Inventory Survey	2-1-002:026	Nuʻuanu Court
Dye, 2001	Monitoring Plan	2-1-017:001, 2-1-017:002	Capitol
Dye, 2002	Monitoring	2-1-017:001, 2-1-017:002	Capitol
Griffin, et al., 1987	Literature Review	2-1-, 2-1-029:001, 2-1-031	Kākā'āko
Hammatt and Borthwick, 1989	Assessment	2-1-017:007	Hotel St.
Hawaiʻi Bottle Museum, 1980	Historic Artifact Analysis	2-1-017:003, 2-1-017:004	Nu'uanu
Hawaiʻi Bottle Museum, 1981	Historic Artifact Analysis	2-1-011:007	Nu'uanu
Hawai'i Bottle Museum, 1981	Historic Artifact Analysis	2-1-010:046	Nu'uanu
Hawaiʻi Bottle Museum, 1982	Historic Artifact Analysis	2-1-012:004	Nu'uanu
Hurst, 1991	Data Recovery	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Hurst, 1992	Monitoring and Inventory Survey	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Hurst, 1994	Literature Review	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Kennedy, 1984	Investigations	2-1-002:038, 2-1-002:039	Nu'uanu
Lebo, et al., 1997	Data Recovery	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Moore, 1992	Assessment	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Pfeffer, et al., 1993	Literature Review	2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055	Pauoa-Kākā'āko ID-1
Simons, et al., 1991	Monitoring	2-1-017:001	Honolulu town

Source	Nature of Study	TMK	Location
Winieski and Hammatt, 2000a	Monitoring	2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-047:000, 2-1-048:000, 2-1-050:000, 2-1-051:000, 2-1-052:000 2-1-054:000	Kākā'āko ID-3
Winieski and Hammatt, 2001a	Monitoring	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-032, 7-2-003, 7-2003:	Nimitz Hwy

Nimitz Highway/Queen Street

At this time it is impossible to characterize the likely finds of one alignment through Downtown Honolulu over another in any detail and certainty. Fortunately the rich archaeological record (refer to Table 4-11 and the following list of references) should provide sufficient data to draw conclusions.

Table 4-12. Section V – Nimitz Highway/Queen Street Previous Archaeological Studies

Source	Nature of Study	TMK [1] -	Location
Bath, 1987	Burial	2-1-026:022	Honolulu town
Charvet-Pond and Pantaleo, 1989	Literature Review	2-1-003:015, 2-1-003:023, 2-1-003:024, 2-1-003:025	Chinatown
Chiogioji and Hammatt, 2005a	Monitoring Plan	2-1-002, 2-1-003, 2-1-012	Fort St. Mall
Chiogioji and Hammatt, 2005b	Monitoring Plan	2-1-014, 2-1-027	Aloha Drive
Chiogioji and Hammatt, 2005c	Monitoring Plan	2-1-016, 2-1-026, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-051, 2-1-054, 2-1-055	Kākā'āko
Chiogioji, et al., 1991	Investigations	2-1-025:001	Hawaiʻi Library
Cleghorn, 1989	Data Recovery	2-1-003:015	Chinatown
Cleghorn, 2003	Monitoring Plan	1-4-004, 1-7-003, 1-7-004, 2-1-002, 2-1-003, 1-7-002	Nuʻuanu-Chinatown
Colin and Hammatt, 1997b	Burial Report	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-030, 2-1-031, 2-1-032, 1-7-0-002	Nimitz Hwy
Davis and McGerty, 2002	Assessment	1-, 2-, 9-	Honolulu Rapid Transit
Denham, 1993	Monitoring	2-1-025:002	Nu'uanu-Capitol
Dunn, et al. 1993	Inventory Survey	2-1-002:026	Nu'uanu Court
Dye and Puette, 2003	Monitoring Plan	2-1-025:003	Capitol
Fairfax, 1971	Data Recovery	2-1-025:002	Nu'uanu-Capitol

Source	Nature of Study	TMK [1] -	Location
Fairfax, 1972	Salvage t	2-1-025:002	Nu'uanu-Capitol
Fairfax, 1973	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Fairfax, n.d.	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Griffin, et al., 1987	Literature Review	2-1-, 2-1-029:001, 2-1-031:	Kākā'āko
Hammatt, 1990	Data Recovery	2-1-025:001	Hawai'i Library
Hammatt and	Monitoring Plan	2-1-002:000, 2-1-011:000,	King St
Chiogioji, 2001b		2-1-012:000, 2-1-025:000, 2-1-032:000, 2-1-033:000	
Hurst, 1991	Data Recovery	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Hurst, 1992	Monitoring and Inventory Survey	2-1-002:016, 2-1-002:020, 2-1-002:056	Nu'uanu-Harbor Court
Hurst, 1994	Literature Review	2-1-002:016, 2-1-002:020, 2-1-002:056	Nuʻuanu-Harbor Court
Kawachi, 1990	Monitoring	2-1-025:002	Nu'uanu-Capitol
Kennedy, 1984	Investigations Report	2-1-002:038, 2-1-002:039	Nuʻuanu
Lebo, et al., 1997	Data Recovery	2-1-002:016, 2-1-002:020, 2-1-002:056	Nuʻuanu-Harbor Court
Luscomb, et al., 1976	Inventory Survey	2-1-025:002	Nu'uanu-Capitol
Moore, 1992	Assessment	2-1-002:016, 2-1-002:020, 2-1-002:056	Nuʻuanu-Harbor Court
Pantaleo and Sinoto, 2002	Monitoring Plan	2-1-025:004	Capitol
Pfeffer, et al., 1993	Literature Review	2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055	Pauoa-Kākā'āko ID-1
Putzi and Dye, 2004	Monitoring	2-1-025:003	Honolulu town
Rosendahl, 1971	Data Recovery	2-1-025:002	Nu'uanu-Capitol
Seelye, 1968	Reconnaissance Survey	2-1-025:002	Pauoa
Sinoto, 1977	Inventory Survey	2-1-025:	Capitol
Spilker, 1974	Salvage	2-1-025:002	Nu'uanu-Capitol
Terry, et al., 2004	Monitoring Plan	2-1-015, 2-1-025, 2-1-026, 2-1-027, 2-1-029, 2-1-030 2-1-031, 2-1-032, 2-1-033	Makiki-Punchbowl
Winieski and Hammatt, 2000a	Monitoring	2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-047:000, 2-1-048:000, 2-1-050:000, 2-1-051:000, 2-1-052:000, 2-1-054:000	Kākā'āko ID-3
Winieski and Hammatt, 2001a	Monitoring	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-032, 7-2-003	Nimitz Hwy

Nimitz Highway/Halekauwila Street

At this time it is impossible to characterize the likely finds of one alignment through Downtown Honolulu over another. Fortunately the rich archaeological record (as shown in Table 4-12 and the following list of references) should provide sufficient data to draw conclusions.

Table 4-13. Section V – Nimitz Highway/Halekauwila Street Previous Archaeological Studies

Source	Nature of Study	TMK [1]-	Location
Athens, 1986	Monitoring	2-1-030:003, 2-1-030:004, 2-1-030:038, 2-1-030:039	Capitol
Bath, 1987	Burial Report	2-1-026:022	Honolulu town
Chiogioji and Hammatt, 2005b	Monitoring Plan	2-1-014, 2-1-027	Aloha Drive
Chiogioji and Hammatt, 2005c	Monitoring Plan	2-1-016, 2-1-026, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-051, 2-1-054, 2-1-055	Kākā'āko
Cleghorn, 2003	Monitoring Plan	1-4-004, 1-7-003, 1-7-004, 2-1-002, 2-1-003, 1-7-002	Nu'uanu-Chinatown
Colin and Hammatt, 1997b	Burial Report	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-030, 2-1-031, 2-1-032, 1-7-0-002	Nimitz Highway
Hammatt and Chiogioji, 1995	Assessment	Various	Kākā'āko
Hammatt and Chiogioji, 2001b	Monitoring Plan	2-1-002:000, 2-1-011:000, 2-1-012:000, 2-1-025:000, 2-1-032:000, 2-1-033:000	King Street
Hawaiʻi Bottle Museum, 1981	Historic Artifact Analysis	2-1-010:046	Nuʻuanu
Kennedy, 1993	Burial Report	2-1-030:020	South Street
Leidemann, 1988	Historic Artifact Analysis	2-1-030:	Capitol
Pfeffer, et al., 1993	Literature Review	2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055	Pauoa-Kākā'āko ID-1
Smith and Rosendahl, 1990	Cultural Resource Assessment	2-1-001:	Pauoa-Aloha Tower
Winieski and Hammatt, 2000a	Monitoring	2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-047:000, 2-1-048:000, 2-1-050:000, 2-1-051:000, 2-1-052:000, 2-1-054:000	Kākāʻāko ID-3
Winieski and Hammatt, 2001a	Monitoring	2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-032, 7-2-003, - 003	Nimitz Highway

Beretania Street/South King Street

At this time it is impossible to characterize in detail and certainty the likely finds of one alignment through Downtown Honolulu over another. Fortunately the rich archaeological record (as shown in Table 4-13 and the following list of references) should provide sufficient data to draw conclusions.

Table 4-14. Section V – Beretania Street/South King Street Previous Archaeological Studies

Source	Nature of Study	тмк	Location
Chiogioji, 1992	Assessment	2-3-009:001	Kapiʻolani
Chiogioji and Hammatt, 2003a	Monitoring Plan	2-3-002, 2-3-003	Kākā'āko, Kewalo
Chiogioji and Hammatt, 2005d	Literature Review	2-4-005:023	Makiki-Young Street
Davis and McGerty, 2002	Assessment	1-, 2-, 9-	Hon. Rap. Tr.
Esh and Hammatt, 2004a	Monitoring	2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014, 2-3-015, 2-3-035, 2-3-038, 2-4-003,2-4-004, 2-4-010, 2-4-012	Ala M oana
Ferrall, 1976	Geological Report	2-3-	Kākā'āko, Mō'ili'ili
Griffin, et al., 1987	Literature Review	2-1-, 2-1-029:001, 2-1-029- 031	Kākā'āko
Hammatt and Chiogioji, 2001b	Monitoring Plan	2-1-002, 2-1-011, 2-1-012, - 2-1-025:000, 2-1-032, 2-1- 033:	King Street
Hurst and Pantaleo, 1991	Literature Review	2-4-005:001	Pāwa'a
Pfeffer, et al., 1993	Literature Review	2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055	Pauoa-Kākā'āko ID-1
Terry, et al., 2004	Monitoring Plan	2-1-015,2-1-025, 2-1-026, 2-1-027, 2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-033	Makiki-Punchbowl
Tulchin and Hammatt, 2004	Literature Review	2-3-004, 2-3-005, 2-3-007, 2-3-009, 2-3-010, 2-3-013, 2-3-014, 2-3-017, 2-3-018, 2-3-022, 2-3-035, 2-3-036, 2-3-038	Kapiʻolani
Winieski and Hammatt, 2000a	Monitoring	2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-047:000, 2-1-048:000, 2-1-050:000, 2-1-051:000, 2-1-052:000, 2-1-054:000	Kākā'āko ID-3

Beretania Street/South King Street Tunnel

At this time it is impossible to characterize in detail and certainty the likely finds of one alignment through Downtown Honolulu over another. Fortunately the rich archaeological record (as shown in Table 4-14 and the following list of references) should provide sufficient data to draw conclusions.

Table 4-15. Section V – Beretania Street/South King Street Tunnel

Source	Nature of Study	TMK [1] -	Location
Anderson, 1995	Inventory Survey	2-1-004:041, 2-1-004:042, 2-1-004:043	King Street
Carpenter and Majors, 2000	Monitoring	2-1-018:001	Nuʻuanu-Washington Pl.
Carpenter and Yent, 1995	Monitoring	2-1-018:001	Nuʻuanu Washington Pl.
Charvet-Pond and Pantaleo, 1989	Literature Review	2-1-003:015, 2-1-003:023, 2-1-003:024, 2-1-003:025	Chinatown
Chiogioji and Hammatt, 1994	Assessment	2-1-018:001, 2-1-018:011, 2-1-018:016, 2-1-018:046, 2-1-018:047	Honolulu town
Chiogioji and Hammatt, 2005a	Monitoring Plan	2-1-002, 2-1-003, 2-1-012	Fort Street Mall
Cleghorn, 1989	Data Recovery	2-1-003:015	Chinatown
Cleghorn, 2003	Monitoring Plan	1-4-004, 1-7-003, 1-7-004, 2-1-002, 2-1-003, 1-7-002;	Nu'uanu-Chinatown
Davis and McGerty, 2002	Assessment	1-, 2-, 9-	Honolulu Rapid Transit
Dockall, 2001		2-1-018:001	Nuʻuanu-Washington Pl.
Dockall, et al., 2003	Inventory Survey	2-1-018:001	Nuʻuanu-Washington Pl.
Donham, 1980	Burial Report	2-1-018:042; 8-4-002	Nu'uanu
Dye, 2001	Monitoring Plan	2-1-017:001, 2-1-017:002	Capitol
Dye, 2002	Monitoring	2-1-017:001, 2-1-017:002	Capitol
Griffin, et al., 1987	Literature Review	2-1-, 2-1-029:001, 2-1-029:- 031:	Kākā'āko
Hammatt, 1988	Assessment	2-1-009:018	Nuʻuanu-Block J
Hammatt and Borthwick, 1989	Assessment	2-1-017:007	Hotel Street
Hammatt and Chiogioji, 1998b	Assessment	2-1-009:018, 2-1-009:027	Nu'uanu
Hammatt and Shideler, 2005	Monitoring Plan	2-1-009:011, 2-1-009:013, 2-1-009:018	Nuʻuanu-Block J (Capital Place)
Hawaiʻi Bottle Museum, 1980	Historic Artifact Analysis	2-1-017:003, 2-1-017:004	Nu'uanu
Hawaiʻi Bottle Museum, 1981	Historic Artifact Analysis	2-1-010:046	Nu'uanu
McDermott, Shideler, et al., 1999	Data Recovery Plan	2-1-009:018	Nuʻuanu-Block J

Source	Nature of Study	TMK [1] -	Location
Nagata and Carpenter, 1995	Monitoring	2-1-018:001	Nuʻuanu-Washington Pl.
O'Hare, et al, 2006c	Inventory Survey Plan	2-1-018:048; 2-1-035:001, 2-1-003, 2-1-004, 2-1-005, 2-1-006, 2-1-007, 2-1-008, - 2-1-008, 2-1-037:002	Queen's Medical Center
O'Hare, et al., 2006d	Monitoring Plan	2-1-018:048; 2-1-035:001, 2-1-003, 2-1-004, 2-1-005, 2-1-006, 2-1-007, 2-1-008, - 2-1-008, 2-1-037:002	Queen's Medical Center
O'Leary and Hammatt, 2006a	Inventory Survey	2-1-009:011	Nuʻuanu-Block J (Capital Place)
Perzinski, et al., 2000a	Inventory Survey	2-1-009:018	Nuʻuanu-Block J
Perzinski, et al., 2005	Data Recovery	2-1-009:018	Nuʻuanu-Block J
Simons, et al., 1991	Monitoring	2-1-017:001	Honolulu town
Tomonari-Tuggle, 1983	Assessment	2-1-009:018	Nu'uanu-Block J

Confluence of Waimanu Street, Kawaiaha'o Street, Queen Street, and Halekauila Street Alignments

Many routes (the Waimanu Street, Kawaiaha'o Street, Queen Street and Halekauila Street alignments) converge in a small area. To avoid repeating information pertinent to all of the alignments, this area is treated as a separate study node (see Table 4-15 and the following list of references).

This area has gained some prominence recently for the discovery of three cemeteries that appear to have been completely undocumented in the historic literature. These cemeteries were associated with the Wal-Mart, Queen Street Expansion, and Koʻolani Condominium projects. The presence of these cemeteries in a relatively small area does not necessarily mean that there are more in the vicinity. More detailed analysis may shed further light on the density and distribution of burials in this immediate area.

Table 4-16. Section V – Confluence of Waimanu Street, Kawaiaha'o Street, Queen Street and Halekauila Street Alignments

Source	Nature of Study	TMK	Location
Borthwick and	Inventory Survey	2-3-005:013, 2-3-005:014,	Ward Village
Hammatt, 2006		2-3-005:015, 2-3-005:016,	
		2-3-005:017, 2-3-005:022,	
		2-3-005:023,	
Bush and	Monitoring Plan	2-3-004, 2-3-005, 2-3-006:,	Kākā'āko ID-10
Hammatt, 2002a		2-3-007	
Bush, et al., 2005	Monitoring	2-3-004, 2-3-005, 2-3-006:,	Koʻolani Condo
		2-3-007	

Source	Nature of Study	TMK	Location
Chiogioji and Hammatt, 2003a	Monitoring Plan	2-3-002, 2-3-003	Kākā'āko, Kewalo
Chiogioji and Hammatt, 2003b	Monitoring Plan	2-3-004:073, 2-3-005:027, 2-3-006:014, 2-3-007:002	Kākā'āko, Kewalo
Chiogioji and Hammatt, 2003c	Monitoring Plan	2-3-005:001, 2-3-005:002, 2-3-005:003, 2-3-005:024, 2-3-005:026, 2-3-005:027	Kākā'āko, Kewalo
Davis and McGerty, 2002	Assessment	1-, 2-, 9-	Honolulu Rapid Transit Study
Esh and Hammatt, 2004a	Monitoring	2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014, 2-3-015, 2-3-035, 2-3-038, 2-4-003,2-4-004, 2-4-010, 2-4-012	Ala Moana
Ferrall, 1976	Geological Report	2-3-	Kākā'āko, Mō'ili'ili
Griffin, et al., 1987	Literature Review	2-1-, 2-1-029:001, 2-1-029:- 031:	Kākā'āko
Hammatt, 2006a	Monitoring Plan	2-3-005:013, 2-3-005:014, 2-3-005:015, 2-3-005:016, 2-3-005:017, 2-3-005:022, 2-3-005:023,	Ward Village
O'Leary and Hammatt, 2006b	Inventory Survey	2-3-003:072, 2-3-003:088, 2-3-003:102	Moana Vista
Souza, et al., 2002	Monitoring	2-1-058, 2-3-001, 2-3-002, 2-3-003, 2-3-004, 2-3-005	Kākā'āko ID-7
Tulchin and Hammatt, 2004	Literature Review	2-3-004, 2-3-005, 2-3-007, 2-3-009, 2-3-010, 2-3-013, 2-3-014, 2-3-017, 2-3-018, 2-3-022, 2-3-035, 2-3-036, 2-3-038	Kapiʻolani
Tulchin and Hammatt, 2005	Inventory Survey Addendum	2-3-004:073, 2-3-005:027, 2-3-006:014, 2-3-007:002	Koʻolani Condo
Winieski and Hammatt, 2000b	Monitoring Plan	2-3-002:001	Kākāʻāko-Ward Village
Winieski and Hammatt, 2000c	Monitoring	2-3-002:000, 2-3-003:000, 2-3-004:000, 2-3-005:000	Kākā'āko ID-4
Winieski and Hammatt, 2001b	Monitoring	2-3-002:001	Kākāʻāko-Ward Village

Kona Street/University Avenue

The Kona Street/Kapi'olani Boulevard/University Avenue end is the common end segment for the alignments under consideration. This stretch passes through a precontact cultural landscape of fields and residences that was well populated and may contain burials and other cultural resources. The many limestone sinkholes in the area may have been used for a number of cultural practices. The relative paucity of archaeological studies, however (as shown in Table 4-16 and the following list of

references) suggests a significant decrease in anticipated finds from those segments to the west.

Table 4-17. Section V – Kona Street/University Avenue Previous Archaeological Studies

Source	Nature of Study	TMK [1]	Location
Athens, et al., 1994	Burial Report	2-3-039	Kewalo
Borthwick and Colin, 1995	Inventory Survey	2-3-035:001	Convention Center
Burgett and Rosendahl, 1993	Literature Review	2-7, 2-8, 2-9, 3-2, 3-3, 3-4	Mānoa, Pālolo-KP Trans
Burtchard, 1992a	Data Recovery Plan	2-8-029:001	Mānoa-Kānewai
Burtchard, 1992b	Data Recovery	2-8-029:001	Mānoa-Kānewai
Chafee and Spear, 1994	Assessment	2-7-009:013, 2-7-009:014, 2-7-010:008, 2-7-010:009	Mōʻiliʻili
Chiogioji and Hammatt, 2003a	Monitoring Plan	2-3-002, 2-3-003	Kākā'āko, Kewalo
Davis and McGerty, 2002	Assessment	1-, 2-, 9-	Hon. Rap. Tr.
Esh and Hammatt, 2004a	Monitoring	2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014, 2-3-015, 2-3-035, 2-3-038, 2-4-003,2-4-004, 2-4-010, 2-4-012	Ala Moana
Ferrall, 1976	Geological Report	2-3-	Kākā'āko, Mō'ili'ili
Griffin, et al., 19878	Literature Review	2-1-, 2-1-029:001, 2-1-031	Kākā'āko
Hammatt and Chiogioji, 1993	Assessment	2-7-	Ala Wai Golf
Hammatt and Shideler, 1991	Burial Report	2-8-029:001	Manoa-Kānewai
Hammatt and Shideler, 1996	Data Recovery	2-3-035:001	Convention Center
Liston and Burtchard 1996	Assessment	2-8-029:001	Mānoa-Kānewai
Maly, et al., 1994	Assessment	2-3-035:, 2-3-036:018, 2-3- 036:024, 2-3-036:025	Convention Center
O'Hare, et al., 2004a	Inventory Survey	2-3-004:073, 2-3-005:027, - 2-3006:014, 2-3-007:002	Koʻolani Condo
Schilz, 1991a	Literature Review	2-7-016, 2-7-017	Mōʻiliʻili
Smith, 1989	Burial Report	2-3-039:019	Kapiʻolani
Wolforth, et al., 1996	Inventory Survey	2-7-, 2-8-, 2-9-, 3-2-, 3-3-, 3-4	Mānoa, Pālolo-KP Trans

Waikīkī Spur

This section reviews the extensive previous archaeological studies conducted in Waikīkī, focusing in particular on burials. Figure 4-12 shows the location of archaeological

studies in the vicinity of the Kūhiō Avenue Waikīkī Spur. These investigations are summarized in Table 4-17. Tax Map Key numbers are usually not added to this table, since information on the location of many burials, especially burials recorded by the Bishop Museum, is rather vague and the TMK is not known. Until the 1970s almost all of the documentation of burial finds in Waikīkī was in the records of the Bernice Pauahi Bishop Museum. This study draws upon information from an Inventory of Human Remains from the Island of Oʻahu in the possession of the Bishop Museum completed in accordance with NAGPRA (Bishop Museum "New Table" dated 3/15/2000) and a summation of museum holdings in the *Federal Register* (January 28, 1998, Volume 63, Number 18). Often the available information from this inventory is limited. More detailed information may be available through a more thorough investigation of museum records

Overview of Archaeological Research in Waikīkī

N.B. Emerson reported on the uncovering of human burials during the summer of 1901 on the property of James B. Castle – site of the present Elks Club – in Waikīkī during excavations for the laying of sewer pipes (Emerson, 1902:18-20). Emerson noted:

The soil was white coral sand mixed with coarse coral debris and seashells together with a slight admixture of red earth and perhaps an occasional trace of charcoal. The ground had been trenched to a depth of five or six feet, at about which level a large number of human bones were met with, mostly placed in separate groups apart from each other, as if each group formed the bones of a single skeleton. Many of the skulls and larger bones had been removed by the workmen before my arrival, especially the more perfect ones (Emerson, 1902:18).

Emerson's report on the find describes the remains of at least four individuals, all presumed to be Hawaiian. Associated burial goods were also exposed during excavation; these included "a number of conical beads of whale-teeth such as the Hawaiians formerly made" and "a number of round glass beads of large size." The glass beads "can be assigned with certainty to some date subsequent to the arrival of the white man" (Emerson, 1902:19). Also located with the beads was "a small sized *niho-palaoa*, such as was generally appropriated to the use of the chiefs" which had been "carved from the tooth of the sperm-whale" and which was "evidently of great age" (Emerson, 1902:19). Bishop Museum records show the curation of human remains from inadvertent discoveries at various locations in Waikīkī, with one of the earliest being human remains collected at San Souci Beach in 1927.

In the 1920s and 1930s the first systematic archaeological survey of O'ahu was conducted by J.C. McAllister (1933). He recorded four *heiau*, three of which were located at the mauka reaches of Waikīkī *ahupua'a* in lower Mānoa Valley. The fourth *heiau*, Papa'ena'ena, was located at the foot of Diamond Head crater and is traditionally associated with Kamehameha I, who was said to have visited the *heiau* before setting off to battle for Ni'ihau and Kaua'i in 1804 ('Ī'ī 1959:50-51). No *heiau* are believed to have been near the proposed Waikīkī Spur alignment.




Figure 4-12. Archaeological Studies near Section V – Waikīkī Spur (Kūhiō Avenue)

Table 4-18. Section V – Waikīkī Spur Previous Archaeological Investigations

Source	Nature of Study	Location	Findings
Athens, 1990	Letter	TMK: 2-6-023:025	Letter to SHPD listing human remains at IARII lab from Pacific Beach Hotel and Barbers Point Generating Station
Bath and Kawachi, 1989	Burial Recovery	Ala Wai Golf Course	Two burials
Beardsley and Kaschko, 1997	Monitoring and Data Recovery Report	Pacific Beach Hotel Office Annex	Traditional Hawaiian cultural deposits and two human burials; three ¹⁴ C dates; historic and precontact artifacts recovered
Bishop Museum, 2000 [1927]	"New Table" Burial List*	Just South of Natatorium OA0633	Collected by C.C. Hartwell at B.M.
Bishop Museum, 2000 [1964]	"New Table" Burial List	2431 Prince Edward Street OA 0462 and OA0463	Two human skulls and other human remains discovered in a construction trench
Bishop Museum, 2000 [1964]	"New Table" Burial List	Beach in front of Surfrider Hotel OA0464	Human burials revealed in sand due to erosion of beachfront donated by Lloyd J. Soehren
Bishop Museum, 2000 [1967]	"New Table" Burial List	International Market Place OA 0516	Donated by Lloyd J. Soehren
Bishop Museum, 1976	Burial List	Hale Koa Hotel	Six burials unearthed, five of apparent prehistoric age, and one of more recent date
Bishop Museum, 1981	Interim Progress Report on Testing, Excavations, and Monitoring	Halekūlani Hotel	Intact cultural deposits found
Bishop Museum, 2000 [1984]	Burial Remains List	Waikīkī Ahupuaʻa	Listing of burial remains in Waikīkī Ahupua'a at the Bishop Museum
Bishop Museum, 2000 [1986]	Burial List	"Queen's Beach" just North of Aquarium	Donated to B.M. by Toni Han and Aki Sinoto
Borthwick, et al., 2002	Inventory Survey	71,000 sq. ft. parcel, TMK: 2-6-016:002	No burials encountered during testing; absence of dry Jaucus sand deposits indicate burial finds are unlikely in project area
Bush and Hammatt, 2002b	Monitoring	Kalākaua Avenue, between Ala Moana Boulevard and Kapahulu Avenue	Four human burials; analysis suggests pre-contact Native Hawaiians; several historic trash pits; entire pig within an <i>imu</i> pit (estimated date, A.D. 1641-1671); gleyed muck associated with former ponds
Bush, et al., 2003b	Monitoring	International Marketplace	Historic trash found

Source	Nature of Study	Location	Findings
Calis, 2002	Monitoring	Lemon Road	No historic deposits; major previous disturbance
Carlson, et al., 1994	Report of Human Remains	Kālia Road at Fort DeRussy	Approximately 40 human burials found, the majority from a communal burial feature
Chiogioji, 1991	Assessment	2 parcels, TMK 2-6- 24:65-68 and 80-83, TMK 2-6-24:34-40 and 42-45	TMK 2-6-24:36-40, formerly a corner of the 'Āinahau estate; remainder of parcels, former 'auwai, kalo and rice fields; subsurface test excavations and specific sampling strategy recommended
Chiogioji, et al., 2004	Archaeological Inventory Survey	Tusitala Vista Apartments	Human remains encountered
Cleghorn, J., 1993	Report on Inadvertent Discovery of Remains	Waikīkī Aquarium	Remains of one human, mandible identified
Cleghorn P., 1996b	Inventory Survey	TMK: 2-6-016:23, 25, 26, 28, 61, 69	Seven backhoe trenches excavated; no sites located
Cleghorn, P., 2001a, b	Mitigation	Burger King Construction Site	Three incidents of uncovered human remains while locating buried sewer-line for the ABC's store
Corbin, 2001	Inventory Survey	Hilton Waikikian Property	No archaeological sites found during excavations of the area
Dagher, 1993	Report on Inadvertent Discovery	Waikīkī Aquarium	Human remains of at least one person identified, excavation recommended
Davis, 1984	Archaeological and Historical Investigation	Halekūlani Hotel	48 historic and prehistoric features excavated: six human burials recovered along with artifacts from both fire and trash pits
Davis, 1989	Reconnaissance Survey and Historical Research	Fort DeRussy	Fishponds and other features buried in this area. Sites -4573 thru -4577 are fishponds; -4570 is a remnant cultural deposit
Davis, 1991	Monitoring Report	Fort DeRussy	See also Davis, 1989. No groundwater contamination found; subsurface features and material remains date to early post-contact times (c. 1780s to 1790s) through the mid-19th century
Dega and Kennedy, 1993	Report on Inadvertent Discovery of Remains	Waikīkī Aquarium	Discovery of unidentified bone fragments; all remains turned over to SHPD

Source	Nature of Study	Location	Findings
Denham and Pantaleo, 1997a	Monitoring and Excavations Report	Fort DeRusssy	Final Report does not include SHPD recommendations; 10 subsurface features and nine burial locations found. 14C dates
Denham, et al., 1997	Data Recovery Report	Fort DeRussy	Excavations conducted at fishponds, ¹⁴ C dates mid-17th century
Elmore and Kennedy, 2001b	Burial Report	Royal Hawaiian Hotel	Human remains found during trench excavations for conduit. In situ remains left in place; disturbed remains re-entered with others
Elmore and Kennedy, 2002	Monitoring	Fort DeRussy	No findings
Emerson, 1902	Preliminary Report on Human Bones	James B. Castle Property: Site of present Elks Club	Human burials: skeletal remains from four individuals, glass beads, conical beads made of whale teeth, small carved <i>niho-palaoa</i>
Freeman, et al., 2005	Archaeological Inventory Survey	Kālia Waikīkī TMK 2-6-11	Burial encountered
Grant, 1996	Historical Reference	Waikīkī	Historical information about Waikīkī prior to 1900
Griffin, 1987	Burial Recovery Report	Along Kalākaua Avenue near the corner of Kaʻiulani Street	Bones removed and bagged by construction crew, burial found in makai wall of gas pipe excavation
Hammatt and Chiogioji, 1993	Archaeological Assessment	16-Acre portion of the Ala Wai Golf Course	Not associated with any known surface archaeological site; however, prehistoric and early historic occupation layers associated with <i>lo'i</i> system remain intact below modern fill. Specific sampling strategy and potential burial testing recommended.
Hammatt and Chiogioji, 1998c	Assessment	King Kalākaua Plaza Phase II	No surface archaeological sites, documented human burials, presence of subsurface cultural deposits (pre-contact Hawaiian and historic provenance)
Hammatt and Chiogioji, 2000b	Archaeological Assessment	Honolulu Zoo Parcel	Majority of zoo parcel unlikely to yield significant cultural deposits, but strong possibility of significant subsurface cultural deposits in the SW portion, and archaeological monitoring recommended in area
Hammatt and McDermott, 1999	Burial Disinterment Plan and Report	Kalākaua Avenue	Two human burials found
Hammatt and Shideler, 1995	Sub-surface Inventory Surface	Hawai'i Convention Center Site, 1777 Kalākaua Avenue	No further work recommended

Source	Nature of Study	Location	Findings
Hammatt and	Data Recovery	Hawaiʻi Convention	No clear evidence that Kūwili Pond
Shideler, 1996		Center Site	sediments present in project area;
'			no further work recommended
Hurlbett, et al.,	Monitoring	TMK: 2-6-008:001	Site -2870 assigned to three burials
1992			found by Neller in 1980b
Hurst, 1990	Historical	Waikikian Hotel	Background and planning
,	Literature Search		document; no fieldwork conducted
Jourdane,	Report of	Paoakalani Avenue	Human skeletal remains discovered
1995b	Inadvertent		in planted strip between street and
	Discovery of		sidewalk fronting hotel
	Human Remains		
Kennedy,	Monitoring Report	TMK: 2-6-022:014	Pollen and bulk-sediment ¹⁴ C
1991b		IMAX theater location	samples from ponded sediments
			were recovered. The three ¹⁴ C
			dates and the pollen sequence
			were interpreted as inverted
LeSuer, et al.,	Inventory Survey	King Kalākaua Plaza	Site -5796 has been adversely
2000		Phase II	affected by land alteration of the
			project area; Site -4970, has been
			adequately documented
Maly, et al.,	Archaeological	Convention Center	Recommend subsurface testing to
1994	and Historical	Project Area	determine presence or absence of
	Assessment		cultural deposits and features
McAllister, 1933	Study Island-wide	All of Oʻahu	Waikīkī listed as Site 60
IVICAIIISTEI, 1933	survey		VValkiki iisteu as Site 60
McDermott, et	Inventory Survey	ʻĀinahau Estate	Buried remnants of <i>'auwai</i> and <i>lo'i</i>
al., 1996		/ and Lotato	and human burial found on grounds
			of 'Āinahau Estate, ¹⁴ C dates
McGuire and	Cultural	Along Lewers Street,	Primary cultural concern identified
Hammatt, 2001	Assessment	Beach Walk, Kālia Road	as inadvertent burial discovery.
		and Saratoga Road.	Cultural monitoring recommended
		Proposed Waikīkī Beach	for all subsurface work within
		Walk project (Outrigger	project area
NA NA 1 1001	OLIDO D	properties renovations)	1
McMahon, 1994	SHPD Burial	Intersection of Kalākaua	Inadvertent Burial Discovery: misc.
	Report	and Kuamoʻo Streets	bones uncovered in back dirt pile
			during construction. Follow up by
Monnard	Monitorina	Lilifuokoloni Assassa assa	CSH Eigh busiel finds of six individuals:
Mann and Hammatt,	Monitoring	Liliʻuokalani Avenue and Uluniu Avenue	Five burial finds of six individuals; two historic trash pits
2002b		Olumu Avenue 	เพอ การเอกอ แลรก คเร
Nakamura,	History Graduate	VVaikīkī	History of Waikīkī with focus on
1979	Thesis	VVAININI	radical changes in land use that
1 10/0	1110313		occurred in the early 20th century
Neller, 1980b	Monitoring	Kālia Burial Site: Hilton	Brief field inspection: partial
1401101, 13000	iviolitioning	Hawaiian Village	recovery of three historic Hawaiian
		i i a wanan winago	burials, trash pit from 1890s, no
			prehistoric Hawaiian sites
			promotorio i idvidilati 3103

Source	Nature of Study	Location	Findings
Neller, 1981	Survey	Halekūlani Hotel	Limited background research on
			area
Neller, 1984	Informal Narrative	Liliʻuokalani Gardens	Recovery of seven human burials
	Report	condominium, originally	and historic and pre-contact
		Queen Lili'uokalani's	artifacts at construction site
		19th century bungalow	
O'Leary, et al.,	Archaeological	2284 Kalākaua (former	Burial encountered
2005	Inventory Survey	Waikīkī 3 Theater parcel	
Perzinski and	Monitoring	Kapiʻolani Bandstand	A charcoal layer was observed, more concentrated on the SW
Hammatt, 2001a			portion; recovered indigenous
2001a			artifact, basalt lamp with handle,
			from SE end of bandstand
Perzinski and	Monitoring	Kapiʻolani Park	No cultural layer, artifacts, midden
Hammatt,	Worldoning	Taprolam and	or human burials encountered
2001b			during excavations
Perzinski and	Monitoring	Kalākaua Avenue from	No cultural layer, artifacts, midden
Hammatt,		the Natatorium to Poni	or human burials encountered
2001c		Moʻi Road	during excavations.
Perzinski, et al.,	Monitoring Report	Along portions of Ala Wai	Two human burials found (one
1999		Boulevard, Kalākaua	preceding monitoring); pockets of
		Avenue, Ala Moana	undisturbed layers still exist; burial
		Boulevard, and 'Ena	no. 2 previously disturbed
		Road	
Perzinski, et al.,	Burial Findings	Kalākaua Avenue	44 sets of human remains; 37
2000b		between Kaiʻulani and	disinterred, seven left in place;
		Monsarrat Avenues	believed to be Native Hawaiian,
<u> </u>			prior to 1820
Pietrusewsky,	PA Report	Moana Hotel	Right half of human mandible found
1992a	DA Bonort	Liliʻuokalani Gardens	by hotel guest Human remains from the
Pietrusewsky, 1992b	PA Report		Liliʻuokalani Gardens Site,
19920		Site, Hamohamo	Hamohamo, Waikīkī, Oʻahu
Putzi and	Monitoring	Hilton Hawaiian Village	No findings during monitoring of
Cleghorn, 2002	Widthtoffing	Tillon Flawalian Village	trench excavations for sewer
Glognom, 2002			connections
Riford, 1989	Pre-Field	TMK: 2-6-014:039	List of literature pertaining to
,	Background		Waikīkī area
	Literature Search		
Rosendahl,	Inventory Survey,	Fort DeRussy	Historic artifacts, no human remains
1989	Preliminary		
	Report		
Rosendahl,	Monitoring Report	Hilton Hawaiian Village	Identified 12 historic refuse pits,
1992			three historic to modern trenches;
			not recommended for further work,
			significant only for informational
Bosondohl	Interim Benert	Fort DoBuccy	This area is part of the old shareline
Rosendahl, 1999	Interim Report:	Fort DeRussy	This area is part of the old shoreline
שששו	Inventory Survey		

Source	Nature of Study	Location	Findings
Rosendahl, 2001	Assessment	Outrigger Beach Walk	Assessment of previous historical and archaeological literature
SHPD, 1987	Burial Report	Kalākaua Avenue	From excavation adjacent to Moana Hotel (site -9901)
SHPD, 1991	Public Inquiry	TMK: 2-6-024:036	Bones determined to be non- human and part of the extensive fill material present in the area
Simons, 1988	Interim Field Study, Monitoring and Data Recovery	Moana Hotel Area	Human skeletal remains, burials, preliminary osteological analysis indicates pre-contact type; artifactual material recovered, both pre- and post-contact types
Simons et al., 1995	Data Recovery Excavations	Fort DeRussy	Seven occupational layers, six prehistoric cultural features: 'auwai bunds and channels, fishpond walls and sediments, possible lo'i, and hearths
Streck, 1992	Memorandum for Record	Fort DeRussy	Human burial discovery (believed to be late prehistoric Hawaiian) during data recovery excavations, May, 20, 1992
Tome and Dega, 2003	Monitoring	Waikīkī Marriot	No in situ remains; monitoring recommended if more work to be done; one isolated not in situ possible human bone fragment
Tulchin and Hammatt, 2003	Archaeological and Cultural Impact Assessment	2284 Kalākaua Avenue	Notes possibility of burials within project area; recommends inventory survey with subsurface testing
Winieski and Hammatt, 2000d	Monitoring	TMK: 1-2-6-025:000	The possibility exists that Hawaiian or historic materials and human burials may still be present within the project area
Winieski, et al., 2002a	Monitoring	Kalākaua Avenue between Kaʻiulani and Monsarrat Avenues	44 human burials encountered, 37 disinterred; buried habitation layer contained traditional Hawaiian artifacts, midden, hearths, fire pits, and charcoal concentrations; fragment of light gauge rail, remnant of Honolulu Transit trolley system, observed; also low energy alluvial sediments associated with now channelized <i>muliwai</i> Kukaunahi
Winieski, et al., 2002b	Monitoring	Kūhiō Beach	Skeletal remains of 10 individuals, six disinterred, only two in situ. Four indigenous artifacts, none in situ. Discontinuous cultural layer, historic seawall

* The "New Table" Burial List is a listing of the Bishop Museum acquisitions of human remains in the possession of Cultural Surveys Hawai'i dated 3/15/2000 that gives a short summary of place of acquisition, collection history and source. Dates in brackets indicate original date of identification of remains.

The era of salvage archaeology in Waikīkī commenced with the Bishop Museum's 1961 excavations on Saratoga Road when human remains were encountered during construction.

In 1963 the Bishop Museum excavated multiple burials during construction of the present Outrigger Canoe Club at the Diamond Head end of Kalākaua Avenue. A total of 27 burials were encountered, although apparently no formal archaeological report on the burials was produced (Yost, 1971: 28). As reported in a newspaper article on Jan. 24, 1963, The Outrigger Canoe Club dedicated its new site on land adjacent to and leased from the Elks Club, an ancient Hawaiian burial ground in Waikīkī:

Robert Bowen of the Bishop Museum has been working closely with Ernest Souza, Hawaiian Dredging superintendent, on the removal of skeletons unearthed on the site, between the Colony Surf and the Elks Club...

Most of the bodies were buried in the traditional ho'olewa position, with the legs bound tightly against the chest.

One of the skeletons, Bowen said, shows evidence of a successful amputation of the lower forearm, indicating that the Hawaiians knew this kind of operation before the arrival of Europeans.

The ages of the skeletons ranged from children to 40-year-old men and women. The average life span of the Hawaiians at the time was about 32 years (*Honolulu Star-Bulletin*; Jan. 24, 1963: 1A)

In 1963, two human skulls and other human remains were discovered in a construction trench at 2431 Prince Edward St. (Bishop Museum site Oa-A4-23, cited in Neller, 1984).

In 1964, sand dune burials, a traditional Hawaiian mortuary practice, were revealed as beach sand eroded on the site of the Surfrider Hotel (Bishop Museum Site files).

In 1964, human remains of four individuals from Waikīkī, Oʻahu were collected and donated to the Bishop Museum by Lloyd J. Soehren. In 1967, Soehren collected and donated to the Bishop Museum the human remains of one individual from Waikīkī. The one associated funerary object is a shell (Bishop Museum Site files).

Bishop Museum records indicate that Lloyd J. Soehren recovered human remains in 1967 during construction of the "Tahiti by Six" restaurant at International Market Place.

Few archaeological reports were conducted in Waikīkī during the 1970s. In 1976, during construction of the Hale Koa Hotel, adjacent to the Hilton Hawaiian Village Hotel, six burials were unearthed, five of apparent prehistoric or early historic age and one of more recent date (Bishop Museum Site files). In 1977 Sinoto conducted a reconnaissance

survey on the grounds of the Hilton Hotel. No surface features were identified, although it was recommended that construction work be monitored owing to the possibility that subsurface cultural deposits would be encountered. A third report (Rogers-Jourdane, 1978) describes a surface reconnaissance at the site of the Halekūlani Hotel. No cultural resources were encountered; however, it was recommended that construction be monitored in the event buried cultural deposits were present.

In 1980, three burials were exposed at the Hilton Hawaiian Village during construction of the hotel's Tapa Tower. Earl Neller of the (then named) State Historic Preservation Program was called in upon discovery of the burials and conducted fieldwork limited to three brief inspections of the project area. Neller's (1980b) report noted, "The bones from three Hawaiian burials were partially recovered; one belonged to a young adult male, one a young adult female, and one was represented by a single bone." Neller also documented the presence of trash pits, including one from the 1890s, which contained "a large percentage of luxury items, including porcelain tablewares imported from China, Japan, the United States, and Europe" (Neller, 1980b:5). He further noted the importance of "dateable trash deposits related to the different ethnic and social groups that occupied Waikīkī over the last 200 years" (Neller, 1980b: 5).

Between December 1981 and February 1982, archaeologists from the Bishop Museum led by Bertell Davis conducted a program of excavations and monitoring during construction of the new Halekūlani Hotel (Davis, 1984). Six human burials were recovered along with "animal burials [and] cultural refuse from prehistoric Hawaiian fire pits, and a large collection of bottles, ceramics, and other materials from trash pits and privies dating to the late 19th century" (Davis, 1984:i).

In 1983, at the Lili'uokalani Gardens condominium construction site, seven traditional Hawaiian burials were recovered (Neller, 1984). This had been the site of a bungalow owned by Queen Lili'uokalani at the end of the 19th century. In addition to the burials, the site contained plentiful historic artifacts and a pre-historic cultural layer pre-dating the burials.

During 1985 and 1986, archaeologists from Paul H. Rosendahl, Ph. D. Inc. conducted archaeological monitoring at the site of the Mechanical Loop Project at the Hilton Hawaiian Village, Waikīkī. Much of this project area was disturbed by historic and modern construction and modification. Fifteen subsurface features were uncovered during monitoring, all of which were determined to be historic trash pits or trenches. The dating of these features was based on the artifactual material they contained. All 15 features are thought to post-date 1881 based on this artifact analysis. The three partial burials reported by Neller (1980b) were found within this project area. No further burials were encountered during the fieldwork (Hurlbert, et al., 1992).

In 1985, International Archaeological Research Institute, Inc. performed archaeological monitoring and data recovery at the Pacific Beach Hotel Office Annex (Beardsley and Kaschko, 1997). Two traditional Hawaiian burials were discovered and removed. Intact buried traditional Hawaiian cultural deposits, including a late pre-contact habitation layer, contained pits, fire pits, post molds, artifacts, and food debris. The artifacts included

basalt and volcanic glass flakes and cores, a basalt adze and adze fragments, worked pearl shells, a coral file and abraders, and a pearl shell fishhook fragment. Additionally, a late 19th-century trash pit was discovered, which contained a variety of ceramics, bottles, and other materials.

In 1987, a human burial was discovered and removed at the intersection of Kalākaua Avenue and Ka'iulani Street during excavations for a gas pipe fronting the Moana Hotel (Griffin, 1987).

In 1988, the Moana Hotel Historical Rehabilitation Project (Simmons, 1988) encountered human remains from at least 17 individuals. Based on stratigraphic association these burials were interred over time as the landform at the site changed. The sediment surrounding these burials yielded traditional midden and artifact assemblages. The burials and human remains were found in the Banyan Court and beneath the hotel itself.

Davis' (1989, 1991) excavation and monitoring work at Fort DeRussy documented substantial subsurface archaeological deposits, prehistoric, historic, and modern. These deposits included buried fishpond sediments, 'auwai (irrigation ditch) sediments, midden, artifact-enriched sediments, structural remains such as post holes and fire pits, historic trash pits, and a human burial. Davis' (1991) report documents human activity in the Fort DeRussy beach front area from the 16th century to the present.

The work at Fort DeRussy continued in 1992 when BioSystems researchers built upon Davis' work (Simons, et al., 1995). BioSystems research documents the development and expansion of the fishpond and 'auwai system in this area. The 'auwai system was entered on the State Inventory of Historic Places (SIHP) as State Site 50-80-14-4970. Remains of the fishpond and 'auwai deposits, as well as habitation deposits, were documented below modern fill deposits. This research, along with that of Davis (1991), clearly demonstrates that historical document research can be an effective guide to locating late pre-contact/early historic subsurface deposits, even amidst the development of Waikīkī.

In 1992, Hurlbett, et al., (1992) conducted additional monitoring and testing in the same area as Neller (1980b). The state site -2870 was given to the three burials first found by Neller. Additional subsurface features, postdating 1881, were found during trenching operations.

The realignment of Kālia Road at Fort DeRussy in 1993 uncovered approximately 40 human burials. A large majority of these remains were recovered in a large communal burial feature (Carlson, et. al., 1994). The monitoring and excavations associated with this realignment uncovered a cultural-enriched layer that contained post holes.

In 1993, during construction activities at Waikīkī Aquarium, fragmentary human remains were discovered scattered in a back dirt pile, although no burial pit was identified (Dega and Kennedy, 1993).

On April 28, 1994, an inadvertent burial discovery was made during excavation for a water line at the intersection of Kalākaua Avenue and Kuamoʻo Street (just *mauka* of Fort DeRussy). These remains represented a single individual (McMahon, 1994).

In 1995, the remains of one individual were discovered in situ during construction activities on Paoakalani Street, fronting the Waikīkī Sunset Hotel (Jourdane, 1995b).

In 1996, a traditional Hawaiian burial was discovered and left in place during test excavations on two lots at Lili'uokalani Avenue and Tusitala Street (McDermott, et al., 1996). Indigenous Hawaiian artifacts and historic artifacts were also found.

In 1996, Pacific Legacy, Inc. conducted an archaeological inventory survey of the block bounded by Kalākaua Avenue, Kūhiō Avenue, 'Ōlohana Street, and Kālaimoku Street (Cleghorn, 1996b). The survey included excavation of seven backhoe trenches. The subsurface testing indicated that:

... this area was extremely wet and probably marshy. This type of environment was not conducive for traditional economic practices. . The current project area appears to have been unused because it was too wet and marshy. Several peat deposits, containing the preserved remains of organic plant materials were discovered and sampled. These deposits have the potential to add to our knowledge of the paleoenvironment of the area [Cleghorn, 1996b:15].

The report concluded that no further archaeological investigations of the parcel were warranted since "no potentially significant traditional sites or deposits were found," but cautioned of the "possibility, however remote in this instance, that human burials may be encountered during large scale excavations" (Cleghorn, 1996b:15).

In 1997, during archaeological monitoring by CSH for the Waikīkī Force Main Replacement Project, scattered human bones were encountered on 'Ōhua Street (Winieski and Hammatt, 2000d). These included the proximal end and mid-shaft of a human tibia, a patella, and the distal end and mid-shaft of a femur. No precise location for the original burial site was identified.

In April 1999, two human burials were inadvertently encountered near the intersection of Ena Road and Kalākaua Avenue during excavation for the first phase of the Waikīkī Anti-Crime Lighting Improvements Project (Perzinski, et al., 1999).

From July 1999 to October 2000, four sets of human remains were inadvertently encountered during excavation activities for the Waikīkī Anti-Crime Street Lighting Improvement Project along portions of Kalākaua Avenue (Bush, et al., 2002b).

From November 1999 to May 2000, 44 human burials with associated cultural deposits were encountered during excavation for a waterline project on Kalākaua Avenue between Ka'iulani and 'Ōhua Avenues (Winieski, et al., 2002a). Except for previously disturbed partial burials located in fill materials, the bulk of the burials were encountered within a coralline sand matrix. Additionally, a major cultural layer was found and documented.

From January 2000, to October 2000, 10 human burials were encountered during archaeological monitoring of the Kūhiō Beach Extension/Kalākaua Promenade Project (Winieski, et al., 2002b). Six of these were within a coralline sand matrix. The four others were partial and previously disturbed within fill. Additionally, a major cultural layer was found and documented, apparently part of the same major cultural layer associated with the waterline project between Kaʻiulani and 'Ōhua Avenues.

In April 2001 human remains were inadvertently disturbed during excavations associated with construction of a spa at the Royal Hawaiian Hotel (Elmore and Kennedy, 2001b). Archaeological Consultants of the Pacific, Inc documented the remainder of the burial and carrying out the instruction of the Department of Land and Natural Resources (DLNR) and SHPD. The burial and place it was encountered was assigned State Site # 50-80-14-5937. The associated artifacts included one shell button found in situ and three other shell buttons found in the disturbed material. A single drilled dog tooth was also found during excavation but could not be positively associated with the site.

On May 2 and June 14, 2001, two in situ and two previously disturbed human burials were encountered at the site of a new Burger King (Cleghorn, 2001a) and an adjoining ABC Store (Cleghorn, 2001b). The finds were at the intersection of 'Ōhua Street and Kalākaua Avenue. Because of their proximity to five burials encountered during the Kalākaua 16-inch Water Main Installation (Winieski, et al., 2002a), they were included in the previously assigned State Site 50-80-14-5861. Three of these burials were recovered, and one was left in place. Volcanic glass fragments were found in association with one of the burials. A cultural layer was also observed that contained moderate-to-heavy concentrations of charcoal and fragments of volcanic glass. Historic-era artifacts, including a bottle fragment, plastic and glass buttons, a ceramic fragment, and metal fragments, were also encountered within fill materials.

In 2001 and 2002, during archaeological monitoring on Uluniu and Lili'uokalani Avenues, five burial finds, consisting of six individuals, were recorded (Mann and Hammatt, 2002b). Four burial finds were recorded on Uluniu Avenue; three of these inadvertent finds were found in fill sediment. Because the three burial finds in fill had been previously disturbed, it was concluded that no state site number(s) would be assigned. The only primary in situ burial encountered on Uluniu Avenue was assigned State Site #50-80-14-6369. The fifth burial, consisting of two individuals in fill material, was recorded from Lili'uokalani Avenue. Since three burials had been found in the immediate vicinity during a previous project (Winieski, et al., 2002b) and had been assigned to Site #50-80-14-5859, the two new individuals were recorded as Feature H of this previously recorded site.

A recent archaeological inventory survey (Chiogioji, et al., 2004) for a 1.03-acre parcel of land bounded by Ala Wai Boulevard to the northeast and Tusitala Street to the southwest identified four sites, including a buried A Horizon relating to 'Āinahau (Cleghorn Estate) and human skeletal fragments in disturbed sediment.

Another recent archaeological inventory survey (O'Leary, et al., 2005) at the location of the former Waikīkī 3 Theater on Kalākaua Avenue documented a single in situ articulated burial

Summary of Previous Research in Waikīkī

The *ahupua* 'a of Waikīkī, in the centuries before the arrival of Europeans, was an intensely used area with abundant natural and cultivated resources that supported a large population. After a period of depopulation in the 19th and early 20th centuries, Waikīkī was reanimated by Hawaiians and foreigners residing there, and by farmers continuing to work the irrigated field system, which had been converted from taro to rice. Farming continued until construction of the Ala Wai Canal drained the remaining ponds and irrigated fields. Remnants of the pre-contact and historical occupation of Waikīkī have been discovered and recorded in archaeological reports, usually in connection with construction activities related to urban development or infrastructure improvements. These discoveries, which have occurred throughout Waikīkī, have included many human burials and cultural deposits, traditional Hawaiian and historic.

The abundance of burials and cultural deposits in the vicinity of the Waikīkī Spur makes inadvertent finds during subsurface excavation likely. During monitoring, agricultural and aquacultural features, as well as habitation loci, could be expected (Chaffee and Spear, 2004), and human remains and intact or disturbed cultural deposits could also be found.

In summary, past archaeological research, from the beginning of the 20th century to the present, has produced evidence that traditional Hawaiian cultural deposits, historic trash deposits, and, most notably, human burials, do exist throughout the breadth of the Waikīkī area.

Results of previous archaeological research in adjacent areas of Waikīkī have revealed a high frequency of burials and cultural deposits. Several archaeological deposits and sets of human remains have been discovered near the proposed Kūhiō Avenue Waikīkī Spur. The greatest abundance of these burials is to the west and south near Kalākaua Avenue, but the density and distribution of burials along Kūhiō Avenue is not altogether clear.

Section IV Iwilei to UH Mānoa References

Anderson, Lisa, 1995. Archaeological Sub-surface Inventory Survey of the King Street Property, Honolulu, Hawai'i 96813 (TMK 1-2-1-044: 041, 042, and 043). Ogden Environmental and Energy Services Co., Honolulu.

Athens, J. Stephen, 1986. *Archaeological Monitoring at the Judiciary Parking Garage, Honolulu, Hawai'i (TMK 2-1-30:3,4,38,39,41,43; State Site 80-14-3984)*. International Archaeological Research Institute, Inc., Honolulu.

Athens, Stephen, 1990. Letter: Inventory of Human Skeletal Remains from Hawai'i at IARII. International Archaeological Research Institute Inc., Honolulu.

Athens, J. Stephen, Conrad Erkelens, Jerome V. Ward, Robert H. Cowie, and Michael Pietrusewsky, 1994. *The Archaeological Investigation of Inadvertently Discovered Human Remains at the Pi 'ikoi and Kapi 'olani Intersections, Kewalo, Waikīkī, O 'ahu, Hawai 'i.* International Archaeological Research Institute, Inc., Honolulu.

Bath, Joyce, 1987. Central Honolulu Burial: Mitsunaga Construction Company; Honolulu, Oʻahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Bath, Joyce, and Carol Kawachi, 1989. *Ala Wai Golf Course Burial: Site 80-14-4097 ME#89-0252 Mānoa, Honolulu District, Oʻahu TMK 2-7-36:15.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Beardsley, Felicia Rounds, and Michael W. Kaschko, 1997. *Archaeological Monitoring and Data Recovery Pacific Beach Hotel Annex, Waikīkī, O'ahu.* International Archaeological Research Institute, Inc., Honolulu.

Bernice P. Bishop Museum, 1976. *Bishop Museum Site Files*, 1967. Bernice P. Bishop Museum, Honolulu.

Bernice Pauahi Bishop Museum, 1981. *Interim Progress Report on Archaeological Testing, Excavations, and Monitoring at the Halekūlani Hotel.* Bernice P. Bishop Museum, Honolulu.

Bernice Pauahi Bishop Museum, 2000. "New Table" accounting of Bishop Museum holdings of human remains dated Wednesday March 15, 2000 pages numbered 9 to 14, 1984. Burial Remains Waikīkī Ahupua'a Maunalua to Waikīkī (incl. Manoa) at Bishop Museum Kona. Bernice P. Bishop Museum, Honolulu.

Borthwick, Douglas F., and Brian Colin, 1995. *Archaeological Sub-surface Inventory Survey at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Borthwick, Douglas, and Hallett H. Hammatt, 2006. *Archaeological Inventory Survey Report for the Victoria Ward Village Shops Project Property, TMK:* [1] 2-3-5: 013 –017, 022, and 023. Cultural Surveys Hawai'i, Inc. Kailua, Hawai'i.

Borthwick, Douglas, Anthony Bush, Rodney Chiogioji, and Hallett Hammatt, 2002. *Archaeological Inventory Survey of an Approximately 71,000-sq.ft. Parcel in Waikīkī, Waikīkī Ahupua'a, Kona District, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Burgett, Berdena, and Paul H. Rosendahl, 1993. *Archaeological Sensitivity Study, Kamoku-Pūkele Transmission Lines Alignments, Lands of Mānoa, Pālolo, and Waikīkī, Honolulu District, Island of Oʻahu (TMK:2-7,2-8,2-9,3-2, 3-3, 3-4).* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

Burtchard, Greg, 1992a. *Backhoe Trench Placement and Schedule for Data Recovery at Kapapa Lo'i Kānewai, Waikīkī, Kona, O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Burtchard, Greg C., 1992b. *Completion of Archaeological Data Recovery at Kapapa Loʻi, Kānewai, Waikīkī, Kona, Oʻahu*. International Archaeological Research Institute, Inc., Honolulu.

Bush, Tony, and Hallett H. Hammatt, 2002a. *An Archaeological Monitoring Plan for Kākā 'āko Community Development District Improvement District 10, Honolulu, Hawai 'i (TMK 2-3-04, 05, 06, and 07)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Bush, Anthony, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report for the Waikīkī Anticrime Lighting Improvement Project Phase II (TMK 2-6-1, 2-6-2, 2-6-3, 2-6-5, 2-6-6, 2-6-25, 2-6-16, 2-6-18, 2-6-19, 2-6-22, 2-6-23, 2-6-26, 2-6-27).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony, John P. Winieski, Hallett H. Hammatt, 2003b. *Archaeological Monitoring Report for Excavations for the New International Market Place Sign Project, Waikīkī, Oʻahu.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Bush, Anthony, Constance O'Hare, David Perzinski, and Hallett H. Hammatt, 2005. *Archaeological Monitoring Report, Ko'olani Condominiums, Honolulu, O'ahu (TMK 2-3-04, 05, 06, and 07)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Calis, Irene, 2002. An Archaeological Monitoring Report for ABC Store No. 35 Lemon Road Fence Wall Construction Project Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i. Scientific Consultant Services, Inc., Honolulu.

Carlson, Ingrid, Sara Collins, and Paul Cleghorn, 1994. *Report of Human Remains found during the Realignment of Kālia Road, Fort DeRussy, Waikīkī, Oʻahu.* BioSystems Analysis, Kailua, Hawaiʻi.

Carpenter, Alan, and Maurice Majors, 2000. *Archaeological Monitoring at Washington Place*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Carpenter, Alan and Martha Yent, 1995. *Archaeological Monitoring, Kennel Construction at Washington Place, Honolulu, O'ahu. TMK: 2-1-18:01.* Department of Land and Natural Resources, Division of State Parks, Honolulu.

Chaffee, David B., and Robert L. Spear, 1994. *An Archaeological Assessment of Four Hausten Street Lots in Mō 'ili1ili, Mānoa, Waikīkī Ahupua'a, O 'ahu, Hawai'i, (TMK:2-7-9: 13, 14 and 2-7-10:8, 9) SCS, Kaneohe, Hawai'i.* Scientific Consultant Services, Honolulu, Hawai'i.

Chaffee, David B. and Robert L. Spear, 2004. *An Archaeological Monitoring Plan for Kūhiō Avenue between Kapahulu Avenue and Kalākaua Avenue, Waikīkī Ahupua* 'a,

Honolulu District, O'ahu Island, Hawai'i (TMK:2-6-15 through 28). Scientific Consultant Service, Inc., Honolulu.

Charvet-Pond, Ann, and Jeffrey Pantaleo, 1989. Chinatown Gateway Plaza Project. Part I, Summary of Pre-field Literature and Documents Search for the Proposed Park in Downtown Honolulu (TMK 2-1-03:15, 23, 24, and 25) Part II, Archaeological Monitoring and Subsurface Testing for the Chinatown Gateway Plaza Project (TMK 2-1-03:15, 23, 24, 25), Honolulu, Kona, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Chigioji, Rodney, 1991. *An Archaeological Assessment of Two Parcels in Waikīkī Ahupua'a*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, 1992. An Archaeological Assessment of a 5.33 Acre Parcel in the Kapi 'olani Business District, Honolulu, Island of O'ahu (TMK 2-3-09:portion 01). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1994. *An Archaeological Assessment of an 8.4-Acre Parcel in Downtown Honolulu, Island of O'ahu (TMK 2-1-18:46 and por 1,11,16 and 47).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2003. *An Archaeological Monitoring Plan for the Hokua Tower Project Parcel on Ala Moana Boulevard, Kākā 'āko/Kewalo District, Waikīkī Ahupua 'a, Island of O 'ahu (TMK 2-3-05:1,2,3por 24, 26 and por 27).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2003. *An Archaeological Monitoring Plan for the Queen Street Improvements Project Between Ward Avenue and Kamake'e Street, Kākā'ako/Kewalo District, Waikīkī Ahupua'a, Island of O'ahu, (Portions of TMK 2-3-2, 2-3-03).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2003. *An Archaeological Monitoring Plan for the Sunset Heights Project Parcel on Waimanu Street, Kākā 'āko/Kewalo District, Waikīkī Ahupua 'a, Island of O 'ahu, (Portions of TMK 2-3-04:73:, 2-3-05:27; 2-3-06:14; 2-3-07:2).* Cultural Surveys Hawai 'i, Inc. Kailua, Hawai 'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005. Archaeological Literature Review and Field Inspection of a 14,690 SF Parcel at 1426 Young Street in Honolulu, Makiki Ahupua'a, Kona District, Island of O'ahu, TMK: (1) 2-4-005: 023. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005. Archaeological Monitoring Plan for the Fort Street Mall and Hotel Street Sewer Replacement/Rehabilitation (SMPR 60) Honolulu Ahupua'a, Kona District, O'ahu Island, TMK: (1) 2-1-002, (1) 2-1-003, and (1) 2-1-010-012. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005. Archaeological Monitoring Plan for the Kākā 'āko Water System Improvements Project, Honolulu Ahupua 'a, Kona District,

Oʻahu Island, TMK:[1] 2-1-016, 026, 027, 029, 030, 031, 051, 054 & 055. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005. *Archaeological Monitoring Plan for a 12-Inch and 16-Inch Water Mains Installation Project on Aloha Tower Drive, Nimitz Highway, and Richards Street (Job 04-024) Honolulu Ahupua'a, Kona District, O'ahu Island, TMK: (1) 2-1-014 & (1) 2-1-027. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.*

Chiogioji, Rodney, Matthew McDermott, Douglas Borthwick, and Hallett H. Hammatt, 1991. Archaeological Investigations at the Hawai'i State Public Library Addition Site (State Site No. 50-80-14-9959) for the Department of Accounting and General Services State of Hawai'i (D.A.G.S. Job No. 12-16 1521). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chigioji, Rodney, Uta Rainalter, Sallee Freeman and Hallett Hammatt, 2004. *Archaeological Inventory Survey for the Tusitala Vista Elderly Apartments in Waikīkī Ahupua'a, Kona District, O'ahu Island TMK 2-6-24:70, 71.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Cleghorn, June, 1993. *Inadvertent Discovery of Human Remains at the Waikīkī Aquarium Renovation Project, Waikīkī, Kona, Oʻahu, TMK: 3-1-31: 006.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Cleghorn, Paul, 1989. Report on Archaeological Test Excavations for the Chinatown Gateway Plaza Project. Bernice P. Bishop Museum, Honolulu.

Cleghorn, Paul, 1996b. *The Results of an Archaeological Inventory Survey at the Proposed Kalākaua Plaza, Waikīkī, Oʻahu, Hawaiʻi (TMK 2-6-16:23, 25-26, 28, 61, and 69)*. Pacific Legacy, Inc., Kailua, Hawaiʻi

Cleghorn, Paul, 2001a. Archaeological Mitigation of Waikīkī Burger King Construction, TMK: 2-6-026:013 Kona District, Waikīkī Ahupuaʻa, Island of Oʻahu. Letter to Mr. Roy Yamani (Hawaiʻi CIMMS). Pacific Legacy, Inc., Honolulu

Cleghorn, Paul, 2001b. Archaeological Mitigation near Waikīkī Burger King Construction Site TMK: 2-6-026:012 and 013, Kona District, Waikīkī Ahupuaʻa, Island of Oʻahu. Letter to Mr. Paul Kosasa (ABC Stores). Pacific Legacy, Inc., Honolulu.

Cleghorn, Paul, 2003. Archaeological Monitoring Plan for the Anti-Crime Street Lighting Improvements Chinatown II, Honolulu, Island of Oʻahu. Pacific Legacy, Kailua, Hawaiʻi.

Colin, Brian, and Hallett H. Hammatt, 1997b. Burial Treatment Plan for State Site 50-80-14-4534 and State Site 50-80-14-3712 and Inadvertent Burials for the Nimitz Highway Reconstructed Sewer Honolulu Ahupua'a, Kona District, O'ahu (TMK1-7-02,03 and 2-1-02, 13-16, 25, 27, 29-32). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Corbin, Alan B., 2001. FINAL: Appendix C: Subsurface Archaeological Inventory Survey-Hilton Waikikian Property, Land of Waikīkī, Honolulu (Kona) District, Island of Oʻahu (TMK: 2-6-9-:2, 3, 10). Pacific Health Research Institute, Honolulu.

Dagher, Cathleen, 1993. *Inadvertent Discovery of Human Remains at the Waikīkī Aquarium Renovation Project, Waikīkī, Kona, Oʻahu, TMK: 3-1-31: 006.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Davis, Bertell D, 1984. *The Halekūlani Hotel Site, Oʻahu: Archaeological and Historical Investigations in Waikīkī*. Bishop Museum Manuscript 022384, Bernice P. Bishop Museum, Honolulu.

Davis, Bertell D, 1989. Subsurface Archaeological Reconnaissance Survey and Historical Research at Fort DeRussy, Waikīkī, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu, Hawaiʻi.

Davis, Bertell D., 1991. Archaeological Monitoring of Environmental Baseline Survey and Excavations in Hawaiian Land Commission Award 1515 ('Āpana 2) at Fort DeRussy, Waikīkī, O'ahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Davis, Bertell D., and Leann McGerty, 2002. An Assessment of Archaeological and Cultural Resources Along the Proposed Honolulu Bus Rapid Transit Primary Corridor Honolulu, Hawai'i. Scientific Consultant Services, Honolulu, Hawai'i.

Dega, Michael, and Joseph Kennedy, 1993. Archaeological Report Concerning the Inadvertent Discovery of Remains at the Waikīkī Aquarium (TMK: 3-1-31:06) Waikīkī Ahupua'a Kona District, Island of O'ahu. Archaeological Consultants of Hawai'i, Inc., Haleiwa, Hawai'i.

Denham, Tim, 1993. Monitoring Report for Excavations Associated with the State Capitol Complex Telecommunication Conduits, Phase III, Kona District, Honolulu Ahupua'a, Island of O'ahu. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Denham, Timothy, and Jeffrey Pantaleo, 1997a. *Archaeological Monitoring and Investigations During Phase I: Kālia Road Realignment and Underground Utilities, Fort DeRussy, Waikīkī, Oʻahu.* Biosystems Analysis, Kailua, Hawaiʻi.

Denham, Timothy, Jeffrey Pantaleo, Thomas L. Jackson, William Fortini, Alan Ziegler, Gail Murakami, Linda Scott-Cummings, and Paul Tichenal, 1997. *Archaeological Data Recovery Excavations at the Fort DeRussy Military Reservation, Waikīkī, Island of Oʻahu, State of Hawaiʻi.* Biosystems Analysis and Garcia and Associates (GANDA), Kailua, Hawaiʻi.

Dockall, John E., 2001. Preliminary: Archaeological Inventory Survey at Washington Place (TMK: 2-1-18:01) Plus Draft: Washington Place Renovations Archaeological Monitoring Plan. Bernice P. Bishop Museum, Honolulu.

Dockall, John E., Susan Lebo, Helen H. Leidemann, and Wendy L. Tolleson, 2003. *Phase I Archaeological Inventory Survey and Monitoring Washington Place (50-80-14-9907) TMK: 2-1-18:1, Project No. 542.* Bernice P. Bishop Museum, Honolulu.

Donham, Theresa K., 1980. *Royal Queen Emma Burials*. Bernice P. Bishop Museum, Honolulu.

Dunn, Amy E., Paul Rosendahl, Kepa Maly, and Lehua Kalima, 1993. *Archaeological Inventory Survey, Nu'uanu Court Project, Land of Nu'uanu, Kona District, Island of O'ahu (TMK:2-1-02:26)*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Dye, Thomas S., 2001. Archaeological Monitoring Plan for Renovations to No.1 Capitol District Building (TMK: 2-1-017:001 & 002). T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dye, Thomas S., 2002. Archaeological Monitoring Report for Renovations to No. 1, Capitol District Building. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dye, Thomas S., and Seamus T. Puette, 2003. *Archaeological Monitoring Plan for Architectural Barrier Removal Work at Ali 'iolani Hale in Downtown Honolulu, Hawai 'i.* T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2001b. A Report Concerning the Inadvertent Discovery of Human Remains at the Royal Hawaiian Hotel, (TMK: (1)2-6-02:5, in Waikīkī Ahupua'a, Honolulu District, Island of O'ahu. Archaeological Consultants of Hawai'i, Inc, Haleiwa, Hawai'i.

Elmore, Michelle, and Joseph Kennedy, 2002. *An Archaeological Monitoring Report for the Installation of a Security Fence at Fort DeRussy, Waikīkī Ahupua'a, Honolulu District, Island of O'ahu*. Archaeological Consultants of the Pacific, Haleiwa, Hawai'i.

Emerson, Nathaniel B., 1902. A Preliminary Report on a Find of Human Bones Exhumed in the Sands of Waikīkī," *Tenth Annual Report of the Hawaiian Historical Society for the Year* 1901, pp. 18-20. Hawaiian Historical Society, Honolulu.

Esh, Kelley S. and Hallett H. Hammatt, 2004a. *Archaeological Monitoring Report for the Rehabilitation of Streets Unit 5B Project, Pi 'ikoi Street from Ala Moana Blvd. To Matlock Street, Kewalo 'Ili, Waikīkī Ahupua'a, Kona District, O'ahu Island (TMK 2-3-06,07,10,11,12,14,15,35 and 38 and 2-4-03, 04,1 and12).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Fairfax, Geoffrey W., 1971. Supplementary Report on the Archaeological Excavation and Exploration of the Old Carriage Road at 'Iolani Palace-Test Pit on Outer Surface of Moat Wall. Geoffrey Fairfax AIA.

Fairfax, Geoffrey W., 1972. 'Iolani Palace: Report on Preliminary Archaeological Exploration of Parterre Garden Path--Trench Waikīkī of King Street Entrance Roadway. Geoffrey Fairfax AIA.

Fairfax, Geoffrey W., 1973. Report on the Archaeological Excavation and Exploration of the Footing of the Grounds Wall at 'Iolani Palace. Geoffrey Fairfax AIA.

Fairfax, Geoffrey W., n.d.. Report on the Archaeological Excavations at the Outside Edge of the Moat Curb Diamond Head Corners of 'Iolani Palace. Geoffrey Fairfax AIA.

Ferrall, Charles C., Jr., 1976. Subsurface Geology of Waikīkī, Mō 'ili 'ili and Kākā 'āko with Engineering Application. M.S. thesis, University of Hawai'i, Geology and Geophysics, University of Hawai'i, Honolulu.

Freeman, Sallee D., M. Matt McDermott, Constance O'Hare, and Hallett Hammatt, 2005. *Archaeological Inventory Survey and Cultural Impact Evaluation for the Ala Wai Gateway Project Site, Kālia, Waikīkī, O'ahu TMK 2-6-011: 001, 002, 004, 032, 037, and 040.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Grant, Glen, 1996. *Waikīkī Yesteryear*. Mutual Publishing, Honolulu.

Griffin, Agnes, 1987. *Kalakāua Avenue Gas Pipe Excavation Burial Recovery, Waikīkī, C. Honolulu, Oʻahu (TMK: 2-6-01:12)*. State Medical Officer's office memorandum to Department of Land and Natural Resources, Honolulu.

Griffin, P. Bion, D. T. P. Keene, and J. Kennedy, 1987. *Kākā'āko: Prediction of Sub-Surface Archaeological Resources, Kākā'āko Community Development District - Archaeological Reconnaissance Survey.* University of Hawai'i-Mānoa, Honolulu.

Hammatt, Hallett H., 1988. Archaeological Assessment of Block J, Honolulu, Site of the Proposed Pacific Nations Center. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 1990. Referral State Library Archaeological Testing DAGS Job No. 12-16-1521. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 2006. Archaeological Monitoring Plan for the approximately 4-acre Victoria Ward Village Shops Project, Honolulu Ahupua'a, Kona District, Island of O'ahu, TMK: [1] 2-3-5: 013-017, 022, and 023. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Douglas F. Borthwick, 1989. *Archaeological and Historical Assessment of a Honolulu Block Between Richards-Alakea and Hotel Streets*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1993. *An Archaeological Assessment of a 16-Acre Portion of the Ala Wai Golf Course in the Ahupua'a of Waikīkī, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1995. *An Archaeological Assessment of Twenty Parcels (54 Acres) in the Kākā'āko District of Honolulu, Island of O'ahu, prepared for Kamehameha Schools.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1998c. *Archaeological Assessment of King Kalākaua Plaza Phase II, Waikīkī, Island of Oʻahu, (TMK 2-6-18:10, 36, 42, 52, 55, 62, 63, 64, 73, and 74)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 1998b. *Archaeological Assessment of an Approximately 4.1 - Acre Project Site in Downtown Honolulu, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 2000b. *Archaeological Assessment of the Honolulu Zoo Parcel, Waikīkī, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 2001b. *Archaeological Monitoring Plan for King Street, A Street Rehabilitation Project on South King Street between Bethel Street and South Street; Honolulu, Island of Oʻahu, (TMK 2-1-02, 2-1-11, 2-1-12, 2-1-25, 2-1-25, 2-1-32, & 2-1-33).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Matt McDermott, 1999. *Burial Disinterment Plan and Report, State Site Numbers 50-80-14-5744-1 and -2 found During Anti-Crime Street Lighting Improvements Beneath Kalākaua Avenue, Waikīkī, Island of Oʻahu.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and David W. Shideler, 1991. *Archaeological Disinterment of Inadvertent Finds at Site 50-80-14-4266 on Dole Street Kānewai, Mānoa, Kona District, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H. and David W. Shideler, 1995. *Archaeological Sub-surface Inventory Survey at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu (TMK 2-3-35:001)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 1996. *Archaeological Data Recovery at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu (TMK 2-3-35:001)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 2005. *Archaeological Monitoring Plan For the Capitol Place Project, Nu'uanu Ahupua'a, Kona District, O'ahu, TMK: [1] 2-1-009:011, 013 and 018, (Site # 50-80-14-5760)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hawai'i Bottle Museum, 1980. A Study of 19th Century Glass and Ceramic Containers State District Court - Hotel and Alakea Streets. Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1981. *Alexander Young Hotel, Bishop and South King Streets: A Study of 19th Century Glass and Ceramic Containers, Honolulu*. Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1981. *Century Square: Bishop and Beretania Streets - Phase I.* Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1982. A Study of 19th Century Glass and Ceramic Containers: Executive Centre at King, Bishop and Hotel Streets and Fort Street Mall. Hawai'i Bottle Museum, Honolulu.

Honolulu Advertiser, July 16, 1945 (sec. 1, pg.1).

Honolulu Star-Bulletin; Jan. 24, 1963: 1A Honolulu.

Honolulu Star-Bulletin, 1938. The Whole World Knows Waikīkī. 17 October:2:1-16. Honolulu.

Hurlbett, Robert et al., 1992. Archaeological Monitoring of Mechanical Loop Excavations Hilton Hawaiian Village, Land of Waikīkī, Honolulu (Kona) District, Island of Oʻahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Hurst, Gwen, 1990. Historical Literature and Documents Search, Archaeological Testing and Subsequent Procedures for the Proposed Redevelopment of the Waikikian Hotel. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1991. Preliminary Results of Archaeological Data Recovery at Site 50-Oa-A5-19, the Ka'ahumanu Parking Lot/Harbor Court Redevelopment Project Area, Honolulu, Kona, O'ahu. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1992. Archaeological Monitoring and Inventory Survey, Harbor Court (Ka'ahumanu Parking Structure) Project, Site 50-80-14-2456, Nu'uanu, Ahupua'a, Kona District, Island of O'ahu, Hawai'i. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1994. Historical Literature and Documents Search Archaeological Testing and Subsequent Procedures for the Proposed Redevelopment of the Ka'ahumanu Parking Structure, Downtown Honolulu, O'ahu. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen and Jeffrey Pantaleo,1991. *Historical Literature and Documents Search for the Proposed Pāwa'a Redevelopment, Honolulu, O'ahu, Addendum, TMK 2-4-05: 1,2,4-8,10, 47,and 48.* Aki Sinoto Consulting, Honolulu, Hawai'i.

Jourdane, Elaine, 1995b. *Inadvertent discovery of Human Skeletal Remains At Waikīkī*, *Sunset Hotel, Waikīkī*, *Kona, Oʻahu*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Kawachi, Carol, 1990. *Capitol Ductline and Iolani Palace Grounds Trashpit Excavation*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Kennedy, Joseph, 1984. *Archaeological Investigations at TMK 2-1-02:38,39*. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Kennedy, Joseph, 1991b. An Archaeological Monitoring Report for the Proposed Imax Theater Project (Revised), Together with Subsequent Investigations Located at TMK 2-6-22:14, District of Kona Ahupua'a of Waikīkī, Island of O'ahu. Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Kennedy, Joseph, 1993. Burial Treatment Plan for Requested Relocation of Impacted Individuals from a Proposed Storm Drain Connecting Quinn Lane with South Street located in the Ahupua'a of Honolulu District. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Lebo, Susan (editor), 1997. *Native Hawaiian and Euro-American Culture Change in Early Honolulu, Archaeological Data Recovery, Harbor Court Property, Site No. 50-80-14-2456, Honolulu, Hawai'i.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Leidemann, Helen Higman, 1988. *Analysis of Artifactual Material from the Judiciary*\ *Garage Site*, 50-0A-A5-ll, (50-80-14-1973) TMK 2-l, Honolulu, Oʻahu, State of Hawaiʻi.
Bernice P. Bishop Museum, Honolulu.

LeSuer, C. Celeste, Matt McDermott, Rodney Chiogioji, Hallett H. Hammatt, 2000. *An Archaeological Inventory Survey of King Kalākaua Plaza Phase II, Waikīkī, Waikīkī Ahupua'a, Kona District, Island of O'ahu, Hawai'i*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Liston, Jolie, and Greg C. Burtchard, 1996. *Kāpapa Loʻi ʻo Kānewai, Archaeology at the Center for Hawaiian Studies, University of Hawai ʻi at Manoa, 50-80-14-4498*. International Archaeological Research Institute, Inc. Honolulu.

Luscomb, Margaret, Roland Reeve, and Aki Sinoto, 1976. *Archaeological Surveillance and Salvage During the Electrical Conduit Excavations on the Grounds of 'Iolani Palace, Honolulu, O'ahu.* Bernice P. Bishop Museum, Honolulu.

Mann, Melanie, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report for the Installation of 12- and 8-inch Water Mains on Lili uokalani Avenue and Uluniu Avenue, Waikīkī Ahupua a, Kona District, Island of O ahu (TMK 2-6-023, 24, and 26)*. Cultural Surveys Hawai i, Inc., Kailua, Hawai i.

Maly, Kepa, Leta Franklin, and Paul H. Rosendahl, 1994. *Archaeological and Historical Assessment Study, Convention Center Project Area, Land of Waikīkī, Kona District, Island of Oʻahu (TMK 2-3-35 and 2-3-36:118, 024, 025).* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

McAllister, J. Gilbert, 1933. *Archaeology of O'ahu*. Bernice P. Bishop Museum Bulletin 104. Bishop Museum Press, Honolulu.

McDermott, Matthew, Rodney Chiogioji, and Hallett Hammatt, 1996. *An Archaeological Inventory Survey of Two Lots (TMK 2-6-24:65-68 and 80-83 and TMK 2-*

6-24:34-40 and 42-45) in Waikīkī Ahupua'a, O'ahu, Hawai'i. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matt, David Shideler, Mary Perzinski, and Hallett H. Hammatt, 1999. *Data Recovery Plan for the "Block J" Parcel, State Site # 50-80-214-5760, Downtown Honolulu, Ahupua 'a of Nu 'uanu, District of Kona, Island of O 'ahu (TMK 2-1-09:18).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McGuire, Ka'ohulani, and Hallett H. Hammatt, 2001. *A Traditional and Cultural Practices Assessment for a Proposed Outrigger Hotels Hawai'i Property Redevelopment in Waikīkī, Kona District, island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McMahon, Nancy, 1994. *Inadvertent Burial Discovery on April 28, 1994, Waikīkī, Kona, Oʻahu--Intersection of Kalākaua and Kuamoʻo Streets.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Moore, Leroy, 1992. Site Assessment and Initial Abatement at Harbor Court/Nu 'uanu Court Development Nimitz Highway, Queen and Bethel Streets Honolulu, Hawai 'i. Unitek Environmental Consultants, Inc.

Nagata, Ralston, and Alan Carpenter, 1995. *Archaeological Monitoring of Kennel Construction at Washington Place, Honolulu, Oʻahu*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Nakamura, Barry Seichi, 1979. *The Story of Waikīkī and the "Reclamation" Project.* Unpublished M.A. thesis, Department of History, University of Hawai'i, Honolulu.

Neller, Earl, 1980b. *The Kālia Burial Site #50-OA-2870: Rescue Archaeology in Waikīkī*, *Hawai'i*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Neller, Earl, 1981. An Archaeological Reconnaissance of the New Construction at the Halekūlani Hotel, Waikīkī. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Neller, Earl, 1984. An Informal Narrative Report on the Recovery of Human Skeletons from a Construction Site in Waikīkī on Paoakalani Street, Honolulu, Hawai'i. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

O'Hare, Constance R., Tony Bush, Douglas Borthwick, and Hallett H. Hammatt, 2004a. *Archaeological Inventory Survey for the Ko'olani Condominium Project, Honolulu Ahupua'a, Kona District, Island of O'ahu, (TMK 2-3-04:73: 2-3-05:27; 2-3-06:14; 2-3-07:2).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006c. *Inventory Survey Plan in Support of The Queen's Medical Center Redevelopment Project, Honolulu*

(Kona) District, Honolulu Ahupua'a, Island of O'ahu, TMK: 1-2-1-018:048; 1-2-1-035:001, 003-008, and 010; 1-2-1-037:002. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006d. *Monitoring Plan in Support of The Queen's Medical Center Redevelopment Project, Honolulu (Kona) District, Honolulu Ahupua'a, Island of O'ahu, TMK: 1-2-1-018:048; 1-2-1-035:001, 003-008, and 010; 1-2-1-037:002.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Leary, Owen, and Hallett H. Hammatt, 2006a. *Archaeological Inventory Survey Addendum for the Capitol Place (HECO Parcel) 0.3-Acres Honolulu Ahupua'a, Kona District, O'ahu Island, TMK: [1] 2-1-009:011.* Cultural Surveys Hawai'i, Inc. Kailua, Hawai'i.

O'Leary, Owen, and Hallett H. Hammatt, 2006b. *Archaeological Inventory Survey for the approximately 4-acre Moana Vista Project Area on Kapi 'olani Boulevard, Honolulu Ahupua'a, Kona District, O'ahu Island, TMK (1) 2-3-003:072, 088, 102.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Leary, Owen, Rodney Chiogioji, Douglas Borthwick, and Hallett Hammatt, 2005. *Archaeological Inventory Survey of a 1-Acre Parcel, 2284 Kalākaua Avenue, Waikīkī, Kona District, O'ahu TMK [1] 2-6-022:009.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pantaleo, Jeffrey, and Aki Sinoto, 2002. *Archaeological Monitoring Plan for the Proposed Renovation of the Old Federal Building Site 50-80-14-9952, Downtown Honolulu, Kona District, Oʻahu Island.* Archaeological Consultants of Hawaiʻi, Haleiwa, Hawaiʻi.

Perzinski, David, Matt McDermott Rodney Chiogioji, and Hallett H. Hammatt, 1999. *Archaeological Monitoring Report for Anti-Crime Street Lighting Improvements Along Portions of Ala Wai Boulevard, Kalākaua Avenue, Ala Moana Boulevard and 'Ena Road, Waikīkī, O'ahu.* Cultural Surveys Hawai'i, Inc. Kailua, Hawai'i.

Perzinski, Mary, and Hallett H. Hammatt, 2001a. *Archaeological Monitoring Report for the Kapi 'olani Bandstand Redevelopment Project, Waikīkī, Waikīkī Ahupua'a, Kona District, O'ahu (TMK 3-1-43)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, and Hallett H. Hammatt, 2001b. *Archaeological Monitoring Report for the Re-Internment Facility for the Waikīkī Iwi Kupuna, Kapiolani Park, Waikīkī, Island of Oʻahu (TMK: 3-1-43:1)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Perzinski, Mary, and Hallett H. Hammatt, 2001c. *Archaeological Monitoring Report for Street Light Improvements Along a Portion of Kalākaua Avenue Between the Natatorium to Poni Mo'i Road, Waikīkī, Island of Oʻahu (TMK 3-1-031, 032 and 043)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Perzinski, Mary, Matt McDermott, David W. Shideler and Hallett H. Hammatt, 2000a. *Archaeological Inventory Survey Report for the "Block J" Redevelopment Project Located at the Corner of Pali Highway and Beretania Street, Honolulu, Ahupua'a of Nu'uanu, Island of O'ahu, (TMK 2-1-09:18 (State Site 50-80-14-5760).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, David W. Shideler, John Winieski, and Hallett H. Hammatt, 2000b. Burial Findings During the Excavation of a 16th Watermain on an Approximately 915 Meter (3,000 Ft.) Long portion of Kalākaua Avenue Between Kai'ulani and Monsarrat Avenues Associated with the Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupua'a, Kona District, Island of O'ahu, (TMK 2-6-1, 2-6-22, 2-6-23, 2-6-26, 2-6-27, and 3-1-43). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, Matt McDermott, David W. Shideler, and Hallett H. Hammatt, 2005. Archaeological Data Recovery Report for the Capital Place Development Project Located at the Corner of Pali Highway and Beretania Street, Honolulu, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu, TMK (1) 2-1-09:18. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pfeffer, Michael T., Douglas F. Borthwick, and Hallett H. Hammatt, 1993. *An Archaeological Summary of the Kākā'āko Improvement District 1 Monitoring, Kākā'āko, O'ahu, Hawai'i (TMKs 2-1-29 to 2-1-32, 2-1-46 to 1-2-48, 2-1-51, 2-1-54, and 2-1-55), for Hawai'i Community Development Authority, Revised Sept. 1993.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pietrusewsky, Michael, 1992a. A Mandible Fragment found at the Sheraton Moana Surfrider Hotel, Waikīkī. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Pietrusewsky, Michael, 1992b. *Human Remains from the Lili 'uokalani Gardens Site*, *Hamohamo, Waikīkī, O'ahu*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Putzi, Jeffrey L., and Paul Cleghorn, 2002. Archaeological Monitoring of Trench Excavations for Sewer Connections Associated with the Hilton Hawaiian Village Improvements. Pacific Health Research Institute, Hilo, Hawai'i.

Putzi, Jeffrey L., and Thomas S. Dye, 2004. *Archaeological Monitoring Report for Architectural Barrier Removal Work at Ali 'iolani Hale in Downtown Honolulu, Hawai 'i.* T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Riford, Mary F., 1989. *Pre-Field Background Literature Search for Archaeological Resources at the Proposed Waikīkī Landmark Property*. Bernice P. Bishop Press, Honolulu.

Rogers-Jourdane, Elaine, 1978. Archaeological Walk-through Survey of Grounds of the Halekūlani Hotel, Waikīkī, Oʻahu. Bernice P. Bishop Museum, Honolulu.

Rosendahl, Paul, 1971. A Report on the Archaeological Excavation and Exploration of the Old Carriage Road at 'Iolani Palace. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Rosendahl, Paul, 1989. Preliminary Report Upon Completion of Field Work Hale Koa Hotel Site Subsurface Inventory Survey Kālia, Land of Waikīkī, District of Kona. Paul H. Rosendahl, Ph.D. Inc., Hilo, Hawai'i.

Rosendahl, Paul, 1992. Archaeological Monitoring of Mechanical Loop Excavations Hilton Hawaiian Village. Pacific Health Research Institute, Hilo, Hawai'i.

Rosendahl, Paul, 1999. *Interim Report: Hale Koa Hotel Subsurface Inventory Survey-Luau Facility, Kālia, Land of Waikīkī, District of Kona, Island of Oʻahu*. Paul H. Rosendahl, Ph.D. Inc., Hilo, Hawaiʻi.

Rosendahl, Paul, 2001. Archaeological Assessment Study Waikīkī Beach Walk Project, Land of Waikīkī, Honolulu (Kona) District, Island of Oʻahu. Paul H. Rosendahl, Ph.D. Inc., Hilo, Hawaiʻi.

Schilz, Allan, 1991a. Archaeological Literature and Archival Review, Mōʻiliʻili and Waikīkī Districts, Honolulu. Environmental and Energy Services Company, Inc., Honolulu., 1991. Archaeological Literature and Archival Review TMK:2-7-16,17. Environmental and Energy Services Company, Inc., Honolulu.

Seelye, Michael D., 1968. *The Archaeology of Kona. The Preliminary Archaeology of Hale Akala, The Royal Bungalow.* University of Hawai'i, Dept. of Anthropology,

Simons, Jeannette, 1988. *Interim Field Summary of Archaeological Monitoring and Data Recovery at the Moana Hotel Historical Rehabilitation Project, Oʻahu, Waikīkī*. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Simons, Jeannette, Carol Kawachi, Katherine Rogers, Gwen Hurst, and Jane Allen, 1991. Historical Research, Archaeological Monitoring, & Artifact Analysis, Armed Forces YMCA Rehabilitation Project, Downtown Honolulu, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Simons, Jeannette A., Paul Cleghorn, R. Jackson, T. Jackson, 1995. *Archaeological Data Recovery Excavations at Fort DeRussy, Waikīkī, Oʻahu, Hawaiʻi.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Sinoto, Aki, 1977. Archaeological Surveillance and Salvage during Trenching and Installation of Service Conduit for 'Iolani Barracks, Grounds of 'Iolani Palace. Bernice P. Bishop Museum, Honolulu.

Smith, Helen Wong, and Paul H. Rosendahl, 1990. *Aloha Tower Complex Historical Assessment, Honolulu Harbor, Island of O'ahu, TMK 2-1-01*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Smith, Marc, 1989. *Human Bone at 1341 Kapi 'olani Ave., Honolulu, O 'ahu.*Department of Land and Natural Resources, Division of State Parks, Honolulu.

Souza, Kehaulani E., Mary Perzinski and Hallett H. Hammatt, 2002. *An Archaeological Monitoring Report for the Kākā'āko Improvement District 7 Project, (TMK: 2-1-58, 2-3-01 thru 05).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Spilker, Charles J., 1974. *Iolani Palace Moat Wall Waterproofing Project:* Archaeological Salvage. TMK: 2-1-25. Prepared for Friends of Iolani Palace and Iolani Palace Restoration Project by Charles J. Spilker.

State of Hawai'i, Hawai'i Community Development Authority, and U.S. Department of Housing and Urban Development, 1985. *Final Supplemental Environmental Impact Statement for the Kākā'āko Community Development District Plan an Addendum to the Final Environmental Impact Statement*. Hawai'i Community Development Authority and U.S. Department of Housing and Urban Development.

State Historic Preservation Division (SHPD), 1987. Burial Report on Human Remains found Adjacent to the Moana Hotel (Site -9901). Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

State Historic Preservation Division (SHPD), 1991. Non Human Bones found in Waikīkī. State Historic Preservation Division, Kapolei, Hawai'i., 1987. Kalākaua Avenue Gas Pipe Excavation Burial. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Sterling, Elspeth, and Catherine Summers, 1978. *Sites of O'ahu*. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Streck, Charles, 1992. Human Burial Discovery during Archaeological Data Recovery Excavations at Fort DeRussy, Waikīkī, Oʻahu Island, Hawaiʻi, 20 May 1992. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Terry, Daniel, Constance R. O'Hare, and Hallett H. Hammatt, 2004. *Archaeological Monitoring Plan for Punchbowl Street Improvements, Phase 2,b Downtown Honolulu, O'ahu Island, Hawai'i, (TMK 2-1-15, 25-27, & 29-33).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Tome, Guerin, and Michael Dega, 2003. Archaeological Monitoring Report for Construction Work at the Waikīkī Marriot, Waikīkī, Manoa Ahupua'a, Honolulu District, O'ahu Island, Hawai'i. Scientific Consultant Services, Inc., Honolulu.

Tomonari-Tuggle, Myra J., 1983. *Block J Downtown Honolulu: An assessment of Archaeological Potential.* Manuscript prepared for Home Properties by Myra J. Tomonari-Tuggle, Honolulu.

Tulchin, Jon, and Hallett H. Hammatt, 2003. *Archaeological and Cultural Impact Assessment of a 1-Acre Parcel, 2284 Kalākaua Avenue, Waikīkī, Kona District, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Tulchin, Jon, and Hallett H. Hammatt, 2004. *Literature Review and Field Check for the Kapi 'olani Area Revised Sewer System, Honolulu Ahupua'a, Kona District, Island of O'ahu (TMK: 2-3-04, 05,07 09,10,13,14,17,18,22,35,36 and 38)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Tulchin, Jon, and Hallett H. Hammatt, 2005. *Addendum to an Archaeological Inventory Survey for the Koʻolani Condominium Project, Honolulu Ahupuaʻa, Kona District, Island Of Oʻahu (Portions of TMKs 2-3-04:73, 2-3-05:27, 2-3-06:14, 2-3-07:2).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Wilson Okamoto and Associates, 1998. Environmental Impact Statement Preparation Notice for the Block J Redevelopment Project Prepared for: City and County of Honolulu Department of Housing and Community Development, Honolulu. Wilson Okamoto and Associates, Honolulu.

Winieski, John, and Hallett H. Hammatt, 2000a. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 3 Pohulani Elderly Rental Housing and Kauhale Kākā 'āko, Honolulu, O 'ahu, Hawai 'i (TMK 2-1-30,31,32,44,46,47,48,50,51,52,54).* Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John, and Hallett H. Hammatt, 2000b. *An Archaeological Monitoring Plan for Ward Village Phase II, (Ward Theaters) Kākā'āko, Honolulu, O'ahu, Hawai'i, (TMK 2-3-02:1).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Winieski, John, and Hallett H. Hammatt, 2000c. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 4, Honolulu, O 'ahu, Hawai 'i (TMK 2-3-02 through 05)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Winieski, John P., and Hallett H. Hammatt, 2000d. *Archaeological Monitoring Report for the Public Baths Waste Water Pumping Station Force Main Replacement, Waikīkī, Honolulu, Oʻahu, Hawaiʻi (TMK 2-6-25, 26, and 27, and 3-1-31, 43)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Winieski, John, and Hallett H. Hammatt, 2001a. *An Archaeological Monitoring Report for the Nimitz Highway Reconstructed Sewer, Honolulu, Oʻahu, Hawaiʻi (TMK 1-7-02,03 and 2-1-02, 13-16, 25, 27,29-32).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Winieski, John, and Hallett H. Hammatt, 2001b. *Archaeological Monitoring Report for Ward Village Phase II (Ward Theaters) Kākā'āko Honolulu, O'ahu Hawai'i (TMK 2-3-02:1)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Winieski, John, Mary Perzinski, David Shideler, and Hallett H. Hammatt, 2002a. *Archaeological Monitoring Report for the Installation of a 16-Inch Water Main on an Approximately 915 Meter (3,000 Ft) Long Portion of Kalākaua Avenue Between*

Kaʻiulani and Monsarrat Avenues Associated with the Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupuaʻa, Kona District, Island of Oʻahu (TMK 2-6-1-, 2-6-22, 2-6-23, 2-6-26, 2-6-27, 3-1-43). Cultural Surveys Hawaiʻi, Kailua, Hawaiʻi.

Winieski, John, Mary Perzinski, Kehaulani Souza, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report, The Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupua'a, Kona District, Island of O'ahu (TMK 2-6-1-, 2-6-22, 2-6-23, 2-6-26, 2-6-27, 3-1-43).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Wolforth, Thomas R., Alan E. Haun, and Kepa Maly, 1996. *Archaeological Inventory Survey for the Kamoku-Pūkele 138-kV Transmission Line Alignments*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Yost, Harold, 1971. *The Outrigger Canoe Club of Honolulu, Hawai'i*. Outrigger Canoe Club, Inc., Honolulu.

Chapter 5 Impacts

Cultural Surveys Hawai'i, Inc., has compiled a substantial amount of archaeological information for the transit corridor to provide the most accurate assessment of potential impacts to archaeological resources for each of the alternatives. As discussed in Chapter 3, Methods, and Chapter 4, Affected Environment, this information includes USGS soils survey data, previous archaeological investigation results, previously recorded archaeological sites, historic land records, and previously recorded burial locations. Specifically for the impacts analysis, this information has been compiled into a single ArcGIS map document as a means of synthesizing the different information types. There are 28 maps associated with Alternative 3 and 76 maps associated with Alternative 4. These maps, in PDF format, are included as Appendix A to this report.

Although this compiled archaeological information for the transit corridor is extensive, it is not a complete synthesis of all available data sets (e.g., all previous archaeological reports, archaeological site records, or Land Commission Award (LCA) records from the mid-19th century *Māhele* that pertain to the transit corridor). Nevertheless, this information is a valuable means for assessing potential impacts to archaeological resources, with the focus being on the different alignments for Alternative 3, Managed Lanes and Alternative 4, Fixed Guideway.

Displayed graphically, this information makes it easy to compare likely archaeological impacts for different alignments. To display this information at a scale that is readable and meaningful, however, 33 "map areas" are needed to cover the approximately 23-mile-long transit corridor. Each of these 33 map areas requires several different sheets to display different archaeological information, such as soils and previous archaeological investigations. As a result, approximately 100, 11-x-17-inch map sheets are necessary to display this information at a readable scale. This type of graphic-heavy documentation is unwieldy and difficult to present. As a compromise these graphic representations are included in PDF format as a compact disc appendix to this report. This detailed archaeological information is the basis for the following discussion of archaeological impacts.

As discussed below, Alternative 1, No Build, and Alternative 2, Transportation System Management, may involve construction that could impact archaeological resources; however, these impacts are not considered in this AA because these alternatives would undergo a separate environmental review as part of their planning and implementation. Accordingly, the following discussion of archaeological impacts will focus on Alternatives 3 and 4 only.

With few exceptions, the archaeological resources that could be affected by the Alternative 3 and 4 alignments are subsurface features and deposits that have not been previously identified. Such impacts would occur during construction. Once negative impacts from construction (e.g., archaeological resource destruction) and positive impacts from construction (e.g., an increase in archaeological knowledge about Oʻahu's south

shore) have occurred, no long-term project-related impacts are expected on archaeological resources.

Three general categories of archaeological resource impacts are used in the following discussion: burials, pre-contact archaeology, and historic archaeology. Burials include pre-contact and traditional Hawaiian interments, as well as historic burials. Under both federal and Hawai'i historic preservation law, burials are treated as a unique type of archaeological/cultural resource. Disarticulated, previously disturbed human remains are by definition "burial sites" under Hawai'i law (Hawai'i Revised Statutes Chapter 13-300-2). Accordingly, potential impacts to burials and burial sites are discussed.

Pre-contact archaeological resources include the physical remains of past pre-contact land use, for example, artifacts, food remains, and features, such as postholes, hearths, and structural remains. Structural remnants include fishponds, irrigated pond fields, and irrigation ditches. Also included in the pre-contact archaeological remains category are paleoenvironmentally informative sedimentary deposits that can provide data on human-induced environmental change over time. These types of sediments are often found in low-energy alluvial deposits, such as ponds, marshes, and tidal flats.

Historic archaeological resources are those that accumulated after the arrival of Captain James Cook in 1778, when the first known records of Hawai'i were written. This includes historic building and structure remnants, trash pits, and remnants of transportation and agricultural infrastructure.

Each of the Alternative 3 and 4 alignments are rated, low, medium, or high based on their potential impact to each of the three archaeological impact categories. These were developed using the entire geographic extent of each of the proposed alignments as the unit of consideration.

Ratings are based on the reasonable expectation of potential impacts along a percentage of the length of each of the proposed alignments. A low rating indicates potential impacts are possible, but not considered likely, or that there is a reasonable expectation of potential impacts along no more than 10 percent of a given alignment's length. A medium rating indicates that there is reasonable potential for impacts between 10 and 50 percent of the alignment's length. A high potential rating indicates a reasonable expectation of potential impacts along more than 50 percent of an alignment's length. A high rating, however, does not mean that, based on background archaeological research, at least 50 percent of a proposed alignment will encounter archaeological deposits. Rather such a ratings only means that, based on archaeological research, there is a reasonable potential to encounter archaeological deposits over at least 50 percent of the proposed alignment's length. The actual percentage of the proposed alignment's length where archaeological resources are encountered will undoubtedly be small.

One overwhelming generalization became clear as a result of this impact analysis: the farther inland an alignment is, the less likely it is to have potential impacts on archaeological resources. This generalization is reflected in the following archaeological resource impacts discussion.

Table 5-1, below, summarizes the potential archaeological impacts by alignment for each alternative. For Alternatives 3 and 4, additional tables follow for each alignment that summarize previous archaeological investigations and previously recorded archaeological sites pertinent to each alignment. These tables illustrate which alignments have had the most archaeological work in their vicinity. A lack of previous archaeological work in the vicinity of an alignment, however, should not be interpreted as a low potential for impacts to archaeological resources. Rather, it means that other proxy data sets, such as soils and 19th-century land documents, need to be considered for that area.

Table 5-1. Summary of Potential Impacts to Archaeological Resources

Alternative	Burials	Pre-contact Archaeology	Historic Archaeology
Alternative 1: No Build Alternative			
No Build Alternative	N/A	N/A	N/A
Alternative 2: TSM Alternative			
TSM Alternative	N/A	N/A	N/A
Alternative 3: Managed Lane Altern	ative (by section)	
3a. Two-Direction Option			
Waiawa IC to Hālawa Stream	Low	Medium	Medium
Hālawa Stream to Pacific Street	Medium	Medium	Medium
3b. Reversible Option			
Waiawa IC to Hālawa Stream	Low	Medium	Medium
Hālawa Stream to Pacific Street	Medium	Medium	Medium
Alternative 4: Fixed Guideway Alter	native (by sectio	n)	
I. Kapolei to Fort Weaver Road			
Kamokila Boulevard/Farrington	Low	Low	Low
Highway			
Kapolei Parkway/North-South Road	Low	Low	Low
Saratoga Avenue/North-South Road	Low	Low	Low
Geiger Road/Fort Weaver Road	Low	Medium	Low
II. Fort Weaver Road to Aloha Stadi	um		
Farrington Highway/Kamehameha	Low	Medium	Medium
Highway			
III. Aloha Stadium to Middle Street			
Salt Lake Boulevard	Low	Low	Low
Mauka of the Airport Viaduct	Low	Medium	Medium
Makai of the Airport Viaduct	Low	Medium	Medium
Aolele Street	Low	Medium	Medium
IV. Middle Street to Iwilei			
North King Street	Medium	Medium	Medium
Dillingham Boulevard	Medium	Medium	Medium
V. Iwilei to UH Mānoa			
Beretania Street/South King Street	Medium	Medium	Medium
Hotel Street/Waimanu	High	High	High
Street/Kapiʻolani Boulevard			
Hotel Street/Kawaiaha'o	High	High	High
Street/Kapiʻolani Boulevard			
Nimitz Highway/Queen Street/	High	High	High
Kapiʻolani Boulevard	<u> </u>		
Nimitz Highway/Halekauwila	High	High	High
Street/Kapiʻolani Boulevard		1.2.1	10.1
Waikīkī Spur	High	High	High

Alternative 1: No Build

Although the No Build Alternative (see Chapter 1) assumes completion of projects defined in the Oʻahu 2030 Regional Transportation Plan (RTP), no construction would be undertaken as part of this project. Impacts associated with development of the individual projects listed in the RTP are not detailed in this evaluation because the projects will undergo planning and environmental review as part of their individual project development process.

For the reasons stated above, Alternative 1 was not assessed for impacts to archaeological resources.

Alternative 2: Transportation System Management

As with Alternative 1, potential archaeological impacts for Alternative 2 were not assessed.

Alternative 3: Managed Lane

Alternative 3a: Two-Direction Option

In rating archaeological impacts, there are no differences between Alternative 3a, the two-direction option, and Alternative 3b, the reversible option. Tables 5-2 and 5-3 apply to both alternatives.

For the most part, Alternative 3 would traverse some of the same alignments as Sections I through IV of Alternative 4. Alternative 3 may result in fewer impacts on cultural resources and burials than Alternative 4. Any associated ground disturbance would confront the same likelihood of encountering cultural resources or burials.

Waiawa IC to Halawa Stream

The managed lanes in this section traverse the same alignment as Sections 2 and 3 of Alternative 4. Little archaeological research has been conducted in this area. Only a few burials have been reported, and these are primarily near the shores of Pearl Harbor. In pre-contact and early historic times, much of the area *makai* of the alignment was covered with fishponds. In the later historic period, features associated with the cultivation of sugar cane, especially plantation worker's camps, were built mauka of the alignment. For this section of Alternatives 3a and 3b, the potential to impact burials is rated as low, and the potential to impact archaeological and historical resources is rated as medium.

Table 5-2. Waiawa IC to Hālawa Stream

Author	Nature of Study	Location (TMK 1-)	Sites
Barrera, 1971	Inventory Survey	Aloha Stadium, Hālawa (TMK 9-9-003:061)	No sites, notes massive land modification
Chafee and Anderson, 1995	Burial Report	Waiawa Road, Waiawa Ahupua'a (TMK 9-6-003:005)	50-80-09-5302 (one burial)

Author	Nature of Study	Location (TMK 1-)	Sites
Dega and O'Rourke, 2003	Evaluation	Pearl City (TMK 9-8-007:001; 9-9-006:020)	None
Dye, 1999	Archaeological Resources Survey	Hālawa Bridge, Hālawa (TMK 9-9-001:001; 9-9-002:004; 9-9-003:026, 9-9-003:029, 9-9-003:056)	No sites found during survey; fill material present
Fong, et al., 2005	Literature Review and Field Inspection	13-acre Mānana Parcel B, Waiawa and Mānana (TMK 9- 7-024:057)	None
Goodman and Nees, 1991	Reconnaissance /Inventory Survey	Waiawa (TMK 9-4-006:011, 9-4-026; 9-6-004:001, 9-6-004:016; 9-6-005:001 to :014)	50-80-09-1470 (historic dump); 50-80-09-1471 (pineapple cannery building); 50-80-09- 1472 (camp #3); 50-80-09-2261 (rock alignment); 50-80-09-2262 (lithic scatter); 50-80-09-2263 (rockshelter); 50-80-09-2264 (trail); 50-80-09-2265 (six rock mounds); 50-80-09-2266 (terrace/depression); 50-80-09- 2267 (terrace); 50-80-09-2268 (Waiāhole Ditch); 50-80-09- 2269 (Ahren's Ditch) 50-80-09- 2270 (road/railway system) 50- 80-09-1469 (historic road features); 50-80-09-2271 (historic grave); 50-80-09-2272 (military areas); 50-80-09-2273 (irrigation complex)
Hammatt and Borthwick, 1985	Reconnaissance Survey	37-acre wetland parcel, Waiawa (TMK 9-6-003:025, 9- 6-003:026, 9-6-003:027, 9-6- 003:028	No site number for wetland designated; notes rich cultural history of area
Hammatt, et al., 2004	Assessment	Waipahu Street, Waipahu, Waikele (TMK 9-4-009, 9-4- 059:072, 9-4-059:073, 9-4- 059:074)	Identified no surface properties; notes extensive land disturbance
Jourdane, 1995a	Burial Report	Waiawa Road, Waiawa (TMK 9-6-003:005)	50-80-09-5302 (one burial)
McGerty and Spear, 1995	Assessment	Mānana, Waiawa (TMK 9-7- 023:001; 9-7-024:006)	None
Rasmussen and Tomonari- Tuggle, 2006	Monitoring	Waiau Fuel Pipeline route (TMK 9-1, 9-3, 9-4, 9-6, 9-7, and 9-8)	None
Rechtman and Henry, 1998	Reconnaissance Survey	Red Hill Fuel Storage Area, Waipiʻo, Waiawa, Hālawa; Moanalua	None
Spear, 1993	Reconnaissance Survey	Waikele Industrial Subdivision, Waikele (TMK 9-4-002:004)	50-80-091345 (Wakamiya Inari Shrine)
Yent and Ota, 1991	Reconnaissance	Proposed Rainbow Bay State Park (TMK 9-8-, 9-9-)	None

Hālawa Stream to Pacific Street

This alignment extends from Hālawa Stream along Kamehameha Highway to Nimitz Highway. It covers much of the same area as the Nimitz Highway/Halakauwila Street/Kapi'olani Boulevard alignment of Section 5 of Alternative 4. The impact on potential resources would be a medium rating for archaeological resources, historic resources, and burials.

Table 5-3. Hālawa Stream to Pacific Street

Author	Nature of Study	Location (TMK 1-)_	Sites
Athens, 2000	Archaeological Study Hawaiian Fishponds	U.S. Navy Lands Pearl Harbor	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Avery, et al., 1994	Monitoring	Hālawa Stream Mouth Hālawa (TMK 9-9-001; 9-9-003)	None
Borthwick, et al., 1995	Inventory Survey	Kapālama (TMK 1-5-001:001)	None
Chiogioji and Hammatt, 1994	Assessment	Honolulu town (TMK 2-1- 018:001, 2-1-018:011, 2-1- 018:016, 2-1-018:046, 2-1- 018:047)	None
Chiogioji and Hammatt, 1995	Assessment	Kapālama-Sand Island (TMK 1-5-020; 1-5-034; 1-5-041; 1- 5-042)	None
Cleghom, 1989	Excavation	China Gateway (TMK 2-1- 003:015, 2-1-003:023, 2-1- 003:024, 2-1-003:025)	None
Davis, 1991	 Monitoring	Ft. DeRussy (TMK 2-6- 005:001)	No new sites
Dega and Davis, 2005	Inventory Survey	Middle Street Intermodal Center (TMK 1-2-018:001, 1- 2-018:002, 1-2-018:009)	50-80-14-6683 (one historic trash pit in fill above Waikulu Fishpond)
Denham, et al., 1992	Inventory Survey	Nu'uanu (TMK 1-7-03:32)	None
Dunn, et al., 1993	Inventory Survey	Nu'uanu Court Project, Land of Nu'uanu (TMK 2-1-002:026)	50-80-14-2456 (pre- and post- contact cultural deposits)
Elmore and Kennedy, 2002	Monitoring	Ft. DeRussy (TMK 2-6- 005:001)	None
Dye, 1999	Archaeological Resources Survey	Hālawa Bridge, Hālawa (TMK 9-9-001:001; 9-9-002:004; 9- 9-003:026, 9-9-003:029, 9-9- 003:056)	No sites found during survey; fill material present
Erkelens, et al., 1994	Burial	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4875 (four burials)
Folk, et al., 1993	Inventory Survey	711 Middle Street (TMK 1-2- 016:007	50-80-14-4525 (three burials, two in coffins, and a subsurface cultural layer)
Goodwin and Allen, 2005	Data Recovery	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4875 (one burial)

Author	Nature of Study	Location (TMK 1-)_	Sites
Goodwin, et al., 1992, 1996	Data Recovery	Marin Tower Property, Nu'uanu (TMK 1-7-002:003, 1- 7-002:004, 1-7-002:005, 1-7- 002:042)	50-80-14-4494 (pre-contact and post-contact cultural deposits with 15 burials)
Heidel and Hammatt, 1994	Data Recovery	Nuʻuanu-Chinatown (TMK 1-7- 003:014)	50-80-14-1346 (Oʻahu Fire Stations)
Hurst, 1991	Preliminary Data Recovery	Nu'uanu, Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	historic deposits
Hurst and Allen [Pantaleo], 1992	Monitoring and Inventory Survey	Nu'uanu, Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2-1-002:056)	50-80-14-2426 (mainly historic artifact cache)
Kennedy, 1984	Investigations	Nu'uanu (TMK 2-1-002:038, 2- 1-002:039)	None
Kennedy, et al., 1994	Inventory Survey	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4587 (Pehu fishpond); 50-80-14-4588 (three burials)
Landrum and Dixon, 1992	Mitigation	River-Nimitz Project, Nuʻuanu (TMK 1-7-002:027)	50-80-14-4192 (historic trash pits; one burial)
Lebo and McGuirt, 2000b	Data Recovery	800 Nuʻuanu (TMK 1-7- 002:002)	50-80-14-5496 (19th-20th century cultural deposits)
Lebo and Rosendahl, 2002	Data Recovery	Nu'uanu, Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	50-80-14-2456 (pre/post- contact cultural deposit with five burials)
McDermott and Mann, 2001	Inventory Survey	Nimitz Hwy Water System (TMK 1-5-008; 1-7-001; 2-1- 002)	50-80-14-5966 (Kawa fishpond)
McGerty, et al., 1995	Assessment	Nu'uanu-Chinatown (TMK 1-7- 003:014, 1-7-003:015)	None
McGerty, et al., 1997	Data Recovery	Kalihi, Pālama (TMK 1-5- 007:001, 1-5-007:014, 1-5- 007:015, 1-5-007:018, 1-5- 007:057, 1-5-007:058, 1-5- 007:060 to :078)	50-80-14-5368 (Kūwili fishpond)
McIntosh and Cleghorn, 2005	Inventory Survey	Pearl Street One Building, Honolulu	50-80-14-6680 (<i>loʻi</i> -irrigated taro patch)
Nakamura, et al., 1994	Assessment	Kapālama (TMK 1-6-003:042, 1-6-003:043, 1-6-003:044, 1-6-003:045, 1-6-003:046, 1-6-003:051, 1-6-003:052, 1-6-003:053, 1-6-003:081, 1-6-003:087, 1-6-003:089)	None
O'Hare, et al. 2003a	Data Recovery Plan	Nimitz Highway (TMK 1-5- 008, 1-7-001, 2-1-002)	50-80-14-5966 (Kawa fishpond); due to gasoline contamination of the soil, no samples from the fishpond could be collected
Riley, et al., 1995	Data Recovery	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4587 (Pehu fishpond); 50-80-14-4588 (three burials)

Author	Nature of Study	Location (TMK 1-)_	Sites
Simons, et al.,	Data Recovery	Ft. DeRussy (TMK 2-6-	
1995		005:001)	No new sites
Wickler, et al.,	Settlement Plan	Shafter Flats (TMK 1-1-	None
1991	Study	035:001)	
Williams and	Monitoring	Shafter Flats (TMK 1-1-	None
Anderson, 1997		035:002)	

Alternative 4: Fixed Guideway

Section I - Kapolei to Fort Weaver Road

Section I extends through the 'Ewa Plain, between the foothills of the Ko'olau Mountains and the coast, entirely within the ahupua 'a of Hono'uli'uli. The arid sections of the 'Ewa Plain have few pre-contact archaeological remains, usually consisting of features associated with trails or temporary habitation. The four alignments for Section I are adjacent to the recently developed government, commercial, and residential center of Kapolei, and to older villages, such as Hono'uli'uli and 'Ewa Villages. The 'Ewa Plain consists of a flat karstic raised limestone reef forming a level, nearly featureless "desert" plain marked in pre-contact times (previous to alluviation caused by sugar cultivation) by a thin or non-existent soil mantle. The microtopography is notable in containing countless sinkholes in some areas caused by chemical weathering (dissolution) of the limestone shelf. These sinkholes were once used as nesting sites for birds (some now extinct), and for water collection, agriculture, habitation, and burials by Hawaiians. Although the greater portion of the 'Ewa Plain seems "featureless," these sinks, sometimes found in clusters, but often found isolated from other archaeological features, have the potential to contain palentological information, pre-contact deposits, and surface features and burials.

The Geiger Road/Fort Weaver Road alignment of this section is the most *makai* of the alignments and has the greatest potential to impact archaeological resources. The northern portion of Fort Weaver Road bisects an area labeled on maps as the Hono'uli'uli Taro Lands, which once extended east from Hō'ae'ae Point on the West Loch of Pearl Harbor to Old Fort Weaver Road on the west. This area was used from the pre-contact period through the historic period for permanent habitation, the cultivation of taro and other crops, and the collection of the rich marine resources of West Loch. This portion of the alignment has the highest potential for impact to archaeological remains. The potential for impact to human burials is rated as low as only two possible pre-contact burials have been found in this area. Although the potential for pre-contact cultural deposits in this section of the alignment is high, the potential for pre-contact sites along the entire alignment is rated medium since the road section adjacent to this traditional habitation area comprises less than 50% of the entire length of the alignment.

The potential for all three types of archaeological resources decreases for alignments in direct correlation with their distance from the coast and from the West Loch of Pearl Harbor. Thus, the most mauka alignment, Kamokila Boulevard/Farrington Highway, has the least potential to impact archaeological resources. All three mauka alignments,

Kamokila Boulevard/Farrington Highway, Kapolei Parkway/North South Road, and Saratoga Avenue-North South Road, have a low impact potential for burials, pre-contact cultural deposits, and historic features.

Kamokila Boulevard/Farrington Highway

The Kamokila Boulevard/Farrington Highway alignment's potential to encounter archaeological resources is low for burials, pre-contact archaeology, and historic archaeology (Table 5-4). Nearly the entire length of this alignment has been surveyed for surface features one or more times. Soils are thin in this area, resulting in the low potential for subsurface cultural deposits or burials. Only a few scattered sugar cane plantation infrastructure features, such as irrigation ditches, flumes, and pumps, have been recorded during previous archaeological surveys.

This alignment does pass within viewing distance of Pu'u Kapolei, a topographic feature that plays an important part in Hawaiian mythology and cosmology, early post-contact history, and World War II history. In Hawaiian mythology, Pu'u Kapolei was the home of the family of Kamapu'a, the Hawaiian pig-god. The plains surrounding Pu'u Kapolei were known as a place for the wandering of lost souls, and a *heiau* on the summit was used to mark the changing of the seasons. In post-contact times, Pu'u Kapolei was the primary marker on the inland trail extending from Pearl Harbor to Wai'anae. This former trail is now covered with the present-day Farrington Highway alignment. Before and during World War II, gun emplacements for Battery Hatch and Fort Barrette were built on the summit of Pu'u Kapolei to defend Pearl Harbor. Although construction of the Kamokila/Farrington Highway alignment would not physically impact this hill, any major changes in the surrounding landscape might impact the visual integrity of this important site.

Table 5-4. Kamokila Boulevard/Farrington Highway

Author	Nature of Study	Location (TMK 1-)	Sites
Burgett and Rosendahl, 1989	Subsurface Testing	Ko 'Olina (TMK 9-1-015:008)	None
Clark, 1977	Reconnaissance Survey	Puʻu Kapolei, Honoʻuliʻuli (TMK 9-1-016:002)	WWII construction has destroyed all pre-contact surface features. Many military structures remain
Hammatt and Chiogioji, 1997	Reconnaissance Survey	North-South Road Corridor, Honoʻuliʻuli	No new sites
Hammatt and Shideler, 1990	Reconnaissance	West Loch Bluffs, Honoʻuliʻuli (TMK 9-1-017:004)	50-80-12-4344 (plantation infrastructure), -4345 (railroad berm), -4346, 4347. and -4348 (three pumping stations)
Hammatt and Shideler, 1999	Assessment	St. Francis Medical Center, Honoʻuliʻuli (TMK 9-1-017, 9-1- 060)	No surface features found; previously identified site 50-80- 12-3321 (subsurface pre- contact cultural deposit) may extend into this area

Author	Nature of Study	Location (TMK 1-)	Sites
Hammatt and Shideler, 2001	Inventory Survey	Southern Cross Cable Station, Honoʻuliʻuli (TMK 9-1-014, 9-1- 015)	50-80-12-4341 (OR&L Railroad); 50-80-12-4341 (historic irrigation infrastructure)
Hammatt, et al., 1990	Reconnaissance	'Ewa Villages, Hono'uli'uli	No archaeological features, but some historic plantation-era structures remain
Haun, 1986a and b	Reconnaissance Survey	'Ewa Town Center, Hono'uli'uli (TMK 9-1-015:005, 9-1- 015:017, 9-1-016:006, 9-1- 016:030)	One irrigation ditch, site 50-80- 12-4341, recorded
Hoffman, et al., 2005	Inventory Survey	West Kapolei, Honoʻuliʻuli (TMK 9-1-014:033, 9-1- 015:020)	Nineteen sites recorded. Only two plantation-era sites near the alignment, Sites 50-80-12-6689, a concrete irrigation flume, and 50-80-12-6679, a water control ditch
Kennedy, 1991a	Subsurface Testing	Puʻu Kapolei, Honoʻuliʻuli (TMK 9-1-016:002)	Site 50-80-12-138 (all military structures associated with Fort Barrette)
O'Hare, et al., 2004b	Reconnaissance Survey	West Kapolei area, Honoʻuliʻuli (TMK 9-1-015:004)	Site 50-80-12-6678 (five plantation irrigation features); Site 50-80-12-6679 (historic drainage ditch)
O'Hare, et al., 2005b	Literature Review and Field Check	Kapolei Interchange, Honoʻuliʻuli	Found previously recorded Site 50-80-12-6678 (historic irrigation ditch)
O'Hare, et al., 2006b	Assessment	Kamokila Boulevard Extension, Honoʻuliʻuli (TMK 9-1-016:001, 9-1-016:012, 9- 1-016:032)	Construction of extension will impact Site 50-80-12-9714 (OR&L Railroad right-of-way)
Ostroff, et al., 2001b	Inventory Survey with Subsurface Testing	Puʻu Kapolei, Honoʻuliʻuli (TMK 9-1-016:002)	Site 50-80-12-0138 (heiau; now destroyed); Site 50-80-12-5918 pre-contact remains (mound and petroglyph); Site 50-80-12-138 (all military structures associated with Fort Barrette)
Rasmussen and Tomonari- Tuggle, 2006	Monitoring	Waiau Fuel Pipeline route (TMK 9-1, 9-3, 9-4, 9-6, 9-7, and 9-8)	None

Kapolei Parkway/North-South Road

The Kapolei Parkway/North-South Road alignment extends Koko Head through the inland 'Ewa Plain, then turns north toward Farrington Highway (Table 5-5). The potential for burials, pre-contact archaeology, and historic archaeology is low. As with the Kamokila Boulevard/Farrington Highway alignment, this portion of the 'Ewa Plain is generally devoid of substantial pre-contact habitation or agricultural deposits due to the thin soil; however, this alignment parallels the lower portion of Kalo'i Gulch for some distance, and it is possible that some traditional Hawaiian agricultural features are still

extant along this waterway. In previous archaeological surveys, only scattered plantation-era features, such as ditches, flumes, reservoirs, and pumps, have been recorded.

Table 5-5. Kapolei Parkway/North-South Road

Author	Nature of Study	Location (TMK 1-)	Sites
Burgett and Rosendahl, 1990	Subsurface Testing	Ko 'Olina (TMK 9-1-015:008)	None
Hammatt and Chiogioji, 1997	Reconnaissance Survey	Honoʻuliʻuli (TMK 9-4-011)	No new sites
Hammatt and Shideler, 1990	Reconnaissance Survey	West Loch Bluffs, Honoʻuliʻuli (TMK 9-1-017:004)	50-80-12-4344 (plantation infrastructure), -4345 (railroad berm), -4346, 4347. and -4348 (three pumping stations)
Hammatt and Shideler, 1999	Assessment	St. Francis Medical Center, Honoʻuliʻuli (TMK 9-1-017:017, 9-1-017:060)	No surface features found; previously identified site 50-80- 12-3321 (subsurface pre- contact cultural deposit) may extend into this area
Hammatt and Shideler, 2001	Inventory Survey	Proposed Fiber Optic Cable Route, Honoʻuliʻuli (TMK 9-1- 014, 9-1-015)	50-80-12-4341 (OR&L Railroad); 50-80-12-4341 (historic irrigation infrastructure)
Hammatt, et al., 1990	Reconnaissance	'Ewa Villages, Hono'uli'uli	No archaeological features, but some historic plantation-era structures remain
Haun, 1986a and b	Reconnaissance Survey	'Ewa Town Center, Hono'uli'uli (TMK 9-1-015:005; 9-1- 015:017; 9-1-016:006, 9-1- 016:030)	One irrigation ditch, site 50-80- 12-4341, recorded
Hoffman, et al., 2005	Inventory Survey	Honoʻuliʻuli (TMK 9-1-147:033, 9-1-015:020)	Nineteen sites recorded. Only two plantation-era sites near the alignment, Sites 50-80-12-6689, a concrete irrigation flume, and 50-80-12-6679, a water control ditch
Rasmussen and Tomonari- Tuggle, 2006	Monitoring	Waiau Fuel Pipeline route (TMK 9-1, 9-3, 9-4 ,9-6, 9-7, and 9-8)	None

Saratoga Avenue/North-South Road

The western portion of the Saratoga Avenue/North-South Road alignment follows the Geiger Road/Fort Weaver Road alignment, and the eastern portion follows the Saratoga Avenue/North-South Road alignment (Table 5-6). The potential for burials, pre-contact archaeology, and historic archaeology for the entire alignment is low. In the western section, the alignment extends into the northern portion of the former Barbers Point Naval Air Station. Surface rock habitation features, modified karstic sinks, and subsurface cultural deposits have been recorded throughout this area, primarily concentrated at the coast, but with scattered features near the northern border. The sinks sometimes contain deposits of fossil bird bones, pre-contact cultural material and

features, and human burials. The northern portion of Barbers Point has been extensively surveyed. All sinks near the alignment have been recorded and tested. Some contained cultural material, but none contained burials. In the eastern section along the proposed North-South Road, only scattered plantation-era features (e.g., ditches, flumes) have been recorded.

Table 5-6. Saratoga Avenue/North-South Road

Author	Nature of Study	Location	Sites
Burgett and Rosendahl, 1990	Subsurface Testing	Koʻolina (TMK 9-1-015:008)	None
Hammatt and Chiogioji, 1997	Reconnaissance Survey	Honoʻuliʻuli (TMK 9-4-011)	No new sites
Hammatt and Shideler, 1990	Reconnaissance Survey	West Loch Bluffs, Honoʻuliʻuli (TMK 9-1-017:004)	50-80-12-4344 (plantation infrastructure), -4345 (railroad berm), -4346, 4347. and -4348 (three pumping stations)
Hammatt and Shideler, 1999	Assessment	Honoʻuliʻuli (TMK 9-1-017, 9-1-060)	50-80-12-3321 (habitation)
Hammatt and Shideler, 2001	Inventory Survey	Proposed Fiber Optic Cable Route, Honoʻuliʻuli (9-1-014, 9- 1-005)	50-80-12-4341 (OR&L Railroad); 50-80-12-4341 (historic irrigation infrastructure)
Hammatt, et al., 1990	Reconnaissance	'Ewa Villages, Hono'uli'uli	No archaeological features, but some historic plantation-era structures remain
Haun, 1986a and b	Reconnaissance Survey	'Ewa Town Center, Hono'uli'uli (TMK 9-1-015:005, 9-1- 015:017, 9-1-016:006, 9-1- 016:030)	None
Haun, 1991	Reconnaissance Survey	Barbers Point (northern section)	50-80-13-1717 to 1724, 1726, 1727,1729 (pre-contact habitation/agricultural complexes)
Hoffman, Freeman, et al., 2005	Inventory Survey	Honoʻuliʻuli (TMK 9-1-14:033, 9-1-015:020)	Nineteen sites recorded. Only two historic sites near the alignment, 50-80-12-6689, a concrete irrigation flume, and -6679, a water control ditch
Landrum and Schilz, 1993	Reconnaissance Survey	Barbers Point (northern section)	50-80-13-1729 (modified karstic sink)
O'Hare, et al., 2004b	Reconnaissance Survey	West Kapolei (9-1-015:004)	Site 50-80-12-6678 (five plantation irrigation features); Site 50-80-12-6679 (historic drainage ditch)
Rasmussen and Tomonari- Tuggle, 2006	Monitoring	Waiau Fuel Pipeline route (TMK 9-1, 9-3, 9-4, 9-6, 9-7, and 9-8)	None
Tuggle, 1997	Inventory Survey	Barbers Point (northern section)	50-80-13-4702 (modified karstic sink)
Welch, 1987	Reconnaissance Survey	Barbers Point (northern section)	50-80-13-4702, -3721 (precontact habitation complex around modified sinks)

Geiger Road/Fort Weaver Road

The Geiger Road/Fort Weaver Road alignment's potential to encounter historic resources is low (Table 5-7). The southeastern section, along Fort Weaver Road, is adjacent to, but does not pass through, the historic 'Ewa Villages, associated with sugar cane plantation camps of the 18th and 19th centuries. During archaeological studies in this area, plantation infrastructure features, older than 50 years, have been recorded; however, it is unlikely that any features remain directly adjacent to Fort Weaver Road. The potential for pre-contact cultural deposits is rated as medium, as discussed at the beginning of this section. The northern section of Fort Weaver Road passes through the former habitation/agricultural Hono'uli'uli Taro Lands. The potential for burials is low; only three have been recorded in the Hono'uli'uli Taro Lands at the northeastern end of the alignment. The middle section of this alignment extends into the former area used for the Barbers Point Naval Air Station, where burials have been found within karstic sinks. Only three sites, comprised of modified karstic sinks without burials, have been recorded in Barbers Point near the proposed alignment; therefore, the potential for burials in this section is also rated as low.

Table 5-7. Geiger Road/Fort Weaver Road

Author	Nature of Study	Location (TMK 1-)	Sites
Bath, 1989	Burial	Hōʻaeʻae Point, West Loch Estates, Honoʻuliʻuli (TMK 9-1- 017:023)	50-80-13-04816 (one burial)
Burgett and Rosendahl, 1989	Subsurface Testing	Koʻolina Resort, Honoʻuliʻuli (TMK 9-1-015:008)	None
Collins and Jourdane, 2004	Burial Report	Fort Weaver Road, Honoʻuliʻuli Taro Lands (TMK 9-1- 019:001)	50-80-04-6665 (one burial)
Davis, 1988	Subsurface Testing	'Ewa Gentry, Honoʻuliʻuli (TMK 9-1-010:002, 9-1-010:007, 9- 1-012:001, 9-1-012:029)	No cultural remains
Dicks, et al., 1987	Reconnaissance	West Loch Estates, Honoʻuliʻuli (TMK 9-1- 017:001, 9-1-017:006, 9-1- 017:013, 9-1-017:014, 9-1- 017:015, 9-1-017:018, 9-1- 017:025, 9-1-017:041)	50-80-08-3321 (cultural deposit with one burial); 50-80-12-3319 (modern cemetery), -3322 (buried fishpond), -3323 (historic fishpond), -3324 (buried pond system), 50-80-13-3318 (historic site), -3320 (historic site)
Goodfellow, Dunn, et al., 1998	Data Recovery	West Loch Estates, Honoʻuliʻuli (TMK 9-1- 017:001, 9-1-017:006, 9-1- 017:013, 9-1-017:014, 9-1- 017:015, 9-1-017:018, 9-1- 017:025, 9-1-017:041)	50-80-08-3321 (cultural deposit with one burial); 50-80-12-3319 (modern cemetery), -3322 (buried fishpond), -3323 (historic fishpond), -3324 (buried pond system); 50-80-13-3318 (historic site), -3320 (historic site)

Author	Nature of Study	Location (TMK 1-)	Sites
Hammatt and Shideler, 1990	Reconnaissance	West Loch Bluffs, Honoʻuliʻuli (TMK 9-1-017:004)	50-80-12-4344 (plantation infrastructure), -4345 (railroad berm), -4346, 4347. and -4348 (three pumping stations
Hammatt and Shideler, 1999	Assessment	St. Francis Medical Center, Honoʻuliʻuli (TMK 9-1-17:017, 9-1-17:060)	No surface features found; previously identified site 50-80- 12-3321 (subsurface pre- contact cultural deposit) may extend into this area
Hammatt and Shideler, 2001	Inventory Survey	Proposed Fiber Optic Cable Route, Honoʻuliʻuli (TMK 9-1- 014, 9-1-015)	50-80-12-4341 (OR&L Railroad); 50-80-12-4341 (historic irrigation infrastructure)
Haun, 1986a and b	Reconnaissance Survey	'Ewa Town Center, Honoʻuliʻuli (TMK 9-1-015:005, 9-1- 015:017, 9-1-016:006, 9-1- 016:030)	None
Haun, 1991	Reconnaissance Survey	Barbers Point (northern section)	50-80-13-1717 to 1724, 1726, 1727,1729 (pre-contact habitation/agricultural complexes)
Hoffman, et al., 2005	Inventory Survey	Kapolei West, Honoʻuliʻuli (TMK 9-1-047:033, 9-1- 015:020)	Nineteen sites recorded. Only two plantation-era sites near the alignment, Sites 50-80-12- 6689, a concrete irrigation flume, and 50-80-12-6679, a water control ditch
Kennedy, 1988	Reconnaissance Survey	'Ewa Gentry, Hono'uli'uli (TMK 9-1-010:002, 9-1-010:007, 9-1-012:029)	50-80-12-9714 (OR&L Railroad bed/right-of-way)
Landrum and	Reconnaissance	Barbers Point (northern	50-80-13-1729 (modified
Schilz, 1993	Survey	section)	karstic sink)
O'Hare, et al., 2004b	Reconnaissance Survey	West Kapolei area (TMK 9-1- 015:004)	Site 50-80-12-6678 (five plantation irrigation features), Site 50-80-12-6679 (historic drainage ditch)
O'Hare, et al., 2006a	Inventory Survey	Hoʻopili project-East Kapolei (formerly West Loch Bluffs (TMK: 9-1-010:002, 9-1- 017:004, 9-1-017:059, 9-1- 017:072, 9-1-018:001, 9-1- 018:004, 9-2-001:001)	No sites found in portion of the project area adjacent to Ford Weaver Road and West Loch
Rasmussen and Tomonari- Tuggle, 2006	Monitoring	Waiau Fuel Pipeline route (TMK 9-1, 9-3, 9-4, 9-6, 9-7, and -8)	None
Tuggle, 1997	Inventory Survey	Barbers Point (northern	50-80-13-4702 (modified
Welch, 1987	Reconnaissance Survey	section) Barbers Point (northern section)	karstic sink) 50-80-13-4702, -3721 (precontact habitation complex around modified sinks)

Section I - Sundry Sites

Nine sundry sites are located within Section I. No sundry sites have a high potential to impact any type of historic archaeological resource. One site has a high potential to impact pre-contact archaeological features and burials, and the remaining eight sundry sites have a low potential to impact any type of archaeological resource.

The sundry site with a high potential to impact pre-contact archaeological features and burials is located where two alignments (Geiger Road/Fort Weaver Road and Saratoga Avenue/North-South Road) approach Saratoga Road in the northern section of the former Barbers Point Naval Air Station and extend north toward the H-1 highway. This area is recorded as having a pre-contact Hawaiian habitation/agricultural/ burial complex. The complex is comprised of 11 identified sites with at least 44 component features, such as rock enclosures, platforms, mounds, and modified karstic sinks.

Section II – Fort Weaver Road to Aloha Stadium

The Farrington Highway/Kamehameha Highway alignment has had little archaeological study (Table 5-8). This area is notable for its proximity to the upper portion of the west, middle and east lochs of Pearl Harbor. In the pre-contact and early post-contact period, the margins of the lochs were modified for fishponds. The majority of these were filled during the later historic period, but fishpond and wetland sediments probably exist intact below these fill layers. Archaeological projects involving the collection of soil cores from fishponds have produced new and interesting information on the environment of Oʻahu before the first Hawaiian settlement regarding climate change (some of which was probably human-induced) and regarding the time and construction of large fishponds. Only a few burials have been reported near this alignment, usually close to the shores of Pearl Harbor. Other features reported from this area are pre-contact cultural deposits, historic deposits, and plantation infrastructure, especially workers camps.

Many projects emphasize the extent of agricultural and urban disturbance in this area, with several reporting the presence of thick fill layers near Pearl Harbor. Since only a few burials have been reported, the impact for this resource is rated as low. The alignment may affect paleoenvironmental sites, archaeological subsurface deposits, and historical surface features; therefore, the impacts to pre-contact and historic archaeological resources are rated as medium.

<i>Table 5-8.</i>	Farrington	Highway/Ka	ımehameha	Highway
I WOLC C O.	I will the store	110010110111111111111111111111111111111		1105101100

Author	Nature of Study	Location	Sites
Athens, 2000	Pearl Harbor Fishpond Study	U.S. Navy Lands Pearl Harbor	Ponds researched in report are not near the alignment
Chafee and Anderson, 1995	Burial Report	Waiawa Road, Waiawa Ahupua'a (TMK 9-6- 003:005)	50-80-09-5302 (one burial)
Cleghom, 1996c	Reconnaissance Survey	Oʻahu Sugar Co. Mill, Waipahu, Waikele Ahupuaʻa (TMK 9-4- 002:004)	Plantation mill structures were noted, but not recorded; no traditional Hawaiian sites

Author	Nature of Study	Location	Sites
Dega and O'Rourke, 2003	Evaluation Report	Pearl City (TMK 9-8- 007:001, 9-9-006:020)	No sites in project area, but authors do report on site 50-80-12-6383, a burial in Blaisdell Park
Folk, 1990	Reconnaissance Survey	Waipahu Street, Waikele (TMK 1-9-4-)	No sites recorded, but notes rich cultural history in area
Fong, et al., 2005	Literature Review and Field Inspection	13-acre Mānana Parcel B, Waiawa and Mānana (TMK 9-7-024:057)	None
Goodman and Nees, 1991	Reconnaissance - Inventory Survey	Waiawa Ahupua'a (TMK 9-4-006:011, 9-4-026, 9-6-004:001, 9-6-004:004, 9-6-004:016, 9-6-005:001 to :014)	No reported sites near Section II alignment
Hammatt and Borthwick, 1985	Reconnaissance Survey	37-acre wetland parcel, Waiawa (TMK 9-6- 003:025, 9-6-003:026, 9- 6-003:027, 9-6-003:028)	No site number for wetland designated; notes rich cultural history of area
Hammatt and Chiogioji, 2000a	Assessment	2,600-foot portion of Farrington Highway, Waikele (TMK 9-4-011)	No archaeological sites found; discussion of bridges
Hammatt, et al., 2000	Inventory Survey	Manager's Drive, Waikele (TMK 9-4-002:005)	50-80-09-0530 (petroglyphs at northwest lot corner); 50-80-09-4660 (Higashi Plantation Camp in southwest corner)
Hammatt, et al., 2004	Assessment	Waipahu Street, Waipahu, Waikele (TMK 9-4-009, 9- 4-059:072, 9-4-059:073, 9-4-059:074)	Identified no surface properties; notes extensive land disturbance
Jourdane, 1995a	Burial Report	Waiawa Road, Waiawa (TMK 9-6-003:005)	50-80-09-5302 (one burial)
McGerty and Spear, 1995	Assessment	Mānana and Pearl City Junction, Mānana, Waiawa (TMK 9-7- 023:001, 9-7-024:006)	None
Perzinski, et al., 2004	Inventory Survey	Queen Emma Foundation, Waipi'o (TMK 9-4- 038:083, 9-4-050:059)	50-80-09-6671 (surface remains of the 'l'i-Brown family home); 50-80-09-6672 (cultural deposit); 50-80-09-6673 (with two burials)
Perzinski, et al., 2006	Data Recovery	Queen Emma Foundation, Waipi'o (TMK 9-4- 038:083, 9-4-050:059)	Additional work at Sites 50-80-09-6672 and -6673 (disinterment of burials)
Rechtman and Henry, 1998	Reconnaissance Survey	Red Hill Fuel Storage Area, Waipiʻo, Waiawa, Hālawa, Moanalua	None
Spear, 1993	Reconnaissance Survey	Waikele Industrial Subdivision, Waikele (TMK 9-4-002:004)	50-80-091345 (Wakamiya Inari Shrine)
Spear, 1994	Reconnaissance Survey	Waikele Industrial Subdivision, Waikele (TMK 9-4-002:004)	Oʻahu Sugar Co. plantation worker's camp (no SIHP number)

Section III - Aloha Stadium to Middle Street

Few archaeological studies have been conducted near the Section III alignment and these are clustered at the northern end adjacent to Pearl Harbor (Tables 5-9 through 5-12). The extensive Bishop Museum documentation associated with the H-3 project did not extend to the mouth of Hālawa Stream, and thus their research is not pertinent to this project. At one point, Section III is adjacent to Hickam Air Force Base where numerous archaeological projects have been conducted. All of these reports were searched, but they generally focused on coastal fishponds, which are not near the alignments. None of the recorded sites at Hickam Air Base is located near the alignments. The studies pertinent to the four alignments of Section III are almost all the same.

No burials have been reported near Section III, and thus the impact to this resource is rated as low for all four alignments. Reported sites along Section III include fishponds, usually buried beneath a fill layer. This fill layer may contain early historic artifacts. The potential to impact pre-contact and historic archaeological resources along the Mauka of the Airport Viaduct, Makai of the Airport Viaduct, and the Aolele Street alignments is rated as medium. The ratings for the Salt Lake Boulevard alignment for these two resources are low, primarily because of the massive land modification in this area.

Table 5-9. Salt Lake Boulevard

Author	Nature of Study	Location (TMK 1-)	Sites
Barrera, 1971	Inventory Survey	Aloha Stadium, Hālawa (TMK 9-9-003:061)	No sites; notes massive land modification
Hammatt, 1995a	Reconnaissance Survey	20-acre lot for proposed Hālawa Well	No sites; project area had been fully graded
Wickler, et al., 1991	Settlement Plan Study	Shafter Flats (TMK 1-1- 035:001)	None
Williams and Anderson, 1997	Monitoring	Shafter Flats (TMK 1-1- 035:002)	None

Table 5-10. Mauka of the Airport Viaduct

Author	Nature of Study	Location (TMK 1-)	Sites
Athens, 2000	Archaeological Study Hawaiian Fishponds	U.S. Navy Lands Pearl Harbor	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Avery, et al., 1994	Monitoring	Hālawa Stream Mouth Hālawa (TMK 9-9-001; 9-9-003)	None
Barrera, 1971	Inventory Survey	Aloha Stadium, Hālawa (TMK 9-9-003:061)	No sites; notes massive land modification
Dye, 1999	Archaeological Resources Survey	Hālawa Bridge, Hālawa (TMK 9-9-001:001; 9-9-002:004; 9- 9-003:026, 9-9-003:029, 9-9- 003:056)	No sites found during survey; fill material present
Williams, 1993	Monitoring and Testing	Hālawa (TMK 9-9-001:016)	50-80-13-0102 (Loko Kunana and Loko Muliwai)

Author	Nature of Study	Location (TMK 1-)	Sites
Williams, 1994	Inventory Survey	Hālawa (TMK 9-9-001:016)	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Yent and Ota, 1981	Reconnaissance Survey	Rainbow Bay State Park, 'Aiea (TMK 9-8-; 9-9-)	No new sites; area formerly had two fishponds (Kahakupohaku Pond and Loko Pa'aiau)

Table 5-11. Makai of the Airport Viaduct

Author	Nature of Study	Location	Sites
Athens, 2000	Archaeological Study Hawaiian Fishponds	U.S. Navy Lands Pearl Harbor	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Avery, et al., 1994	Monitoring	Hālawa Stream Mouth Hālawa (TMK 9-9-001; 9-9-003)	None
Barrera, 1971	Inventory Survey	Aloha Stadium, Hālawa (TMK 9-9-003:061)	No sites, notes massive land modification
Williams, 1993	Monitoring and Testing	Hālawa (TMK 9-9-001:016)	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Williams, 1994	Inventory Survey	Hālawa (TMK 9-9-001:016)	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Yent and Ota, 1981	Reconnaissance Survey	Rainbow Bay State Park, 'Aiea (TMK 9-8-; 9-9-)	No new sites; area formerly had two fishponds (Kahakupohaku Pond and Loko Pa'aiau)

Table 5-12. Aolele Street

Author	Nature of Study	Location (TMK 1-)	Sites
Athens, 2000	Archaeological Study of Ancient Hawaiian Fishponds	U.S. Navy Lands Pearl Harbor	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Avery, et al., 1994	Monitoring	Hālawa Stream Mouth Hālawa (TMK 9-9-001; 9-9-003)	None
Barrera, 1971	Inventory Survey	Aloha Stadium, Hālawa (TMK 9-9-003:061)	No sites; notes massive land modification
Williams, 1993	Monitoring and Testing	Hālawa (TMK 9-9-001:016)	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Williams, 1994	Inventory Survey	Hālawa (TMK 9-9-001:016)	50-80-13-0102 (Loko Kunana and Loko Muliwai)
Yent and Ota, 1981	Reconnaissance Survey	Rainbow Bay State Park, 'Aiea (TMK 9-8-; 9-9-)	No new sites; area formerly had two fishponds (Kahakupohaku Pond and Loko Pa'aiau)

Section IV - Middle Street to Iwilei

The dominating natural features of the short Section IV between Middle Street and Iwilei are the Kapālama and Kalihi Stream drainages. In the pre-contact period, Native Hawaiians intensively used the alluvial soils along these perennial streams for pondfield

agriculture. Dispersed habitation was associated with these agricultural lands. At the drainage mouths, fishponds were constructed and used for aquaculture. Land records from the mid-19th century indicate that this area was a settled and productive dispersed community outside the bounds of growing Honolulu. Numerous Land Commission Awards (LCA) were granted in this area, particularly along the drainages. In the later 19th century and first half of the 20th century, burgeoning Honolulu lead the development of this area. Coastal fishponds were filled for development, and former agricultural lands were developed for residential and commercial uses.

Previous archeological work within Section IV is sparse. Based on what has been done and the information from proxy data sets, however, it is likely that archaeological deposits are preserved beneath the area's modern surface. These archaeological deposits may be more concentrated near the alignment's intersections with Kapālama and Kalihi Streams. Because of the general lack of previous archaeological work, Section IV is more difficult to rate for potential archaeological impacts.

North King Street

The North King Street alignment's potential to encounter archaeological deposits is rated medium for all three categories of archaeological impacts. In the central portion of the alignment, a coffin burial was documented in association with Kaumakapili Church. At each end of the alignment, multiple burials were documented immediately adjacent to North King Street (Table 5-13).

Table 5-13. North King Street

Author	Nature of Study	Location (TMK 1-)	Sites
Borthwick, et al., 1995	Inventory Survey	Kapālama (TMK 1-5-001:001)	None
		Middle Street Intermodal	50-80-14-6683 (one historic
Dega and Davis,		Center (TMK 1-2-018:001, 1-	trash pit in fill above Waikulu
2005	Inventory Survey	2-018:002, 1-2-018:009)	Fishpond)
Dunn, et al.,	Inadvertent	North King Street and Robello	SIHP 50-80-14-3373 (two
1991	Burial Discovery	Lane Kapālama (TMK 1-5-	burials)
		008:017, 1-5-008:018, 1-5-	
		008:023)	
Folk, et al., 1993	Inventory Survey	711 Middle Street (TMK 1-2-	50-80-14-4525 (three burials,
		016:007)	two in coffins, and a subsurface
			cultural layer)
Hammatt, 1995b	Inadvertent	Austin Lane and N. King	50-80-14-4929 (historic coffin
	Burial Discovery	Street, fronting Kaumakapili	burial)
		Church (TMK 1-5-005)	
Nakamura, et al.,	Assessment	Kapālama (TMK 1-6-003:042,	None
1994		1-6-003:043, 1-6-003:044, 1-	
		6-003:045, 1-6-003:046, 1-6-	
		003:051, 1-6-003:052, 1-6-	
		003:053, 1-6-003:079, 1-6-	
		003:080, 1-6-003:081, 1-6-	
		003:087, 1-6-003:089)	
Neller, 1980a	Reconnaissance	Kapālama Fire Station, (TMK	None
	Survey	1-5-005:014)	

Dillingham Boulevard

The Dillingham Boulevard alignment's potential to encounter archaeological deposits is rated medium for all three categories of archaeological impacts. Background research indicates no previous archaeological investigations were carried out along this alignment; however, the findings of the limited investigations along the North King Street alignment and the information from proxy data sets indicate a reasonable potential for archaeological deposits.

Section IV - Sundry Sites

Three sundry sites are located in Section IV. The sundry site at the corner of Dillingham Boulevard and Middle Street is a former historic fishpond. It also abuts a previous archaeological study that documented three burials and a subsurface cultural layer (Table 5-13). This sundry site is rated high for all three categories of archaeological impacts. The remaining two sundry sites along the North King Street alignment are rated medium for all three categories of archaeological impacts.

Section V - Iwilei to UH Mānoa

Section V includes the urban core of Honolulu, the rapidly developing area of Kākāʻāko, and portions of the Honolulu Plain extending up to the entrance of Mānoa Valley at the University of Hawaiʻi campus. The Waikīkī Spur down Kūhiō Avenue is a component of Section V. Of the five sections discussed under the Fixed Guideway Alternative, Section V has the greatest potential to impact archaeological resources.

This area has been a population and agricultural center for hundreds of years. First, there was substantial settlement in Waikīkī and lower Nu'uanu during the pre-contact era. With the historic development of Honolulu Harbor in the early 19th century, waterfront Honolulu quickly became a Pacific business and trading center. During the late 19th and first half of the 20th century, Section V from Honolulu Harbor, to Waikīkī, to the UH Mānoa Campus was completely developed by expanding residential and commercial interests.

This intensive land use history has left a rich archaeological record that has been documented in numerous previous archaeological investigations. Most of this archaeological research has been conducted along coastal portions of Honolulu, through Downtown, Kākā'āko and Waikīkī. The alignments that past through these areas all have a high rating for their potential to impact archaeological resources. The single more mauka alignment, Beretania Street/South King Street, extends predominantly over the Honolulu Plain, away from the intensive coastal prehistoric and historic land use. Accordingly, this alignment has a medium rating for impacts to archaeological resources.

For the following discussion, the three tunnels that are proposed as components of three of Section V's alignments will be discussed separately. These "cut-and-cover" tunnel excavations have a much greater potential to affect archaeological resources than the surface alignments. For some of the alignments, tables detailing past archaeological sites associated with the tunnels were prepared. For other alignments, the tunnels are included in the general table for that alignment.

Beretania Street/South King Street

As a whole, the Beretania Street/South King Street alignment's potential to encounter archaeological deposits is rated as medium for all three categories of archaeological impacts. However, the 'Ewa end of the alignment along Beretania Street is a "hot spot" that has a much higher potential for encountering archaeological deposits than the majority of the alignment along South King Street.

This *mauka*-most alignment of Section V extends from Iwilei along Beretania Street as a tunnel that emerges between Punchbowl and Alapa'i Streets. This tunnel passes through pre-contact and early historic settlements, fishponds, and pondfields at the mouth of Nu'uanu Stream, the former settlement of Kou. It continues along the mauka edge of Chinatown and the early (1800-1850) historic portions of Honolulu. Fairly abundant previous archaeological research through this area has documented burials and prehistoric and historic archaeological deposits (Table 5-14).

The tunnel continues through the Capitol District, where historic deposits have been documented along with burials. Were this tunnel segment of the Beretania Street/South King Street alignment to be rated for potential archaeological impacts by itself, it would rate high for all three categories of archaeological impacts. This tunnel section, however, only comprises 25 to 30 percent of the overall alignment's length. As the alignment leaves Downtown Honolulu and extends toward the UH Mānoa campus, its potential for impacting archaeological resources decreases.

At Alapa'i Street the alignment switches to South King Street, and extends out to University Avenue and mauka to the UH Mānoa Campus. Burials have been documented along South King Street associated with the Catholic Cemetery located immediately 'Ewa of Ward Avenue. Generally, this portion of the alignment along South King Street across the Honolulu Plain is sufficiently removed from the pre-contact and early historic intensive coastal land use so that extensive archaeological deposits are not expected. The South King Street route, however, was an early historic transportation corridor, so historic deposits are not unexpected. At the Koko Head end of the alignment, historic maps and land documents indicate there were fairly extensive agricultural fields and dispersed settlement. This more intensive land use extends into the Mānoa area, where pond fields, a burial, and an archaeological complex have been documented (Table 5-15).

Table 5-14. Beretania	Street/South King	g Street Tunnel Only
-----------------------	-------------------	----------------------

Author	Nature of Study	Location (TMK 1-)	Sites
Carpenter and	Monitoring	Washington Place, Kennels,	50-80-14-9907 (Washington
Yent, 1995		Nuʻuanu (TMK 2-1-018:001)	Place)
		lwilei parcel (TMK 1-5-	
Chiogioji and		008:001, 1-5-008:009, 1-5-	
Hammatt, 1992a	Assessment	008:011)	None
Chiogioji and	Assessment	Honolulu town (TMK 2-1-	None
Hammatt, 1994		018:001, 2-1-018:011, 2-1-	
		018:016, 2-1-018:046, 2-1-	
		018:047)	

Author	Nature of Study	Location (TMK 1-)	Sites
Denham and Kennedy, 1993	Monitoring	Nu'uanu-Capitol District (TMK 2-1-025:002)	50-80-14-4605 (one burial); 50- 80-14-4606 (nine historic trash pits)
Dockall, 2003	Inventory Survey	Nuʻuanu-Washington Place (TMK 2-1-018:001)	50-80-14-9907 (Washington Place)
Dye, 2002	Monitoring	Nu'uanu-Capitol District (TMK 2-1-017:001, 2-1-017:002)	50-80-14-1307 (State Capitol/Grounds)
Hammatt and Chiogioji, 1998b	Assessment	Nu'uanu-Capital Place (TMK 2-1-009:018, 2-1-009:027)	50-80-14-5760 (historical cultural deposit)
Han, 1980	Burial Report	Royal Queen Emma site (TMK 2-1-018:042, 8-4-002)	50-80-14-2299 (two burials)
Hawaiʻi Bottle Museum, 1982a and b	Historic Artifact Analysis	Nu'uanu-Century Square (TMK 2-1-010:046)	Glass bottles found
Majors and Carpenter, 2000	Monitoring	Washington Place, Nuʻuanu (TMK 2-1-018:001)	50-80-14-9907 (Washington Place)
Mann and Hammatt, 2002a	Monitoring	King Street Rehabilitation (TMK 1-1-7-, 1-2-1-)	50-80-14-6371 (one burial)
McGerty, et al., 1997	Data Recovery	Kalihi, Pālama (TMK 1-5- 007:001, 1-5-007:014, 1-5- 007:015, 1-5-007:018, 1-5- 007:057, 1-5-007:058, 1-5- 007:060 to :078)	50-80-14-5368 (Kūwili fishpond)
Perzinski, et al., 2000a	Inventory Survey	Capital Place (TMK 2-1-09:18)	50-80-14-5760 (cluster of mid- 19 th -century subsurface features)
Perzinski, et al., 2005	Data Recovery	Nuʻuanu-Capital Place (TMK 2-1-009:018)	50-80-14-5760 (historical cultural deposit)
Simons, et al., 1991	Monitoring	Honolulu town (TMK 2-1- 017:001)	None
West, et al., 2002	Monitoring	Nu'uanu, Liliha (TMK 1-5-006, 1-5-007, 1-5-008, 1-7-026, 1- 7-027)	Historic cultural deposit; newly identified deposit of 50-80-14-5942 (Honolulu Rapid Transit and Land Company Trolley)

Table 5-15. Beretania Street/South King Street, Excluding Tunnel

Author	Nature of Study	Location (TMK 1-)	Sites
Anderson, 1995	Inventory Survey	King Street Prop. (TMK 2-1- 004:041, 2-1-004:042, 2-1- 004:043)	50-80-14-5373
Esh and Hammatt, 2004a	Monitoring	Ala Moana (TMK 2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014 to 2-3-015, 2-3-035, 2-3-038, 2-4-003 to 2-4-004, 2-4-010, 2-4-012)	None

Author	Nature of Study	Location (TMK 1-)	Sites
Esh and Hammatt, 2006	Monitoring	Pi'ikoi Street between Ala Moana Blvd. and Matlock Street	None
Wolforth and Haun, 1996	Inventory Survey	Mānoa, Pālolo-KP Trans (TMK 2-7-, 2-8-, 2-9-, 3-2-, 3- 3, 3-4)	50-80-14-4266 (one burial); 50- 80-14-4498 (pondfield); 50-80- 14-5463 (complex); 50-80-14- 1352; 50-80-14-9749

Hotel Street/Waimanu Street/Kapi'olani Boulevard

This alignment's potential to encounter archaeological resources is rated high for all three archaeological impact categories.

The 'Ewa end of this alignment passes through the same archaeologically significant areas as the 'Ewa end of the Beretania Street/South King Street alignment, including the pre-contact and early historic settlement, fishponds, and pond fields at Iwilei and the mouth of Nu'uanu Stream, the historic and prehistoric deposits documented within the Chinatown Historic District, and the burials and archaeological deposits of the Capitol District. In the vicinity of the Capitol Building the surface alignment switches to a tunnel that extends to Waimanu Street. This tunnel traverses an important archaeological and cultural area that includes deposits related to Kapi'olani Palace and other past residences of Hawaiian monarchs. Past archaeological work in the vicinity has documented burials and historic and prehistoric archaeological resources (Table 5-16).

Along Waimanu Street, the alignment returns to the surface, extending through the area known today as Kākā'āko. Waimanu Street through present day Kākā'āko is along the mauka extent of a pre-contact and early historic lowland area of salt marshes, fishponds, salt-making operations, taro pondfields, and dispersed settlement. This area was midway between the more extensive population and agricultural centers of Honolulu and Waikīkī. This area was used fairly extensively for burial interment, with many historic-era burials dating from the early 1850s' small pox epidemic. As Honolulu expanded toward Waikīkī, this low-lying area's land value increased. As early as the late 19th century, and continuing and increasing in the first half of the 20th century, this low-lying area was reclaimed through the deposition of numerous types of fill material. This reclamation often raised the land surface three to five feet and made the area suitable for more intensive residential and commercial development. Previous archaeological work through this portion of Kākā'āko has documented both historic and prehistoric burials, as well as pre-contact and historic archaeological deposits, preserved beneath these fill layers (Table 5-16).

Farther Koko Head, the alignment extends along Kona Street, connecting to Kapi'olani Boulevard near the Convention Center. Based on background research, there is reasonable potential for this portion of the alignment to encounter fishpond and pondfield remnants, burials, and historic archaeological remains. As the alignment extends along Kapi'olani Boulevard and mauka along University Avenue, the potential for archaeological impacts decreases; however, historic maps indicate this was an area of

extensive agriculture and dispersed settlement. At the UH Mānoa campus, the alignment could encounter remnants of pre-contact and historic agriculture and habitation.

Table 5-16. Hotel Street/Waimanu Street/Kapi'olani Boulevard

Author	Nature of Study	Location (TMK 1-)	Sites
Athens, et al., 1994	Inventory Survey	Kamake'e to Ke'eaumoku Streets (TMK 2-3)	50-80-14-4847 (one burial)
Chaffee and Spear, 1994	Assessment	Four Hausten Street lots (TMK 2-7-009:013, 2-7-009:014, 2-7-010:008, 2-7-010:009)	None
Chiogioji and Hammatt, 1992a Chiogioji and Hammatt, 1992b	Assessment Assessment	Iwilei parcel (TMK 1-5- 008:001, 1-5-008:009, 1-5- 008:011) 5.33-acre parcel in the Kapi'olani Business District	None None
Clark and Gosser, 2005	Inventory Survey	(TMK 1-2-3-009:001) Kapi'olani Avenue (TMK 2-3-003:075, 2-3-003:085, 2-3-003:086)	50-80-14-6636 (wetland pond)
Cleghorn, 1989	Excavation	China Gateway (TMK 2-1- 003:015, 023, 024, 025)	None
Denham and Kennedy, 1993	Monitoring	Nu'uanu-Capitol District (TMK 2-1-025:002)	50-80-14-4605 (one burial); 50- 80-14-4606 (nine historic trash pits)
Denham, et al., 1992	Inventory Survey	Nuʻuanu (TMK 1-7-03:32)	None
Dye, 2002	Monitoring	Nu'uanu-Capitol District (TMK 2-1-017:001, 2-1-017:002)	50-80-14-1307 (State Capitol/Grounds)
Elmore and Kennedy, 2001a		Chinatown, Honolulu (TMK 1-7-002:000, 1-7-003:000, 2-1-002:000)	50-80-14-5781 (one burial)
Erkelens, et al., 1994	Burial	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4875 (four burials)
Esh and Hammatt, 2004a	Monitoring	Ala Moana (TMK 2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014 to 2-3-015, 2-3-035, 2-3-038, 2-4-003 to 2-4-004, 2-4-010, 2-4-012)	None
Esh and Hammatt, 2005	Burial Treatment Plan	Ala Wai Gateway (TMK 2-6-011:001, 2-6-011:002, 2-6-011:032, 2-6-011:037, 2-6-011:040)	None
Esh and Hammatt, 2006	Monitoring	Pi'ikoi Street between Ala Moana Blvd. and Matlock Street	None
Goodwin, 1997	Inventory Survey	Nu'uanu-Kekaulike Park (TMK 1-7-003:020, 021, 1-7- 003:023, 1-7-003:024)	50-80-14-4875 (one burial)
Goodwin and Allen, 2005	Data Recovery	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4875 (one burial)

Author	Nature of Study	Location (TMK 1-)	Sites
Gosser, et al., 2006	Monitoring	Kapi'olani Avenue (TMK 2-3- 003:075, 2-3-003:085, 2-3- 003:086)	50-80-14-6636 (wetland pond)
Hammatt, 2006b	Inventory Survey	Ala Moana (TMK 2-3-038:001, 2-3-040:005, 2-3-040:007, 2-3-040:011, 2-3-040:014, 2-3-040:016, 2-3-040:018)	50-80-14-6847 (artifact cache in box)
Hammatt, 2006c	Literature Review and Field Inspection	Kapiʻolani Avenue (TMK 2-3- 039:011)	None
Hammatt and Borthwick, 1989	Assessment	Hotel Street (TMK 2-1- 017:007)	None
Heidel and Hammatt, 1994	Data Recovery	Nu'uanu-Chinatown (TMK 1-7-003:014)	50-80-14-1346 (Oʻahu Fire Stations)
Hurst and Allen [Pantaleo], 1992	Monitoring and Inventory Survey	Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	50-80-14-2426 (Mainly Historic Artifact Cache)
Kennedy, 1984	Investigations	Nu'uanu (TMK 2-1-002:038, 2- 1-002:039)	None
Kennedy, et al., 1994	Inventory Survey	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4587 (Pehu fishpond); 50-80-14-4588 (three burials)
Mann and Hammatt, 2002a	Monitoring	King Street Rehabilitation (TMK 1-7-, 2-1-)	50-80-14-6371 (one burial)
McGerty, et al., 1995	Assessment	Nu'uanu-Chinatown (TMK 1-7- 003:014, 1-7-003:015)	None
McGerty, et al, 1997	Data Recovery	Kalihi, Pālama (TMK 1-5- 007:001, 1-5-007:014, 1-5- 007:015, 1-5-007:018, 1-5- 007:057, 1-5-007:058, 1-5- 007:060 to :078)	50-80-14-5368 (Kūwili fishpond)
McIntosh and Cleghorn, 2005	Inventory Survey	Launiu Street (TMK 2-6- 017:068, 2-6-017:070, 2-6- 017:071, 2-6-017:072, 2-6- 017:073)	50-80-14-6680 (<i>lo'i</i> , irrigated taro patch)
Monahan, 2005	Excavation	Kewalo (TMK 2-3-003:073, 2-3-003:096)	None
O'Hare, et al., 2003c	Inventory Survey	Parcel in Kewalo (TMK 2-3- 010:028, 2-3-010:048, 2-3- 010:050 to :056)	50-80-14-6636 pre-contact to early 20th-century land surface; 50-80-14-6637 (historic trash dump)
OʻLeary and Hammatt, 2004	Monitoring	Kapiʻolani Avenue (TMK 2-3- 003)	None
O'Leary and Hammatt, 2006b	Inventory Survey	Moana Vista (TMK 2-3- 003:072, 2-3-003:088, 2-3- 003:102)	None
Pantaleo, 1989	Monitoring and Testing	Chinatown Gateway (TMK 2- 1-003:015, 2-1-003:023, 2-1- 003:024, 2-1-003:025)	50-80-14-2142 (historic artifact cache)
Riley, et al., 1995	Data Recovery	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4587 (Pehu fishpond); 50-80-14-4588 (three burials)

Author	Nature of Study	Location (TMK 1-)	Sites
Simons, et al., 1991	Monitoring	Honolulu town (TMK 2-1- 017:001)	None
Tulchin and Hammatt, 2005	Inventory Survey	Koʻolani Condominiums (TMK 2-3-004:073, 2-3-005:027, 2-3-006:014, 2-3-007:002)	None
West, et al., 2002	Monitoring	Nu'uanu, Liliha (TMK 1-5-006, 1-5-007, 1-5-008, 1-7-026, 1- 7-027)	Historic Cultural Deposit, newly identified deposit of 50-80-14-5942 (Honolulu Rapid Transit and Land Company Trolley)
Winieski and Hammatt, 2000a	Monitoring	Kākā'āko ID-4 (TMK 2-3-002, 2-3-003, 2-3-004, 2-3-005)	50-80-14-4498 (<i>'auwai</i> and <i>lo'i</i> remnants); 50-80-14-5598 (two burials)
Wolforth and Haun, 1996	Inventory Survey	Mānoa, Pālolo-KP Trans (TMK 2-7-, 2-8-, 2-9-, 3-2-, 3- 3-, 3-4)	50-80-14-4266 (burials); 50-80- 14-4498 (fishpond); 50-80-14- 5463; 50-80-14-1352; 50-80-14- 9749

Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard

This alignment is sufficiently similar to the Hotel Street/Waimanu Street/Kapi'olani Boulevard alignment described immediately above that it does not merit further detailed discussion. This alignment passes through the same archaeologically sensitive areas. Accordingly, the Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard alignment's potential to encounter archaeological resources is rated high for all three archaeological impact categories (Tables 5-17 and 5-18).

Table 5-17. Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard, Excluding Tunnel

Author	Nature of Study	Location (TMK 1-)	Sites
Athens, et al., 1994	Inventory Survey	Kamake'e to Ke'eaumoku Streets (TMK 2-3)	50-80-14-4847 (one burial)
Chaffee and Spear, 1994	Assessment	Four Hausten Street lots (TMK 2-7-009:013, 2-7-009:014, 2-7-010:008, 2-7-010:009)	None
Chiogioji and Hammatt, 1992a	Assessment	Iwilei parcel (TMK 1-5- 008:001, 1-5-008:009, 1-5- 008:011)	None
Chiogioji and Hammatt, 1992b	Assessment	5.33-acre parcel in the Kapiʻolani Business District (TMK 1-2-3-009:001)	None
Cleghorn, 1989	Excavation	China Gateway (TMK 2-1- 003:015, 023, 024, 025)	None
Denham and Kennedy, 1993	Monitoring	Nu'uanu-Capitol District (TMK 2-1-025:002)	50-80-14-4605 (one burial; multiple historic features); 50- 80-14-4606 (nine historic trash pits)
Denham, et al., 1992	Inventory Survey	Nuʻuanu (TMK 1-7-003:032)	None

Author	Nature of Study	Location (TMK 1-)	Sites
Dye, 2002	Monitoring	Nu'uanu-Capitol District (TMK 2-1-017:001, 2-1-017:002)	Historic in-fill pit, newly identified feature of 50-80-14-1307 (State Capitol/Grounds)
Elmore and Kennedy, 2001a		Chinatown, Honolulu (TMK 1-7-002:000, 1-7-003:000, 2-1-002:000)	50-80-14-5781 (one burial)
Erkelens, et al., 1994	Burial	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	Four burials, newly identified for 50-80-14-4875 (Kekaulike Diamond Head Block Project)
Esh and Hammatt, 2004a	Monitoring	Ala Moana (TMK 2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014 to 2-3-015, 2-3-035, 2-3-038, 2-4-003 to 2-4-004, 2-4-010, 2-4-012)	None
Esh and Hammatt, 2005	Burial Treatment Plan	Ala Wai Gateway (TMK 2-6-011:001, 2-6-011:002, 2-6-011:032, 2-6-011:037, 2-6-011:040)	None
Esh and Hammatt, 2006	Monitoring	Pi'ikoi Street between Ala Moana Blvd. and Matlock Street	None
Goodwin, 1997	Inventory Survey	Nu'uanu-Kekaulike Park (TMK 1-7-003:020, 021, 1-7- 003:023, 1-7-003:024)	Cultural deposit (primarily historic) with one burial, newly identified for 50-80-14-4875 (Kekaulike Diamond Head Block Project)
Goodwin and Allen, 2005	Data Recovery	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	Cultural deposit (primarily historic) with one burial, newly identified for 50-80-14-4875 (Kekaulike Diamond Head Block Project)
Hammatt and Borthwick, 1989	Assessment	Hotel Street (TMK 2-1- 017:007)	None
Hammatt, 2006b	Inventory Survey	Ala Moana (TMK 2-3-038:001, 2-3-040:005, 2-3-040:007, 2-3-040:011, 2-3-040:014, 2-3-040:016, 2-3-040:018)	50-80-14-6847 (historic artifact cache in box)
Heidel and Hammatt, 1994	Data Recovery	Nu'uanu-Chinatown (TMK 1-7-003:014)	None
Hurst and Allen [Pantaleo], 1992	Monitoring and Inventory Survey	Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	50-80-14-2426 (mainly historic artifact cache)
Kawachi, 1991	Monitoring	Kākā'āko (TMK 2-1-048:008)	50-80-14-1604 (one burial)
Kennedy, 1984	Investigations	Nu'uanu (TMK 2-1-002:038, 2- 1-002:039)	None
Kennedy, et al., 1994	Inventory Survey	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4587 (Pehu fishpond); 50-80-14-4588 (pre/post- historic cultural deposit with three burials)

Author	Nature of Study	Location (TMK 1-)	Sites
Mann and Hammatt, 2002a	Monitoring	King Street Rehabilitation (TMK 1-7-, 2-1-)	50-80-14-6371 (one burial)
McGerty, et al., 1995	Assessment	Nu'uanu-Chinatown (TMK 1-7- 003:014, 1-7-003:015)	None
McGerty, et al., 1997	Data Recovery	Kalihi, Pālama (TMK 1-5- 007:001, 1-5-007:014, 1-5- 007:015, 1-5-007:018, 1-5- 007:057, 1-5-007:058, 1-5- 007:060 to :078)	50-80-14-5368 (Kūwili fishpond)
McIntosh and Cleghorn, 2005	Inventory Survey	Launiu Street (TMK 2-6- 017:068, 2-6-017:070, 2-6- 017:071, 2-6-017:072, 2-6- 017:073)	50-80-14-6680 (<i>loʻi</i> , irrigated taro patch)
O'Hare, et al., 2003c	Inventory Survey	Parcel in Kewalo (TMK 2-3- 010:028, 2-3-010:048, 2-3- 010:050 to-:056)	50-80-14-6636 pre-contact to early 20th century land surface; 50-80-14-6637 (historic trash dump)
O'Leary and Hammatt, 2004	Monitoring	Kapiʻolani Avenue (TMK 2-3- 003)	None
Pantaleo, 1989	Monitoring and Testing	Chinatown Gateway (TMK 2- 1-003:015, 2-1-003:023, 2-1- 003:024, 2-1-003:025)	50-80-14-2142 (historic artifact cache)
Pfeffer, et al., 1993	Literature Review	Kākā'āko ID-1 (TMK 2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055)	50-80-14-4534 (Kawaiahaʻo Cemetery burials–116 burials); 50-80-14-4531 (Honuakaha Smallpox Cemetery–31 burials); 50-80-14-4532 (one isolated burial); 50-80-14-4533 (one isolated burial)
Riley, et al., 1995	Data Recovery	Nuʻuanu-Kekaulike Park (TMK 1-7-003:032)	50-80-14-4587 (Pehu fishpond); 50-80-14-4588 (pre/post-historic cultural deposit with three burials)
Schilz, 1991b	Resource Evaluation	Kākā'āko (TMK 2-1-054:8-19)	None
Simons, et al., 1991	Monitoring	Honolulu town (TMK 2-1- 017:001)	None
Tulchin and Hammatt, 2005	Inventory Survey	Koʻolani Condominiums (TMK 2-3-004:073, 2-3-005:027, 2-3-006:014, 2-3-007:002)	None
West, et al., 2002	Monitoring	Nu'uanu, Liliha (TMK 1-5-006, 1-5-007, 1-5-008, 1-7-026, 1- 7-027)	Historic cultural deposit, newly identified deposit of 50-80-14-5942 (Honolulu Rapid Transit and Land Company Trolley)
Winieski and Hammatt, 2000a	Monitoring	Kākā'āko ID-4 (TMK 2-3-002, 2-3-003, 2-3-004, 2-3-005)	50-80-14-4498 (' <i>auwai</i> and <i>lo'i</i> remnants); 50-80-14-5598 (two historic burials)

Author	Nature of Study	Location (TMK 1-)	Sites
Winieski and Hammatt, 2000b	Monitoring	Kākā'āko ID-3 (TMK 2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-046:000, 2-1-047:000, 2-1-048:000, 2-1-050:000, 2-1-051:000, 2-1-052:000, 2-1-054:000)	50-80-14-4380 (nine burials); 50-80-14-5820(11 burials)
Wolforth and Haun, 1996	Inventory Survey	Mānoa, Pālolo-KP Trans (TMK 2-7-, 2-8-, 2-9-, 3-2-, 3-3-, 3-4)	50-80-14-4266 (one burial site); 50-80-14-4498 (fishpond); 50- 80-14-5463 (walls and terraces); 50-80-14-1352 (University of Hawai'i); 50-80-14-9749 (Church of the Crossroads)

Table 5-18. Hotel Street/Kawaiaha'o Street/Kapi'olani Boulevard, Tunnel Only

Author	Nature of Study	Location (TMK 1-)	Sites
Bevan, et al., 2004	Monitoring	IMAX Theater (TMK 2-1- 033:007)	None
Chaffee and		Four Hausten Street lots (TMK	
Spear, 1994	Assessment	2-7-009:013, 2-7-009:014; 2- 7-010:008, 2-7-010:009)	None
Chiogioji, et al., 1991	Investigations	Hawaiʻi Library (TMK 2-1- 025:001)	14 features and scattered historic artifacts, newly found in 50-80-14-9959 (Hawai'i State Library/Grounds)
Denham and Kennedy, 1993	Monitoring	Nu'uanu-Capitol District (TMK 2-1-025:002)	50-80-14-4605 (one burial; multiple historic features); 50- 80-14-4606 (nine historic trash pits)
Mann and Hammatt, 2002a	Monitoring	King Street Rehabilitation (TMK 1-7-; 2-1-)	50-80-14-6371 (one burial)
Pfeffer, et al., 1993	Literature Review	Kākā'āko ID-1 (TMK 2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055)	50-80-14-4534 (Kawaihaʻo Cemetery burials–116 burials); 50-80-14-4531 (Honuakaha Smallpox Cemetery–31 burials); 50-80-14-4532 (one isolated burial); 50-80-14-4533 (one isolated burial)
Rosendahl, 1971	Data Recovery	Nuʻuanu-ʻlolani Palace (TMK 2-1-025:002)	Scattered historic artifacts, newly found in 50-80-14-9912 ('Iolani Palace)

Nimitz Highway/Queen Street/Kapi'olani Boulevard

This alignment's potential to encounter archaeological resources is rated high for all three archaeological impact categories. For the most part, the following discussion also pertains to the Nimitz Highway/Halekauwila Street/Kapi'olani Boulevard alignment because these two coastal-most alignments of Section V are so similar.

From the former pondfields, fishponds, and settlement remnants in Iwilei and along the mouth of Nu'uanu Stream (the pre-contact settlement of Kou), the alignment passes along the margins of Honolulu Harbor on the Nimitz Highway. Previous archaeological research indicates that this portion of the Nimitz Highway is at the boundary of fill lands and former pre-contact and early historic harbor shoreline. This shoreline was the site of the early development of Honolulu, where traditional chiefly residences gave way to early western commercial and residential buildings and structures, which were followed by late 19th century and early 20th century buildings and structures. A number of burials have been documented in the vicinity associated with the area's early historic land use (Table 5-19).

At the Merchant Historic District, the alignment branches onto Queen Street from the Nimitz Highway. There has been little previous archaeological research in this area; however, a burial was recorded near the corner of Mililani and Queen Streets. This portion of Downtown can reasonably be expected to contain historic deposits related to development of Honolulu in the 19th century.

Numerous burials have been recorded along Queen Street as it extends through Kākā'āko. Preserved beneath the area's massive fill deposits, these burials include historic coffin burials, many related to the early 1850s smallpox epidemic. More than 100 historic burials were removed from beneath Queen Street adjacent to the Kawaiaha'o Street Cemetery. Near the corner of Queen and South Streets, the historic Honuakaha Cemetery contains hundreds of unmarked graves; the boundaries of these burial deposits are poorly defined and could extend into Queen Street. Isolated burials have been recorded along Kamake'e Street in the vicinity of Queen Street. Thirty mostly prehistoric coffin burials were documented in the Queen Street Extension, immediately Koko Head of Queen Street (Table 5-19).

The alignment through Kākā'āko has the potential to encounter former agricultural features and fishpond remnants. A recent investigation immediately *makai* of the Queen Street Extension documented fishpond remnants, and pre-contact habitation deposits and burials associated with large Jaucas Sand deposits (Table 5-19).

Further Koko Head, the alignment extends along Kona Street, connecting to Kapi'olani Boulevard near the Convention Center. Based on background research, there is reasonable potential for this portion of the alignment to encounter fishpond and pondfield remnants, burials, and historic archaeological remains. As the alignment extends along Kapi'olani Boulevard and mauka along University Avenue, the potential for archaeological impacts decreases; however, historic maps do indicate this was an area of extensive agriculture and dispersed settlement. At the University of Hawai'i-Mānoa campus, the alignment could encounter remnants of pre-contact and historic agriculture and habitation.

Table 5-19. Nimitz Highway/Queen Street/Kapi'olani Boulevard

Author	Nature of Study	Location (TMK 1-)	Sites
Athens, et al., 1994	Inventory Survey	Kamake'e to Ke'eaumoku Streets (TMK 2-3)	50-80-14-4847 (one burial)
Bell, et al., 2006	Inventory Survey	Kākāʻāko-Ward Village (TMK 2-3-005:013-017, 2-3-005:022, 2-3-005:023)	CSH1 (historic/prehistoric cultural horizon with five burials); CSH2 (traditional Hawaiian culture layer with six burials); CSH3 (pond remnant);
Bush, et al., 2005	Monitoring	Kākā'āko (TMK 2-3-004, 2-3- 005, 2-3-006, 2-3-007)	Multiple historic trash pits; 16 historic coffin burials; two burials; site currently under review by SHPD
Chaffee and	A	Four Hausten Street lots (TMK 2-7-009:013, 2-7-009:014, 2-7-	
Spear, 1994	Assessment	010:008, 2-7-010:009)	None
Chiogioji and Hammatt, 1992a	Assessment	lwilei parcel (TMK 1-5- 008:001, 1-5-008:009, 1-5- 008:011)	None
Chiogioji and Hammatt, 1992b	Assessment	5.33-acre parcel in the Kapiʻolani Business District (TMK 1-2-3-009:001)	None
Cordy and Hammatt, 2005	Monitoring	Punchbowl Street (TMK 2-1-015, 2-1-025, 2-1-027, 2-1-029, 2-1-031, 2-1-032, 2-1-033)	None
Denham and Kennedy, 1993	Monitoring	Nu'uanu-Capital District (TMK 2-1-025:002)	50-80-14-4605 (one burial; multiple historic features); 50- 80-14-4606 (nine historic trash pits)
Douglas, 1991	Burial	Kākā'āko (TMK 2-1-051)	Six newly discovered burials for 50-80-14-4380
Dunn, et al., 1993	Inventory Survey	Nu'uanu Court Project, Land of Nu'uanu (TMK 2-1-002:026)	50-80-14-2456 (pre- and post- contact cultural deposits)
Esh and Hammatt, 2004a	Monitoring	Ala Moana (TMK 2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014 to 2-3-015, 2-3-035, 2-3-038, 2-4-003 to 2-4-004, 2-4-010, 2-4-012)	None
Esh and Hammatt, 2005	Burial Treatment Plan	Ala Wai Gateway (TMK 2-6- 011:001, 2-6-011:002, 2-6- 011:004, 2-6-011:032, 2-6- 011:037, 2-6-011:040)	None
Esh and Hammatt, 2006	Monitoring	Pi'ikoi Street between Ala Moana Blvd. and Matlock Street	None
Goodwin, et al., 1992, 1996	Data Recovery	Marin Tower Property, Nu'uanu (TMK 1-7-002:003, 1- 7-002:004, 1-7-002:005, 1-7- 002:042)	50-80-14-4494 (pre- and post- contact cultural deposits with 15 burials)

Author	Nature of Study	Location (TMK 1-)	Sites
Hammatt, 2006b	Inventory Survey	Ala Moana (TMK 2-3-038:001, 2-3-040:005, 2-3-040:007, 2-3-040:011, 2-3-040:014, 2-3-040:016, 2-3-040:018)	50-80-14-6847 (Historic artifact cache in box)
Hammatt and Pfeffer, 1993	Inventory Survey	Pauoa-Honolulu Brewery (TMK 2-1-031:021)	50-14-9917 (American Brewery Co. lot); 50-80-14-3712 (Honuakaha Cemetery)
Hurst, 1991	Preliminary Data Recovery	Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	Historic deposits
Hurst and Allen, 1992	Monitoring and Inventory Survey	Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	50-80-14-2426 (mainly historic artifact cache)
Kawachi, 1991	Monitoring	Kākā'āko (TMK 2-1-048:008)	50-80-14-1604 (one Burial)
Landrum and Dixon, 1992	Mitigation	River-Nimitz Project, Nuʻuanu (TMK 1-7-002:027)	50-80-14-4192 (historic trash pits; one burial)
Lebo, 2002	Data Recovery	Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	50-80-14-2456 (pre/post-contact cultural deposit with five burials)
Lebo and McGuirt, 2000b	Data Recovery	800 Nuʻuanu (TMK 1-7- 002:002)	50-80-14-5496 (19th-20th century cultural deposits)
Lebo and Rosendahl, 2002	Data Recovery	Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	50-80-14-2456 (pre/post-contact cultural deposit with five burials)
Mann and Hammatt, 2002a	Monitoring	King Street Rehabilitation (TMK 1-7-, 2-1-)	50-80-14-6371 (one burial)
McDermott and Mann, 2001	Inventory Survey	Nimitz Highway Water System (TMK 1-5-008, 1-7-001, 2-1-002)	50-80-14-5966 (Kawa fishpond)
McGerty, et al., 1997	Data Recovery	Kalihi, Pālama (TMK 1-5- 007:001, 1-5-007:014, 1-5- 007:015, 1-5-007:018, 1-5- 007:057, 1-5-007:058, 1-5- 007:060 to :078)	50-80-14-5368 (Kūwili fishpond)
O'Hare, et al., 2003a	Data Recovery Plan	Nimitz Highway (TMK 1-5- 008, 1-7-001, 2-1-002)	50-80-14-5966 (Kawa fishpond); due to gasoline contamination of the soil, no samples from the fishpond could be collected
O'Leary and Hammatt, 2004	Monitoring	Kapiʻolani Avenue (TMK 2-3- 003)	None
Perzinski and Hammatt, 2004	Inventory Survey	Kapālama-Kākā'āko Fire Station (TMK 2-1-031:015, 2- 1-031:018)	50-80-14-1346 (Kākāʻāko Fire Station)
Perzinski, et al., 2005	Inventory Survey	(TMK 2-1-048:008)	50-80-14-1604 (additional disarticulated human remains); 50-80-14-6766 (remnants of historic occupation)

Author	Nature of Study	Location (TMK 1-)	Sites
Pfeffer, et al., 1993	Literature Review	Kākā'āko ID-1 (TMK 2-1-029, 2-1-030, 2-1-031, 2-1-032, 2- 1-046, 2-1-047, 2-1-048, 2-1- 051, 2-1-054, 2-1-055)	50-80-14-4534 (Kawaihaʻo Cemetery burials–116 burials); 50-80-14-4531 (Honuakaha Smallpox Cemetery–31 burials); 50-80-14-4532 (one isolated burial); 50-80-14-4533 (one isolated burial)
Putzi and Dye, 2004	Monitoring	Honolulu town (TMK 2-1- 025:003)	50-80-14-9908 (historic artifacts associated with Ali'iōlani Hale)
Schilz, 1991b	Resource Evaluation	Kākā'āko (TMK 2-1-054:008 to :019)	None
Souza, et al., 2002	Monitoring	Kākā'āko ID-7 (TMK 2-1-058, 2-3-001, 2-3-002, 2-3-003, 2- 3-004, 2-3-005)	50-80-14-6376 (one burial); 50- 80-14-6377 (one burial); 50-80- 14-6378 (one burial)
Tulchin and Hammatt, 2005	Inventory Survey	Koʻolani Condominiums (TMK 2-3-004:073, 2-3-005:027, 2-3-006:014, 2-3-007:002)	None
West, et al., 2002	Monitoring	Nu'uanu, Liliha (TMK 1-5-006, 1-5-007, 1-5-008, 1-7-026, 1- 7-027)	Historic cultural deposit, newly identified deposit of 50-80-14-5942 (Honolulu Rapid Transit and Land Company Trolley)
Winieski and Hammatt, 2000a	Monitoring	Kākā'āko ID-4 (TMK 2-3-002, 2-3-003, 2-3-004, 2-3-005)	50-80-14-4498 ('auwai and lo'i remnants); 50-80-14-5598 (two historic burials)
Winieski and Hammatt, 2000b	Monitoring	Kākā'āko ID-3 (TMK 2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-048:000, 2-1-051:000, 2-1-054:000)	50-80-14-4380 (nine burials); 50-80-14-5820(11 burials)
Winieski and Hammatt, 2001a	Monitoring	Nimitz Highway (TMK 2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-030, 2-1-031;, 2-1-032, 7-2-003)	50-80-14-5942 (remnant of Trolley Rail)
Winieski, et al., 1996	Burial	Pauoa-Honolulu Brewery (TMK 2-1-031:021)	50-80-14-3712 (American Brewery Co.); 50-80-14-9917 (Honuakaha Cemetery)
Wolforth and Haun, 1996	Inventory Survey	Mānoa, Pālolo-KP Trans (TMK 2-7-, 2-8-, 2-9-, 3-2-, 3- 3-, 3-4)	50-80-14-4266 (one burial site); 50-80-14-4498 (fishpond); 50- 80-14-5463 (walls and terraces); 50-80-14-1352 (University of Hawai'i); 50-80-14-9749 (Church of the Crossroads)

Nimitz Highway/Halekauwila Street/Kapi'olani Boulevard

This alignment is sufficiently similar to the Nimitz Highway/Queen Street/Kapi'olani Boulevard alignment, described immediately above, that it does not merit further detailed discussion. This alignment passes through the same archaeologically sensitive areas, and therefore the potential to encounter archaeological resources is rated high for all three impact categories (Table 5-20).

Table 5-20. Nimitz Highway/Halekauwila Street/Kapi'olani Boulevard

Author	Nature of Study	Location	Sites
Athens, 1986	Monitoring	Judiciary Parking Garage (TMK 2-1-030:003, 2-1- 030:004, 2-1-030:038, 2-1- 030:039)	50-80-14-3984 (historic deposit)
Athens, et al., 1994	Inventory Survey	Kamake'e to Ke'eaumoku Streets (TMK 2-3)	50-80-14-4847 (one burial)
Avery and Kennedy, 1993	Monitoring, Burial Report	South Street (TMK 2-1- 031:020)	50-80-14-3712 (Honuakaha Cemetery)
Bell, et al., 2006	Inventory Survey	Kākā'āko-Ward Village (TMK 2-3-005:013-017, 2-3- 005:022, 2-3-005:023)	CSH-1 (pre-/post-historic cultural horizon and five burials); CSH-2 (traditional Hawaiian culture layer with six burials; CSH-3- (pond remnant)
Borthwick and Hammatt, 2001	Monitoring	Kākā'āko Improvement District 6 (TMK 2-1-058, 2-3-001, 2-3- 002, 2-3-003, 2-3-004, 2-3- 005)	No finds over former tidal flats
Bush, et al., 2005	Monitoring	Kākā'āko (TMK 2-3-004, 2-3- 005, 2-3-006, 2-3-007)	Multiple historic trash pits; 16 historic coffin burials; two burials
Chaffee and Spear, 1994	Assessment	Four Hausten Street lots (TMK 2-7-009:013, 2-7-009:014, 2-7-010:008, 2-7-010:009)	None
Chiogioji and Hammatt, 1992a	Assessment	lwilei parcel (TMK 1-5- 008:001, 1-5-008:009, 1-5- 008:011)	None
Chiogioji and Hammatt, 1992b	Assessment	5.33-acre parcel in the Kapiʻolani Business District (TMK 1-2-3-009:001)	None
Clark, 1987	Monitoring	Capitol (TMK 2-1-031:023)	Seven burials, newly found in 50-80-14-2963
Cordy and Hammatt, 2005	Monitoring	Punchbowl Street (TMK 2-1-015, 2-1-025, 212-026, 2-1-027, 2-1-029, 2-1-030, 2-2-032, 2-1-033)	None
Dunn, et al., 1993	Inventory Survey	Nu'uanu Court Project, Land of Nu'uanu (TMK 2-1-002:026)	50-80-14-2456 (pre/post-contact cultural deposits)
Esh and Hammatt, 2004a	Monitoring	Ala Moana (TMK 2-3-006, 2-3-007, 2-3-010, 2-3-011, 2-3-012, 2-3-014 to 2-3-015, 2-3-035, 2-3-038, 2-4-003 to 2-4-004, 2-4-010, 2-4-012)	None

Author	Nature of Study	Location	Sites
Esh and Hammatt, 2005	Burial Treatment Plan	Ala Wai Gateway (TMK 2-6-011:001, 2-6-011:002, 2-6-011:034, 2-6-011:032, 2-6-011:037, 2-6-011:040)	None
Goodwin, et al., 1992, 1996	Data Recovery	Marin Tower Property, Nu'uanu (TMK 1-7-002:003, 1- 7-002:004, 1-7-002:005, 1-7- 002:042)	50-80-14-4494 (pre/post-contact cultural deposits with 15 burials)
Hammatt, 2006b	Inventory Survey	Ala Moana (TMK 2-3-038:001, 2-3-040:005, 2-3-040:007, 2-3-040:011, 2-3-040:014, 2-3-040:016, 2-3-04: 018)	50-80-14-6847 (historic artifact cache in box)
Hammatt and Chiogioji, 1994	Assessment	Kākā'āko (TMK 2-1-029:001, 2-1-030:001, 2-1-030:014, 2-1-030:015, 2-1-030:017, 2-1-051: 007, 2-1-052:002 to 007, 2-1-053:004, 2-1-053:005, 2-1-053:027, 2-1-054:025, 2-1-054:022, 2-1-054:025, 2-1-054:027, 2-1-054:028, 2-1-054:032, 2-1-055:001, 2-1-055:002, 2-1-055:003, 2-1-055:021, 2-1-055:038, 2-1-055:034, 2-1-055:035, 2-1-055:038, 2-1-055:038, 2-1-055:038, 2-1-056:002, 2-1-056:003, 2-1-056:004, 2-1-059:001, 2-1-059:005, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:001, 2-1-059:0013)	None
Hammatt and Pfeffer, 1993 Heidel and	Inventory Survey Data Recovery	Pauoa-Honolulu Brewery (TMK 2-1-031:021) Nu'uanu-Chinatown (TMK 1-7-	50-14-9917 (American Brewery Co. lot); 50-80-14-3712 (Honuakaha Cemetery) None
Hammatt, 1994 Landrum and	Mitigation	003:014) River-Nimitz Project, Nuʻuanu	50-80-14-4192 (historic trash
Dixon, 1992	-	(TMK 1-7-002:027)	pits; one burial) `
Lebo and	Data Recovery	800 Nuʻuanu (TMK 1-7-	50-80-14-5496 (19th-20th
McGuirt, 2000b Lebo and Rosendahl, 2002	Data Recovery	002:002) Nu'uanu-Harbor Court (TMK 2-1-002:016, 2-1-002:020, 2- 1-002:056)	century cultural deposits) 50-80-14-2456 (pre/post-contact cultural deposit with five burials)
Leidemann, 1988	Historic Artifact Analysis	Nu'uanu-Ćapitol District (TMK 2-1-030)	50-80-14-1973 (historic artifacts)
Mann and Hammatt, 2002a	Monitoring	King Street Rehabilitation (TMK 1-7-, 2-1-)	50-80-14-6371 (one burial)

Author	Nature of Study	Location	Sites
McDermott and Mann, 2001	Inventory Survey	Nimitz Highway Water System (TMK 1-5-008, 1-7-001, 2-1- 002)	50-80-14-5966 (Kawa fishpond)
McGerty, et al., 1997	Data Recovery	Kalihi, Pālama (TMK 1-5- 007:001, 1-5-007:014, 1-5- 007:015, 1-5-007:018, 1-5- 007:057, 1-5-007:058, 1-5- 007:060 to 1-5-007:078)	50-80-14-5368 (Kūwili fishpond)
O'Hare, et al., 2003a	Data Recovery Plan	Nimitz Highway (TMK 1-5- 008, 1-7-001, 2-1-002)	50-80-14-5966 (Kawa fishpond); due to gasoline contamination of the soil, no samples from the fishpond could be collected
O'Hare, et al., 2003c	Inventory Survey	Parcel in Kewalo (TMK 2-3- 010:028, 2-3-010:048, 2-3- 010:050 to :056)	50-80-14-6636 pre-contact to early 20th century land surface; 50-80-14-6637 (historic trash dump)
O'Leary and Hammatt, 2004	Monitoring	Kapiʻolani Avenue (TMK 2-3- 003)	None
Pfeffer, et al., 1993	Literature Review	Kākā'āko ID-1 (TMK 2-1-029, 2-1-030, 2-1-031, 2-1-032, 2-1-046, 2-1-047, 2-1-048, 2-1-051, 2-1-054, 2-1-055)	50-80-14-4534 (Kawaiha'o Cemetery burials–116 burials); 50-80-14-4531 (Honuakaha Smallpox Cemetery–31 burials); 50-80-14-4532 (one isolated burial); 50-80-14-4533 (one isolated burial)
Souza, et al., 2002	Monitoring	Kākā'āko ID-7 (TMK 2-1-058, 2-3-001, 2-3-002, 2-3-003, 2-3-004, 2-3-005)	50-80-14-6376 (one burial); 50- 80-14-6377 (one burial); 50-80- 14-6378 (one burial)
Tulchin and Hammatt, 2005	Inventory Survey	Koʻolani Condominiums (TMK 2-3-004:073, 2-3-005:027, 2-3-006:014, 2-3-007:002)	None
West, et al., 2002	Monitoring	Nu'uanu, Liliha (TMK 1-5-006, 1-5-007, 1-5-008, 1-7-026, 1- 7-027)	Historic cultural deposit, newly identified deposit of 50-80-14-5942 (Honolulu Rapid Transit and Land Company Trolley)
Winieski and Hammatt, 2000a	Monitoring	Kākā'āko ID-4 (TMK 2-3-002, 2-3-003, 2-3-004, 2-3-005)	50-80-14-4498 ('auwai and lo'i remnants); 50-80-14-5598 (two historic burials)
Winieski and Hammatt, 2000b	Monitoring	Kākā'āko ID-3 (TMK 2-1-030:000, 2-1-031:000, 2-1-032:000, 2-1-044:000, 2-1-046:000, 2-1-048:000, 2-1-051:000, 2-1-054:000)	50-80-14-4380 (nine burials); 50-80-14-5820 (11 burials)
Winieski and Hammatt, 2001a	Monitoring	Nimitz Hwy. (TMK 2-1-002, 2-1-013, 2-1-014, 2-1-015, 2-1-016, 2-1-025, 2-1-027, 2-1-029, 2-1-030, 2-1-031;, 2-1-032, 7-2-003, 7-2-003)	50-80-14-5942 (remnant of trolley rail)

Author	Nature of Study	Location	Sites
Winieski, et al.,	Burial	Pauoa-Honolulu Brewery	50-80-14-3712 (American
1996		(TMK 2-1-031:021)	Brewery Co.); 50-80-14-9917
			(Honuakaha Cemetery)
Wolforth and	Inventory Survey	Mānoa, Pālolo-KP Trans	50-80-14-4266 (one burial site);
Haun, 1996		(TMK 2-7-, 2-8-, 2-9-, 3-2-, 3-	50-80-14-4498 (fishpond); 50-
		3-, 3-4-)	80-14-5463 (walls and
			terraces); 50-80-14-1352 (UH);
			50-80-14-9749 (Church of the
			Crossroads)
Yent, 1985		Honolulu Ironworks site,	50-80-14-2918 - Five burials
		Kākā'āko Improvement District	associated with Kaʻakaukukui
		1 (TMK 2-1-029:001)	Cemetery

Waikīkī Spur

The Waikīkī Spur is rated high for all three categories of impacts to archaeological resources. Based on background research, the Waikīkī Spur has one of the highest potentials to encounter archaeological resources of all the proposed alignments.

Archaeological evidence and traditional accounts indicate that Waikīkī has been an intensively used agricultural and population center for the last 700 years. The extensive archaeological record that resulted from this intensive land use, both pre-contact and historic extending into the early 20th century, was "capped" by the fill sediments from the construction of the Ala Wai Canal in the 1920s. Modern Waikīkī was constructed on top of these fill sediments. Abundant previous archaeological research in Waikīkī over the last 30 years has documented that Waikīkī's archaeological record is preserved beneath this modern development (Table 5-21). There has been significantly less past archaeological research along Kūhiō Avenue than the more *makai* portions of Waikīkī, particularly in the vicinity of Kalākaua Avenue. Nevertheless, the potential for encountering archaeological resources is rated as high.

Based on previous archaeological research in the vicinity, historic and pre-contact burials are preserved beneath the fill sediments. Also preserved are the remnants of pre-contact, traditional Hawaiian land use, including agricultural and aquacultural infrastructure, and subsurface cultural layers related to habitation and other land use. Preserved low-energy alluvial deposits may contain important information regarding human-induced environmental change as Waikīkī developed. Land Commission Award records and historic maps indicate that 19th-century land use continued intensively, with fishponds shown along the Waikīkī Spur alignment.

Table 5-21. Waikīkī Spur

Author	Nature of Study	Location (TMK 1-)	Sites
Beardsley and Kaschko, 1997	Monitoring	Waikīkī (TMK 2-6-023:025)	None
Bush, et al., 2002b	Monitoring	Anti-Crime Lighting, Phase II (TMK 2-6-001, 2-6-002, 2-6-003, 2-6-005, 2-6-006, 2-6-015, 2-6-016, 2-6-018, 2-6-019, 2-6-022, 2-6-023, 2-6-026, 2-6-027)	50-80-14-5864 (one burial); 50- 80-14-5856 (one burial); 50-80- 14-5860 (two burials); 50-80-14- 5940
Bush, et al., 2003b	Monitoring	Waikīkī (TMK 2-6-022:038)	None
Calis, 2002	Monitoring	Waikīkī (TMK 2-6-027:025)	None
Chiogioji and Hammatt, 1991	Assessment	VVaikīkī (TMK 2-1-050:013, 2-1-050:014, 2-1-050:015, 2-1-050:063, 2-1-050:064)	None
Chiogioji and Hammatt, 2004	Literature Review	Waikīkī (TMK 2-6-013:001, 2-6-013:003, 2-6-013:004, 2-6-013:007, 2-6-013:008, 2-6-013:009, 2-6-013:011, 2-6-013:012)	None
Cleghorn, 1996b	Inventory Survey	Kalākaua Plaza Phase I (TMK 2-6-016:023, 2-6-016:025, 2- 6-016:026, 2-6-016:028, 2-6- 016:061, 2-6-016:069)	None
Davis, 1989	Reconnaissance Survey	Ft. DeRussy (TMK 2-6- 005:001)	50-80-14-0058, 0062, 0064, 0065, 2870 (three burials), 3705 (25 burials), 3706 (one burial), 3707 (two burials), 3745 (one burial), 2986, 4127 (burials), 4224 (burials), 4225, 4226, 4570, 9500 (six burials), 9901 (burials), 9980 (artifacts)
Davis, 1991	Monitoring	Ft. DeRussy	50-80-14-4570 (prehistoric and historic midden deposits)
Denham and Pantaleo, 1997a	Monitoring	Ft. DeRussy (TMK 2-6- 005:001)	50-80-14-4570 (four burials); 50-80-14-4574 (Loko Pāweo I); 50-80-14-4966 (five burials)
Denham and Pantaleo, 1997b	Data Recovery	Ft. DeRussy (TMK 2-6- 005:001)	50-80-14-4570 (four burials); 4574 (Loko Pāweo I); 4575 (Loko Kaʻihikapu); 4576 (Loko Pāweo II); 4579 (one burial); 4970 (<i>ʻauwai</i>)
Elmore and Kennedy, 2002	Monitoring	Ft. DeRussy (TMK 2-6- 005:001)	None
Esh and Hammatt, 2004b	Monitoring	Kūhiō Avenue (TMK 1-2- 006:015-022)	None
Esh and Hammatt, 2004c	Monitoring	Kūhiō Avenue (TMK 1-2- 006:023-028)	None

Author	Nature of Study	Location (TMK 1-)	Sites
Esh and Hammatt, 2006	Monitoring	Waikīkī (TMK 2-6-014, 2-6-015, 2-6-016, 2-6-017, 2-6-020, 2-6-021, 2-6-024, 2-6-25, 2-6-028, 2-6-029)	None
Hammatt and Chiogioji, 1993	Assessment	Waikīkī	None
Hammatt and Chiogioji, 1998c	Assessment	Kalākaua Plaza Phase II (TMK 2-6-018:010, 2-6- 018:036, 2-6-018:042, 2-6- 018:052, 2-6-018:055, 2-6- 018:062, 2-6-018:063, 2-6- 018:064, 2-6-018:073, 2-6- 018:074)	50-80-14-4970 ('auwai)
Hammatt and McDermott, 1999	Burial	Anti-Crime Lighting, Phase III (TMK 2-6-007, 2-6-013)	50-80-14-5744 (two burials)
Hammatt and Shideler, 1995	Inventory Survey	Convention Center (TMK 2-3- 035:001	Charcoal in sediments, but no sites found
Hammatt and Shideler, 1996	Data Recovery	Convention Center (TMK 2-3-035:001	No new sites
Havel and Spear, 2004	Monitoring	ABC Store (TMK 2-6-021:101)	None
Jones and	Monitoring	Anti-Crime Lighting, Phase III	None
Hammatt, 2004 Le Suer, et al. , 2000	Inventory Survey	(TMK 2-6-007, 2-6-013) Kalākaua Plaza Phase II (TMK 2-6-018:010, 2-6- 018:036, 2-6-018:042, 2-6- 018:052, 2-6-018:055, 2-6- 018:062, 2-6-018:063, 2-6- 018:064, 2-6-018:073, 2-6- 018:074)	50-80-14-4970 ('auwai); 50-80- 14-5796 (fishpond)
Mann and Hammatt, 2002b	Monitoring	Uluniu Avenue (TMK 2-6-023:)	50-80-14-6369 (one burial); 50- 80-14-5859 (two burials); 50-80- 14-6372); historic trash pit); 50- 80-14-6398 (historic trash pit)
McDermott, et al., 1996	Inventory Survey	Waikīkī (2-6-024:034, 2-6-024:035, 2-6-024:036, 2-6-024:037, 2-6-024:038, 2-6-024:039, 2-6-024:040, 2-6-024:042, 2-6-024:045, 2-6-024:065, 2-6-024:065, 2-6-024:067, 6-024:068, 2-6-024:080, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:081, 2-6-024:083)	50-80-14-5459 ('auwai/lo'i), 50- 80-14-5460 (one burial)
Neller, 1984	Burial	Waikīkī (2-6-027:048, -2-6- 028:048)	50-80-14-4127 (seven burials)
O'Leary and Hammatt, 2004	Monitoring	Kapiʻolani Avenue (TMK 2-3- 003)	None
O'Leary, et al., 2005	Inventory Survey	Waikīkī (2-6-022:009)	50-80-14-6819 (one burial)

Author	Nature of Study	Location (TMK 1-)	Sites
Perzinski, et al., 1999	Monitoring	Anti-Crime Lighting, Phase I (TMK 2-6-)	50-80-15-5744 (two burials)
Perzinski, et al., 2000b	Burial Report	Waikīkī (TMK 2-6-001, 2-6- 022, 2-6-023, 2-6-026, 2-6- 027, 3-1-043	50-80-15-5744 (two burials)
Rasmussen, 2005	Monitoring	Ft. DeRussy (TMK 2-6- 005:001)	None
Roberts and Bower, 2001	Monitoring	Ft. DeRussy (TMK 2-6- 005:001)	None
Simons, et al., 1995	Data Recovery	Ft. DeRussy (TMK 2-6- 005:001)	50-80-14-4574 (Loko Pāweo I); 50-80-14-4575 (Loko Kaʻihikapu); 50-80-14-4576 (Loko Pāweo II); 50-80-14- 4590; 50-80-14-4570 (four burials); 50-80-14-4579 (one burial)
Tome and Dega, 2003	Monitoring	Waikīkī	None
Tulchin, and Hammatt, 2004	Data Recovery	Waikīkī (TMK 2-6-016:002, 2-6-016:004, 2-6-016:006, 2-6-016:007, 2-6-016:008, 2-6-016:012 to :019, 2-6-016:070, 2-6-016:075, 2-6-016:075, 2-6-016:077)	50-80-14-6407 (embankment)
Winieski and Hammatt, 2001a	Monitoring	Waikīkī (TMK 2-6-001, 2-6-022, 2-6-023, 2-6-026, 2-6-027, 3-1-043)	50-80-14-5856; 50-80-14-5857; 50-80-14-5858; 50-80-14-5859; 50-80-14-5860; 50-80-14-5861; 50-80-14-5862; 50-80-14-5940; 50-80-14-5941; 50-80-14-5942; 50-80-14-5943
Winieski, et al., 2002a	Monitoring	Waikīkī	None

Section V - Sundry Sites

Within Section V there are three sundry sites. The sundry site at the corner of Alapa'i and King Streets is rated low for potential impact to burials and prehistoric archaeological deposits, but medium for potential impact to historic archaeological resources. The sundry site at the corner of Kalākaua Avenue and Kapi'olani Boulevard is rated medium for potential impacts to all three archaeological impact categories. The sundry site at the corner of Date Street and University Avenue is rated low for potential impacts to all three archaeological impact categories.

Chapter V Impacts References

Anderson, Lisa, 1995. Archaeological Sub-surface Inventory Survey of the King Street Place Property, Honolulu, Hawai'i 96813 (TMK No. 1-2-1-044: 041, 042, and 043). Ogden Environmental and Energy Services Co. Inc., Honolulu.

Athens, J. Stephen, 1986. Archaeological Monitoring at the Judiciary Parking Garage, Honolulu, Hawai'i. J. Stephen Athens, Ph.D., Archaeological Consultant, Honolulu.

Athens, J. Stephen, 2000. *Ancient Hawaiian Fishponds of Pearl Harbor: Archaeological Studies on U.S. Navy Lands, Hawai'i*. International Archaeological Research Institute, Inc., Honolulu.

Athens, J. Stephen, Conrad Erkelens, Jerome Ward, Robert Cowie, and Michael Pietrusewsky, 1994. *The Archaeological Investigation of Inadvertently Discovered Human Remains at the Pi'ikoi and Kapi'olani Intersection, Kewalo, Waikīkī, O'ahu, Hawai'i*. International Archaeological Research Institute, Inc., Honolulu.

Avery, Serge, and Joseph Kennedy, 1993. Archaeological Report Concerning the Inadvertent Discovery of Human Remains at the South Street Building Complex TMKI: 2-1-31:20, Honolulu Ahupua'a, Kona District, Island of O'ahu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Avery, Serge, Peter Brennan, Tim Denham, Joseph Kennedy, and Jerome V. Ward, 1994. Paleoenvironmental Reconstruction Adjacent to the Mouth of the Hālawa Stream: Monitoring Report of the Waiau-Makalapa No. 2 138kV Overhead lines (Phase II), Hālawa Ahupuaʻa, 'Ewa District. Archaeological Consultants of Hawaiʻi Inc., Haleʻiwa, Hawaiʻi.

Barrera, Jr., William, 1971. Archaeological Site Survey of the Proposed Honolulu Stadium Site at Hālawa, Oʻahu. Chiniago Inc., Honolulu.

Bath, Joyce, 1989. Burial on Hō 'ae 'ae Point in West Loch Project Area, Hono 'uli 'uli, 'Ewa, O 'ahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai 'i.

Beardsley, Felicia Rounds, and Michael W. Kaschko, 1997. *Archaeological Monitoring and Data Recovery Pacific Beach Hotel Annex, Waikīkī, O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Bell, Matthew, J., Matt McDermott, and Owen O'Leary, 2006. *Archaeological Inventory Survey Report for the Victoria Ward Village Shops Project, Honolulu Ahupua'a, Kona District, O'ahu Island*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bevan, Amy, Michelle Elmore, and Joseph Kennedy, 2004. *An Archaeological Monitoring Report for the City Hall Annex Auditorium Restoration Project Located at TMK: 2-1-33:07 (Por.) in Honolulu Ahupua'a, Kona District, Island of O'ahu.* Archaeological Consultants of the Pacific, Inc., Hale'iwa, Hawai'i.

Borthwick, Douglas F., Ian Masterson, Victoria Creed, and Hallett H. Hammatt, 1995. *An Archaeological Inventory Survey of the Kamehameha Homes Project Kapālama*, *Oʻahu (TMK 1-5-01:1)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Borthwick, Douglas F. and Hallett H. Hammatt, 2001. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 6 Honolulu, Hawai 'i, (TMK: 2-1-58, 2-3, 2-3-01 thru 05)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Burgett, Berdena D., and Paul H. Rosendahl, 1989. *Subsurface Archaeological Testing Ko Olina Resort Phase II Development Site*. Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Burtchard, Greg, 1992b. Completion of Archaeological Data Recovery at Kapapa Loʻi, Kānewai, Waikīkī, Kona, Oʻahu. International Archaeological Research Institute, Inc., Honolulu.

Bush, Anthony, and Hallett H. Hammatt, 2006. *Archaeological Monitoring Report for Installation of Service Gas Lines and Meter at 125 Ulumi Avenue, Waikīkī Ahupua'a, Kona District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony, John P. Winieski, and Hallatt H. Hammatt, 2002b. *Archaeological Monitoring Report for the Waikīkī Anticrime Lighting Improvement Project Phase II (TMK 2-6-1*, 2-6-2, 2-6-3, 2-6-5, 2-6-6, 2-6-15, 2-6-16, 2-6-18, 2-6-19, 2-6-22, 2-6-23, 2-6-26, 2-6-27. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony, John P. Winieski, Hallett H. Hammatt, 2003b. *Archaeological Monitoring Report for Excavations for the New International Market Place Sign Project*, Waikīkī, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Bush, Anthony, John P. Winieski, and Hallett H. Hammatt, 2005. *Archaeological Monitoring Report, Koʻolani Condominiums, Honolulu, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Calis, Irene, 2002. An Archaeological Monitoring Report For ABC Store NO.35 Lemon Road Fence Wall Construction Project Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i (TMK 2-6-27:25). Scientific Consultant Services Inc., Honolulu.

Carpenter, Alan B., and Martha Yent, 1995. *Archaeological Monitoring: Kennel Construction at Washington Place, Honolulu, O'ahu TMK: 2-1-18:01.* State of Hawai'i Department of Land and Natural Resources, Division of State Parks, Honolulu.

Chaffee, David B., and Lisa J. Anderson, 1995. *Archaeological Excavations of an Inadvertent Burial Discovery at 96-035 Waiawa Road, Waipahu, Oʻahu, Hawaiʻi.* Scientific Consultant Services, Inc., Honolulu.

Chaffee, David B., and Robert L. Spear, 1994. *An Archaeological Assessment of Four Hausten Street Lots in Mo'ili'ili, Manoa, Waikīkī Ahupua'a, O'ahu, Hawai'i.* Scientific Consultant Services, Kāne'ohe, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1991. *An Archaeological Assessment of a Parcel (TMK 2-1-50:13,14,15,53,63,64) in the Kākāʻāko District, Oʻahu, Hawaiʻi*, Cultural Surveys Hawaiʻi, Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 1992a. *An Archaeological Assessment of a 100,000 Square Foot Parcel in the Iwilei District, Island of O'ahu, (TMK 1-1-5-08;1,9,&11)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1992b. *An Archaeological Assessment of a 5.33 Acre Parcel in the Kapi 'olani Business District, Honolulu, Island of O 'ahu (TMK 2-3-09:portion 01)*. Cultural Surveys Hawai'i, Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1994. *Archaeological Assessment of an 8.4-Acre Parcel in Downtown Honolulu, Island of Oʻahu (TMK 2-1-18:46 and port. 1, 11, 16 & 47)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 1995. *An Archaeological Assessment of the Hart Street Wastewater Pump Station Force Main Replacement Project at Honolulu Harbor and Sand Island, Island of Oʻahu, TMK 1-1-5-020; -034; -041; -042.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2004. *Archaeological Literature Review and Field Check for an approximately 89,000-sq. ft. Project Area, Waikīkī Ahupuaʻa, Kona District, Oʻahu (TMK: 2-6-13:1,3,4,7,8,9,11 and 12).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005. *Archaeological Literature Review and Field Inspection of a 14,490 SF Parcel at 1426 Young Street in Honolulu, Makiki Ahupua'a, Kona District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, Mathew M. McDermott, Douglas Borthwick, and Hallett H. Hammatt, 1991. *Archaeological Investigations at the Hawai'i State Public Library Addition Site (50-80-14-9959)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Clark, Stephan D., 1977. An Archaeological Reconnaissance Survey at Pu'u O Kapolei, Hono'uli'uli, O'ahu. Archaeological Consultants of the Pacific Inc., Hale'iwa, Hawai'i.

Clark, Stephan, 1987. Archaeological Monitoring of the Makai Parking Garage, Corner of Punchbowl and Halekauwila Streets (TMK 2-1-31:23). State of Hawai'i. Bernice P. Bishop Museum, Honolulu.

Clark, Stephan D. and Dennis C. Gosser, 2005. *Final Report: A Subsurface Archaeological Inventory Survey of TMK 2-3-003:075*, 085, and 086 Waikīkī Ahupua'a, Kona District, O'ahu, Hawai'i. Pacific Consulting Services, Inc., Honolulu.

Cleghorn, Paul L., 1989. Letter Report on Archaeological Test Excavations for the Chinatown Gateway Plaza Project. Applied Research Group, Bernice P. Bishop Museum, Honolulu, Hawai'i,

Cleghorn, Paul L, 1996c. A Reconnaissance Survey Letter Report of the Waikele Industrial Subdivision. The O'ahu Sugar Mill Project, Waipahu, Hawai'i. Pacific Legacy, Inc., Kailua, Hawai'i.

Cleghorn, Paul L., 1996b. *The Results of an Archaeological Inventory Survey at the Proposed Kālakaua Plaza, Waikīkī, O'ahu, Hawai'i (TMK 2-6-16:23, 25-26, 28, 61 and 69)*. Pacific Legacy, Inc., Kailua, Hawai'i.

Collins, Sara, and Elaine Jourdane, 2004. *Recovery of Inadvertently Discovered Skeletal Remains Adjacent to 91-2168 Old Ft. Weaver Road, Site 50-80-04-06665; SHPD Case # 2004-1-0003-001, Hono'uli'uli, 'Ewa, O'ahu.* Department of Land and Natural Resources, State Historic Preservation Office, Kapolei, Hawai'i.

Cordy, Dominique Leu, and Hallett H. Hammett, 2005. *Archaeological Monitoring Report for Punchbowl Street Improvements, Phase 2 Downtown Honolulu, Makiki Ahupua'a, Kona District, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Davis, Bertell, 1988. Final Report Archaeological Subsurface Survey of the Proposed 'Ewa Gentry Project Area, Hono'uli'uli, 'Ewa, O'ahu. Bernice P. Bishop Museum, Honolulu.

Davis, Bertell D., 1989. Subsurface Archaeological Reconnaissance Survey and Historical Research at Fort DeRussy, Waikīkī, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Davis, Bertell, D., 1991. Archaeological Monitoring of Environmental Baseline Survey and Excavations in Hawaiian Land Commission Award 1515 ('Āpana 2) at Fort DeRussy, Waikīkī, O'ahu. (Draft) Prepared for U.S. Army Engineer District, Honolulu by International Archaeological Research Institute, Inc., Honolulu.

Dega, Michael F., and Bertell D. Davis, 2005. *Archaeological Inventory Survey and Subsurface Testing at the Proposed Middle Street Intermodal Center, Honolulu, O'ahu Island, Hawai'i TMKs: 1-2-18:001, 002, 009, and 010.* Scientific Consultant Services Inc., Honolulu.

Dega, Michael F., and Laura C. O'Rourke, 2003. Archaeological Evaluation Report of Additional Environmental Focused Site Inspection Data at Blasidell Park (Former Waiau Drum Storage Facility), Pearl City, and Archival Research on Nāpuanani Park (Former 'Aiea Anti-Aircraft Artillery Command Post), O'ahu Island Hawai'i, for the Defense Environmental Restoration Program for Formerly Used Defense Sites. U.S. Army Corps of Engineers, Fort Shafter, Hawai'i.

Denham, Timothy P., and Jeffrey Pantaleo, 1997a. *Archaeological Monitoring and Investigations During Phase 1: Kālia Road Realignment and Underground Utilities, Fort DeRussy, Waikīkī, Oʻahu.* Garcia and Associates, Honolulu.

Denham, Timothy P., and Jeffrey Pantaleo, 1997b. *Archaeological Data Recovery Excavations at the Fort DeRussy Military Reservation, Waikīkī, Island of Oʻahu, State of Hawaiʻi*. Garcia and Associates, Honolulu.

Denham, Tim, Peter Brennan, and Joseph Kennedy, 1992. *Interim Archaeological Inventory Survey with Subsurface Testing Report for a Property Located at TMK: 1-7-03:32; Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Denham, Tim and Joseph Kennedy, 1993. *Monitoring Report for Excavations Associated with the State Capital Complex Telecommunication Conduits, Phase III, Kona District, Honolulu Ahupua'a, O'ahu.* Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Dicks, A. Merrill, Alan. E Haun, Paul H. Rosendahl, 1987. *Archaeological Reconnaissance Survey for Environmental Impact Statement, West Loch Estates-Golf Course and Parks, Land of Hono 'uli 'ulu, 'Ewa District, Island of O 'ahu.* Paul H. Rosendahl, Ph. D., Inc., Hilo, Hawai'i.

Dockall, John E., 2003. *Phase I Archaeological Inventory Survey and Monitoring, Washington Place (50-80-14-9907) TMK 2-1-18:1 Project No. 542*. Bernice P. Bishop Museum, Honolulu.

Douglas, Michele Toomay, 1991. Report on Six Human Skeletons from Coral Street and Queen Street, Kākā 'āko, O 'ahu, Honolulu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Dunn, Amy E., Patricia A Kalima, Lehua Kalima, and Susan Goodfellow, 1991. *Pālama Chevron Station Site Monitoring Project, Land of Kapālama, District of North Kona, Island of Oʻahu (TMK:1-5-08:17, 18, 23)*. Paul H. Rosendahl, PhD., Inc., Hilo, Hawaiʻi.

Dunn, Amy E., and Paul H. Rosendahl, 1993. *Archaeological Inventory Survey, Nu'uamu Court Project, Land of Nu'uanu, Kona District, Island of O'ahu (TMK:2-1-02:26)*. Paul H. Rosendahl, PhD, Inc., Hilo, Hawai'i.

Dunn, Amy E., Paul Rosendahl, Kepa Maly, and Lehua Kalima, 1993. *Archaeological Inventory Survey, Nu'uanu Court Project, Land of Nu'uanu, Kona District, Island of O'ahu (TMK:2-1-02:26)*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Dye, Thomas, 1999. *Completion of Archaeological Resources Survey, Hālawa Bridge Replacement EA, Hālawa, 'Ewa, O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., 2002. Archaeological Monitoring Report for Renovations to No. 1 Capitol District Building. T.S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2001a. *An Archaeological Monitoring Report for the City and County of Honolulu Miscellaneous Sidewalk Improvements Project, in the Ahupua'a of Nu'uanu, Honolulu District, Island of O'ahu.* Archaeological Consultants of the Pacific, Inc., Hale'iwa, Hawai'i.

Elmore, Michelle, and Joseph Kennedy, 2002. *An Archaeological Monitoring Report for the Installation of a Security Fence at Fort DeRussy, Waikīkī Ahupua'a, Honolulu District, Island of O'ahu*. Archaeological Consultants of the Pacific, Inc., Hale'iwa, Hawai'i.

Erkelens, Conrad, Michael Pietrusewsky, Rona M. Ikehara-Quebral, and Vincent Sava, 1994. *Interim Report on Human Skeletal Remains Kekaulike-Diamond Head Project, Honolulu, Kona, Oʻahu*. International Archaeological Research Institute, Inc., Honolulu.

Esh, Kelley S., and Hallett H. Hammatt, 2004b. *An Archaeological Monitoring Report for Kūhiō Avenue (Kālakaua to Kaiulani), Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Esh, Kelley S., and Hallett H. Hammatt, 2004c. *An Archaeological Monitoring Report for Kūhiō Avenue (Kaiulani to Kapahulu), Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Esh, Kelley S., and Hallett H. Hammatt, 2004a. *Archaeological Monitoring Report for the Rehabilitation of Streets Unit 5B Project Pi'ikoi Street from Ala Moana Blvd. to Matlock Street Kewalo 'Ili, Waikīkī Ahupua'a, Kona District, O'ahu Island.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Esh, Kelley, and Hallett H. Hammatt, 2005. Burial Treatment Plan for the Irongate Ala Wai Investors, LLC Ala Wai Gateway Project Site, Kālia, Waikīkī, Oʻahu, TMK 2-6-011:001, 002, 004, 032, 037, and 040. Cultural Surveys Hawaiʻi, Inc. Kailua, Hawaiʻi.

Esh, Kelley S., and Hallett H. Hammatt, 2006. *Archaeological Monitoring Report for Ala Wai Boulevard Improvements, Waikīkī Ahupua'a, Kona District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Esh, Kelley S. and Hallett H. Hammatt, 2006. *Archaeological Monitoring Report for the Rehabilitation of Streets Unit 5B Project Pi 'ikoi Street from Ala Moana Blvd. to Matlock Street Kewalo 'Ili, Waikīkī Ahupua'a, Kona District, O 'ahu Island (TMK: 2-3-06, 07, 10, 11, 12, 14, 15, 35, & 38 and 2-4-03, 04, 11 & 12).* Cultural Surveys Hawai'i, Kailua, Hawai'i.

Folk, William H., 1990. Archaeological Reconnaissance for the Proposed Waipahu Street, Widening Project Waipahu, Waikele, Oʻahu. Cultural Surveys Hawaiʻi, Kailua, Hawaiʻi.

Folk, William H., Susan Crotty, and Hallatt H. Hammatt, 1993. *Archaeological Survey with Subsurface Testing at 7-11 Middle Street, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Fong, Jeffrey W. K., Douglas F. Borthwick, David W. Schideler, and Hallett H. Hammatt, 2005. *Archaeological Literature Review and Field Inspection for Mānana Parcel B (Approx. 13 acres) Waiawa Ahupua'a, 'Ewa District, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Goodfellow, Susan, Amy Dunn, Linda Scott Cummings, and Diane Trembly, 1998. *Archaeological Data Recovery Program, West Loch Estates, Residential Increment I and Golf Course and Shoreline Park, Land of Hono 'uli 'uli, 'Ewa District, Island of O 'ahu.* Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Goodman, Wendy, and Richard C. Nees, 1991. *Archaeological Reconnaissance and Inventory Surveys of 3,600 Acres in Waiawa Ahupua'a, 'Ewa, O'ahu*. Bishop Museum Press, Honolulu.

Goodwin, Conrad "Mac", 1997. *Archaeological Inventory Survey of the Kekaulike Diamond Head Project, Site 50-80-14-4874, Honolulu, Island of Oʻahu*. International Archaeological Research Institute Inc., Honolulu.

Goodwin, Conrad "Mac" and Jane Allen, 2005. *Kikihale to Honolulu: From Village to City- Archaeological Data Recovery at Site 50-80-14-4875, Kekaulike Diamond Head Block, Nu'uamu Ahupua'a, Honolulu, O'ahu, Hawai'i TMK 1-7-03:20.* International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad, Michael Pietrusewsky, Michele Douglas, and Rona Michi Ikehara, 1992. *The Burials From the Marin Tower Property, Preliminary Report.* International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad Mac, Coral Rasmussen, Gail M. Murakami, Alan Ziegler, Michael Pietrusewsky, Michele Toomay Douglas, Rona Ikehara-Quebral, Felicia Beardsley, Stephen Wickler, and Bruce Jones, 1996. *Honoruru to Honolulu: From Village to City, Volume I: History and Archaeology of a City Block; Archaeological Data Recovery Report, Marin Tower Property, Site No. 50-80-14-4494, Honolulu, Hawai'i, TMK 1-1-7-002:003, 004, 005, 042.* International Archaeological Research Institute, Inc., Honolulu.

Gosser, Dennis C., Richard C. Nees, and Stephan D. Clark, 2006. *An Archaeological Monitoring Report of TMK 2-3-003:075, 085, and 086 Waikīkī Ahupua'a, Kona District, O'ahu, Hawai'i*. Pacific Consulting Services, Inc., Honolulu.

Hammatt, Hallett H., 1995a. Archaeological Disinterment and Investigation of an Inadvertent Burial Find at Austin Lane in Kalihi, Island of Oʻahu (TMK 1-5-05). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 1995b. *Archaeological Reconnaissance Survey of Proposed Hālawa Well, Hālawa, 'Ewa, O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 2001. Archaeological Assessment of the Proposed Sandwich Isles Communication Fiber Optic Cable Project Within Approximately 112.6 Miles (181.6 Kilometers) of Road Corridor on the Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 2006a. *Archaeological Inventory Survey for the Ala Moana Center Expansion Project, Waikīkī Ahupuaʻa, Kona District, Oʻahu Island.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 2006b. Archaeological Literature Review and Field Inspection of the 1391 Kapi 'olani Boulevard Parcel, Waikīkī Ahupua'a, Kona District, O'ahu TMK (1) 2-3-39: 1. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Douglas Borthwick, 1985. *Archaeological Reconnaissance of a 37 Acre Wetland Parcel, Waiawa, 'Ewa, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Douglas Borthwick, 1989. *Archaeological and Historical Assessment of a Honolulu Block Between Richards – Alakea and Hotel Streets*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1993. *An Archaeological Assessment of a 16-Acre Portion of the Ala Wai Golf Course in the Ahupua'a of Waikīkī, Island of O'ahu*, Cultural Surveys Hawai'i, Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1994. *An Archaeological Assessment of Twenty Parcels (54 Acres) in the Kākāʿāko District of Honolulu, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt Hallett H., and Rodney Chiogioji, 1997. *Archaeological Reconnaissance Survey of a 29,100 Ft. Long Land Corridor within Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island, Draft.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H. and Rodney Chiogioji, 1998c. *Archaeological Assessment of King Kālakaua Plaza Phase II, Waikīkī, Island of Oʻahu, (TMK 2-6-18:10, 36, 42, 52, 55, 62, 63, 64, 73 & 74)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H. and Rodney Chiogioji, 1998b. *Archaeological Assessment of an Approximately 4.1 - Acre Project Site in Downtown Honolulu, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 2000a. *Archaeological Assessment of an Approximately 2,600-ft Portion of Farrington Highway Project between Anini Place and Waipahu Depot Road, Waikele Ahupua'a, 'Ewa District, Island of O'ahu, (TMK 9-4-11).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Matt McDermott, 1999. Burial Disinterment Plan and Report, State Site Numbers 50-80-14-5744-1 and -2, Found During Anti-crime Street Lighting

Improvements beneath Kālakaua Avenue, Waikīkī, Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Michael Pfeffer, 1993. *Archaeological Inventory Survey at the Brewery Site: Honolulu, Oʻahu (TMK 2-1-31:21), with Historical Study by Ms. Colette Ono.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett, H., and David W. Shideler, 1990. *Archaeological Inventory Survey of the West Loch Bluffs Project Site, Hono'uli'uli, 'Ewa, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H. and David W. Shideler, 1995. *Archaeological Sub-surface Inventory Survey at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu (TMK 2-3-35:001)*. Cultural Surveys Hawai'i, Kailua, Hawai'i.

Hammatt, Hallett, H., and David W. Shideler, 1996. *Archaeological Data Recovery at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu (TMK 2-3-35:001)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 1999. *Archaeological Assessment for a Proposed Expansion of Saint Francis Medical Center West (TMK 9-1-17: por. 17 & 60), Hono 'uli 'uli Ahupua'a, 'Ewa District, O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 2001. *Archaeological Inventory Survey in Support of the Proposed 360 Fiber Optic Cable Project, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu (TMK 9-1-14&15)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., David W. Shideler, and William H. Folk, 1990. *Archaeological Reconnaissance of the 'Ewa Villages Project Site Hono'uli'uli, 'Ewa, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., Matt McDermott, and Rodney Chiogioji, 2000. *Archaeological Inventory Survey of an approximately 40-Acre Parcel along Manager's Drive, Waipahu, Ahupua'a Of Waikele, 'Ewa District, Island Of O'ahu (TMK 9-4-02:O5)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., Sallee Freeman, and David W. Shideler., 2004. *Archaeological and Cultural Assessment in Support of the Waipahu Street Drainage Improvements Project, Waipahu, Waipi'o Ahupua'a, 'Ewa District, O'ahu (TMK 9-4-09 and 9-4-059:72, 73, & 74).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Han, Toni, 1980. Royal Oueen Emma Burials. Bernice P. Bishop Museum, Honolulu.

Haun, Alan, 1986a. Preliminary Archaeological Reconnaissance Survey for Environmental Assessment (EA) 'Ewa Town Center/Secondary Urban Center Land of Hono'uli'uli, 'Ewa, Island of O'ahu, (TMK 9-1-15 and 9-1-16). Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Haun, Alan, 1986b. *Preliminary Archaeological Reconnaissance Survey for Environmental Assessment (EA) 'Ewa Town Center/Secondary Urban Center Land of Hono'uli 'uli, 'Ewa, Island of O'ahu, (TMK 9-1-15 and 9-1-16).* Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Haun, Alan, 1991. An Archaeological Survey of the Naval Air Station, Barbers Point, O'ahu, Hawai'i. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Havel, Breanna, and Robert L. Spear, 2004. *Archaeological Monitoring Report for ABC Store No. 21, Waikīkī, Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i.* Scientific Consultant Services Inc, Honolulu.

Hawai'i Bottle Museum, 1982a. Study of 19th Century Glass and Ceramic Containers from Executive Centre at King, Bishop, Hotel Streets and Fort Street Mall. Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1982b. *Study of 19th Century Glass and Ceramic Containers Alexander Young Hotel, Bishop and South King Streets*. Hawai'i Bottle Museum, Honolulu.

Heidel, Melody, and Hallett Hammatt, 1994. *Archaeological Assessment of the Kākā 'āko Fire Station, Honolulu Ahupua'a, Kona District, Island of O'ahu (TMK 2-1-31:18)*, Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hoffman, Tracy, Sallee D. M. Freeman, David W. Shideler, and Hallett H. Hammatt, 2005. *Archaeological Inventory Survey of Approximately 124 Acres at Kapolei, Hono 'uli 'uli Ahupua 'a, 'Ewa District, O 'ahu*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Hurst, Gwen, 1991. Preliminary Results of an Archaeological Data Recovery at Site 50-OA-A5-19, The Ka'ahumamu Parking Lot/Harbor Court Redevelopment Project Area, Honolulu, Kona, O'ahu, TMK 2-1-002:16,20,5. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, and Jane Allen, 1992. *Archaeological Monitoring and Inventory Survey, Harbor Court (Kaʻahumanu Parking Structure) Project, Site 50-80-14-2456, Nuʻuanu Ahupuaʻa, Kona District, Island of Oʻahu, Hawaiʻi.* Bernice P. Bishop Museum, Honolulu.

Jones, Carlin K., and Hallett H. Hammatt, 2004. *Archaeological Monitoring Report for the Anti-Crime Street Lighting Improvements Project (Part III) along the Mauka Side of Kalākaua Avenue from Ala Wai Blvd. to Pau Street, Waikīkī, Island of Oʻahu (TMK 2-6-7 & 13)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Jourdane, Elaine, 1995b. *Inadvertent Discovery of Human Skeletal Remains at Waikīkī*, *Sunset Hotel, Waikīkī*, *Kona, Oʻahu*. Manuscript on file at the State Historic Preservation Office, Kapolei, Hawaiʻi.

Kawachi, Carol, 1991. *Queen Emmalani Tower Project Monitoring, Kākā 'āko, Kona, O 'ahu*. Letter Files, Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai 'i.

Kennedy, Joseph, 1984. Archaeological Investigations at TMK 2-1-02: 38 and 39 Honolulu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Kennedy, Joseph, 1988. Archaeological Reconnaissance Report Concerning the Proposed 'Ewa Gentry Project in Hono'uli'uli, O'ahu. Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Kennedy, Joseph, 1991a. Subsurface Testing at the Proposed Kapolei Park/Fort Barrette, Pu'u Kapolei, Island of O'ahu, TMK 9-1-16:2. Archaeological Consultants of the Pacific Inc., Hale'iwa, Hawai'i.

Kennedy, Joseph, Peter Brennan, Tim Denham, Sandra Ireland, James Moore, and Tom Riley, 1994. *An Archaeological Inventory Survey with Subsurface Testing Report for the Kekaulike Revitalization Project, 'Ewa Block, located at TMK: 1-7-03:32 in Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Landrum, Jim, and Boyd Dixon, 1992. *Emergency Mitigation of Archaeological Resources at the River-Nimitz Redevelopment Project, Site 50-Oa-A5-16, Nu'uanu, Kona District, O'ahu, Hawai'i.* Public Archaeology Section, Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Landrum, James, and Allan Schilz, 1993. Archaeological Reconnaissance and Limited Subsurface Testing at the Proposed Family Housing Construction Area, Project No. 34863, Barbers Point Naval Air Station, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island. Ogden Environmental and Energy Services Co., Inc., Honolulu.

Lebo, Susan, and Michael D. McGuirt, 2000b. *Pili Grass, Wood Frame, Brick, and Concrete: Archaeological Data Recovery at 800 Nu'uamu (site 50-80-14-5496), TMK* 1-1-7-002:002. Bernice P. Bishop Museum, Honolulu.

Lebo, Susan A., and Paul H. Rosendahl, 2002. *Pulaholaho and Charlton's Claim: Archaeological Data Recovery at Harbor Court, Downtown Honolulu (Site 50-80-14-2456)*. Paul H. Rosendahl, Ph.D. Inc, Hilo, Hawai'i.

Leidemann, Helen Higman, 1988. *Analysis of Artifactual Material from the Judiciary Garage Site*, 50-0A-A5-II, (50-80-14-1973) TMK 2-I, Honolulu, Oʻahu, State of Hawaiʻi. Bishop Museum Press, Honolulu.

LeSuer, C. Celeste, Matt McDermott, Rodney Chiogioji, and Hallett H. Hammatt, 2000. An Archaeological Inventory Survey of King Kālakaua Plaza Phase II, Waikīki, Waikīkī Ahupua'a, Kona District, Island of O'ahu, Hawai'i. Cultural Surveys of Hawai'i, Kailua, Hawai'i. Majors, Maurice, and Alan Carpenter, 2000. *Archaeological Monitoring at Washington Place (Governor's Residence)*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Mann, Melanie, and Hallett H. Hammatt, 2002a. *Archaeological Monitoring Report for the King Street Rehabilitation Project, Honolulu Ahupua'a, Kona District, Island of O'ahu (TMK 2-1 por. and 1-7 por.)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Mann, Melanie, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report for the Installation of 12- and 8-inch Water Mains on Lili'uokalani Avenue and Uluniu Avenue, Waikīkī Ahupua'a, Kona District, Island of O'ahu (TMK 2-6-023, 24, and 26).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matt, and Melanie M. Mann, 2001. *Archaeological Inventory Survey for the Proposed Nimitz Highway Water System Improvements, Part I, Downtown Honolulu, Nu'uanu Ahupua'a, District of Kona, Island of O'ahu (TMK 1-5-08, 1-7-01, 2-1-02).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matthew, Rodney Chiogioji, and Hallett Hammatt, 1996. *An Archaeological Inventory Survey of Two Lots (TMK 2-6-24:65-68 and 80-83 and TMK 2-6-24:34-40 and 42-45) in Waikīkī Ahupua'a, O'ahu, Hawai'i.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McGerty, Leann, and Robert Spear, 1995. An Archaeological Assessment of the Mānana and Pearl City Junction Sites, Mānana and Waiawa Ahupua'a, 'Ewa District, O'ahu Island. Scientific Consultant Services, Inc., Honolulu.

McGerty, Leann, Peter R. Mills, and Robert L. Spear, 1995. *An Archaeological Assessment of the Chinatown Community Service Center Project Ahupua'a of Nu'uanu District of Kona, Island of O'ahu TMK 1-7-003: 14 and 15.* Scientific Consultant Services, Inc., Honolulu.

McGerty, Leann, Michael Dega, and Robert Spear, 1997. *Archaeological Excavations at Kūwili Fishpond, Site of the Proposed Liliha Civic Center, Kalihi-Pālama, Oʻahu.* Scientific Consultant Services, Inc., Honolulu.

McIntosh, James, and Paul L. Cleghorn, 2005. *Archaeological Inventory Survey for the Proposed Pearl Street One Building, Honolulu, Island of Oʻahu*. Pacific Legacy, Inc., Kailua, Hawaiʻi.

Monahan, Christopher M., 2005. An Archaeological Assessment Report of Three Parcels Measuring Approximately 1.35 Acres in Waikīkī Ahupua'a, 'Ili of Kewalo, Kona (Honolulu) District, Island of O'ahu, Hawai'i. Scientific Consultant Services, Inc., Honolulu.

Nakamura, Barry, Jeffrey Pantaleo, and Aki Sinoto, 1994. *An Archaeological Assessment of a Parcel of Land in Kapālama on the Corner of North King and*

Houghtailing Streets, Kapālama, Kona District, Oʻahu. Aki Sinoto Consulting, Honolulu.

Neller, Earl, 1980a. *The Archaeology of the Kapālama Fire Station, Honolulu*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Neller, Earl, 1984. An Informal Narrative Report on the Recovery of Human Skeletons from a Construction Site in Waikīkī on Paoakalani Street, Honolulu, Hawai'i. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

O'Hare, Constance R., David Shideler, and Hallett H. Hammatt, 2003a. *Archaeological Data Recovery Plan for the Proposed Nimitz Highway Water System Improvements, Part I, Downtown Honolulu, Nu'uanu Ahupua'a, District of Kona, Island of O'ahu (TMK 1-5-08, 1-7-01, 2-1-02).* Cultural Surveys, Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance, R., Douglas, Borthwick and Hallett Hammatt, 2003c. *Archaeological Inventory Survey of a Property in Waikīkī Ahupua'a, 'Ili of Kewalo, Kona District, O'ahu (TMK 1-2-3-10:28, 48, 50-56).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R. Todd Tulchin, and Hallett H. Hammatt, 2004b. *Documentation of Plantation Infrastructure at Kapolei, Hono'uli'uli Ahupua'a, District of 'Ewa, O'ahu, TMK: (1) 9-1-015:004.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance, R., David W. Shideler, and Hallett H. Hammatt., 2005a *An Archaeological Assessment and Cultural Impact Evaluation for the Proposed I-H1 Addition and Modification of Highway Accesses, Palailai Interchange/Makakilo Interchanges, Honoʻuliʻuli Ahupuaʻa, 'Ewa District, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.*

O'Hare, Constance, R., Todd Tulchin, David W. Shideler, and Hallett H. Hammatt, 2005b. *Literature Review and Field Check Regarding Historic Preservation Concerns at Certain Lands at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006a. *An Archaeological Inventory Survey For the East Kapolei Project, Hono'uli'uli Ahupua'a, 'Ewa District, Island of O'ahu, TMK: (1) 9-1-010:001, 9-1-017:004, 059, 072; 9-1-018:001, 004, 9-2-001:001.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

O'Leary, Owen L., and Hallett H. Hammatt, 2004. *Archaeological Monitoring Report* for the Emergency Phase Rehabilitation of Street Unit 9 Phase I Kapi 'olani Boulevard From Kālakaua Avenue to Kameke 'e Street, Honolulu Ahupua 'a, Kona District, O 'ahu. Cultural Surveys Hawai'i Kailua, O 'ahu, Hawai'i.

O'Leary, Owen, L., Rodney Chiogioji, Douglas F. Borthwick, and Hallett H. Hammatt, 2005. *Archaeological Inventory Survey of a 1-Acre Parcel, 2284 Kalākaua Avenue, Waikīkī, Kona District, Island of Oʻahu*. Cultural Surveys Hawaiʻi Kailua, Oʻahu, Hawaiʻi.

O'Leary, Owen L., and Hallett H. Hammatt, 2006b. *Archaeological Inventory Survey for the Approximately 4-acre Moana Vista Project Area on Kapi 'olani Boulevard, Honolulu Ahupua'a, Kona District, O'ahu Island.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Ostroff, Brad, Michelle Elmore, and Joseph Kennedy, 2001b. *An Inventory Survey at Pu'u Kapolei/Barrette, (TMK 9-1-16:02, 21 and 22), Hono'uli'uli Ahupua'a, 'Ewa District, Island of O'ahu*. Archaeological Consultants of the Pacific Inc., Hale'iwa, Hawai'i.

Pantaleo, Jeffrey, 1989. Archaeological Monitoring and Subsurface Testing for the Chinatown Gateway Plaza Project (TMK 2-1-03:15, 23, 24, 25), Honolulu, Kona, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Perzinski, David, and Hallett H. Hammatt, 2004. *Archaeological Inventory Survey for the Kākā'āko Fire Station Renovation Project, Honolulu, Hawai'i (TMK 2-1-031:015 and 018)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, David, Matt McDermott, Rodney Chiogioji, and Hallett H. Hammatt, 1999. Archaeological Monitoring Report for Anti-Crime Street Lighting Improvements along Portions of Ala Wai Boulevard, Kālakaua Avenue, Ala Moana Boulevard and Ena Road, Waikīkī, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Perzinski, David, Rodney Chiogioji, and Hallett H. Hammatt, 2004. *Archaeological Inventory Survey for the 13.2 19 Acre Queen Emma Foundation Parcel in Waipi 'o Ahupua'a, 'Ewa District, O'ahu Island (TMK 9-4-038:083 and 9-4-050:059).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, David, Constance R. O'Hare, and Hallett H. Hammatt, 2006. *Data Recovery Report for SIHP Sites 50-80-09-6672 and -6673 in Waipi 'o Ahupua 'a, 'Ewa District, O 'ahu Island (TMK [1] 9-4-050:059)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Perzinski, Mary, Matthew McDermott, David Shideler, and Hallett Hammatt, 2000a. Archaeological Inventory Survey Report for the "Block J" Redevelopment Project Located at the Corner of Pali Highway and Beretania Street, Honolulu, Ahupua'a of Nu'uanu, Island of O'ahu, TMK 2-1-09:18 (State Site Number 50-80-14-5760). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, David W. Shideler, John Winieski, and Hallett H. Hammatt, 2000b. Burial Findings During the Excavation of a 16th Watermain on an Approximately 915 Meter (3,000 Ft.) Long portion of Kalākaua Avenue Between Kai'ulani and Monsarrat Avenues Associated with the Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupua'a, Kona District, Island of O'ahu, (TMK 2-6-1, 2-6-22, 2-6-23, 2-6-26, 2-6-27, and 3-1-43). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, Matt McDermott, David W. Shideler, and Hallett H. Hammatt, 2005. Archaeological Data Recovery Report for the Capital Place Development Project located at the Corner of Pali Highway and Beretania Street, Honolulu, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pfeffer, Michael T., Douglas F. Borthwick, and Hallett H. Hammett, 1993. *An Archaeological Summary of the Kākā'āko Improvement District 1 Monitoring, Kākā'āko, O'ahu, Hawai'i.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Putzi, Jeffery L., and Thomas S. Dye, 2004. *Archaeological Monitoring Report for Architectural Barrier Removal Work at Ali'iōlani Hale in Downtown Honolulu.* T.S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Rasmussen, Coral M., 2005. Archaeological Monitoring for the Asia-Pacific Center for Security Studies Perimeter Barrier Wall at Fort DeRussy, Waikīkī, Kona, Island of O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Rasmussen, Coral M., and Myra J. Tomonari-Tuggle, 2006. *Archaeological Monitoring of Waiau Fuel Pipeline*, *'Ewa District, Island of O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Rechtman, Robert B., and Jack D. Henry, 1998. *Archaeological Reconnaissance Survey, Red Hill Fuel Storage Area and 'Ewa Drum Filling and Fuel Storage Area, Lands of Waipi'o, Wai'awa, Hālawa, 'Ewa District and Moanalua, Honolulu District, Island of O'ahu*. Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Riley, Thomas J., Joseph Kennedy, Sandra Ireland, and Etsuko Yoshifuku, 1995. *A Report on Archaeological Data Recovery at Sites 50-80-14-4587 and 50-80-14-4588 for the Kekaulike Revitalization Project, 'Ewa Block, Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i

Roberts, Alice K. S., and Patrick Bower, 2001. *Archaeological Monitoring During Installation of Security Fence at the Asia-Pacific Center Fort DeRussy, O'ahu Island, Hawai'i (Contract No. DACA83-00-P-0053)*. Garcia and Associates, Honolulu.

Rosendahl, Paul H., 1971. A Report on the Archaeological Excavation and Exploration of the Old Carriage Road at 'Iolani Palace. Anthropology Department, Bernice P. Bishop Museum, Honolulu.

Schilz, Allan J., 1991b. *An Evaluation of the Archaeological Resources at the Proposed Site of Queen Emmalani Tower, Kākā'āko, Honolulu, Hawai'i.* ERC Environmental and Energy Services Company, Honolulu.

Simons, Jeanette, Carol Kawachi, Katherine Rogers, Gwen Hurst, and Jane Allen, 1991. Historical Research, Archaeological Monitoring and Artifact Analysis, Armed Forces YMCA Rehabilitation Project, Downtown Honolulu, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu. Simons, Jeannette A., Paul L. Cleghorn, Robert J. Jackson, and Thomas L. Jackson, 1995. *Archaeological Data Recovery Excavations at Fort DeRussy, Waikīkī, Oʻahu, Hawaiʻi.* BioSystems Analysis, Santa Cruz, California.

Smith, Marc, 1989. Human Bone at 1341 Kapiolani Avenue, Honolulu, Oʻahu TMK: 2-3-39:19. SHPD/DLNR, State of Hawaiʻi, Honolulu, Hawaiʻi.

Tulchin, Todd and Hallett H. Hammatt, 2005. *Addendum: Archaeological Inventory Survey for the Koʻolani Condominium Project*. Cultural Surveys Hawaiʻi, Kailua, Hawaiʻi.

Souza, Kehaulani, Mary Perzinski, and Hallett H. Hammatt, 2002. *An Archaeological Monitoring Report for the Kākā 'āko Improvement District 7 Project (TMK 2-1-58, 2-3-01 thru 05)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Spear, Robert, 1993. A Reconnaissance Survey Letter Report, The O'ahu Sugar Mill Project, Waipahu, Hawai'i. Scientific Consultant Services, Honolulu.

Spear, Robert, 1994. An Addendum to: the Reconnaissance Survey Letter Report for the Waikele Industrial Subdivision, Waipahu, Oʻahu, Hawaiʻi [TMK 9-4-02: Por. Of 4]. Scientific Consultant Services, Inc., Honolulu.

Tome, Guerin, and Michael Dega, 2003. *Archaeological Monitoring Report for Construction Work at the Waikīkī Marriot, Waikīkī, Manoa Ahupua'a, Honolulu District, O'ahu.* Scientific Consultant Services Inc., Honolulu.

Tuggle, H. David, 1997. Archaeological Inventory Survey for Construction Projects at Naval Air Station Barbers Point, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Tulchin, Todd, and Hallett H. Hammatt, 2005. Addendum to an Archaeological Inventory Survey for the Koʻolani Condominium Project, Honolulu Ahupuaʻa, Kona District, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Tulchin, Todd, Douglas Borthwick, and Hallett H. Hammatt, 2004. *Archaeological Data Recovery Report for Site 50-80-14-6407 Feature A at an approximately 71,000-sq. ft. Parcel in Waikīkī Ahupua'a, Kona District, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Welch, David J., 1987. Archaeological Reconnaissance of Former 'Ewa Marine Corps Air Station, Barbers Point Naval Air Station, O'ahu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.

West, Eric W., Bradford L. Ostroff, and Alice K.S. Roberts, 2002. *Report of Archaeological Monitoring for King Street 24-Inch Waterline Project Honolulu, Hawai'i.* Garcia and Associates, Kailua, Hawai'i.

Wickler, Stephen, J. Stephen Athens, and Jerome V. Ward, 1991. *Vegetation and Landscape Change in a Leeward Coastal Environment*. International Archaeological Research Institute, Inc. Honolulu.

Williams, Scott, 1993. End of Field Summary Report for Monitoring and Testing of CTO-039 Trenching at Pearl Harbor, Oʻahu, Hawaiʻi. Ogden Environmental and Energy Services, Inc., Honolulu.

Williams, Scott, 1994. Results of Subsurface Archaeological Investigations at Pearl Harbor (Trench excavations conducted in conjunction with Subsurface Fuel Investigations NAVBASE), Appendix H. Ogden Environmental and Energy Services, Inc., Honolulu.

Williams, Scott, and Lisa Anderson, 1997. *Archaeological Monitoring and Sampling During Construction for FY88 SR PN67 Warehouse/Administrative Facility, Shafter Flats, Oʻahu Island, Hawaiʻi.* Ogden Environmental and Energy Services Co. Inc. Honolulu.

Winieski, John P., and Hallett H. Hammatt, 2000a. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 4, Honolulu, Hawai 'i (TMK 2-3-02 thru 05)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John P., and Hallett H. Hammatt, 2000b. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 3 Pohulani Elderly Rental Housing and Kauhale Kākā 'āko, Honolulu, O 'ahu, Hawai 'i (TMK 2-1-30, 31, 32, 44, 46, 47, 48, 50, 51, 52, 54).* Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John P., and Hallett H. Hammatt, 2000d. *Archaeological Monitoring Report for the Public Bath Waste Water Pumping Station Force Main Replacement, Waikīkī, Honolulu, Olahu Island, Hawai'i.* Cultural Surveys Hawai'i, Kailua, Hawai'i.

Winieski, John P., and Hallett H. Hammatt, 2001b. *Archaeological Monitoring Report for Ward Village Phase II, (Ward Theaters), Kākā 'āko, Honolulu, O 'ahu, Hawai 'i (TMK 2-3-02:1).* Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John P., Patricia Kalima, and Hallett H. Hammatt, 1996. *An Archaeological Summary of the Burial Disinterments and Construction Monitoring at the Homakaha Affordable Housing and American Brewery Renovation Project, Honolulu, Oʻahu (TMK 2-1-31:21)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Winieski, John, Mary Perzinski, David Shideler, and Hallett H. Hammatt, 2002a. Archaeological Monitoring Report for the Installation of a 16-inch Water Main on an Approximately 915 meter (3,000ft) Long Portion of Kalākaua Avenue Between Kaʻiulani and Monsarrat Avenues Associated with the Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupuaʻa, Kona District, Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Wolforth, Thomas R., and Alan E. Haun, 1996. *Archaeological Inventory Survey for the Kamoku-Pūkele 138-kV Transmission Line Alignments, Lands of Mānoa, Pālolo, and Waikīkī, Honolulu District. Oʻahu*. Paul H. Rosendahl Ph.D. Inc, Hilo, Hawaiʻi.

Yent, Martha, 1985. Burial Excavations at the Honolulu Ironworks Construction Site, Honolulu, Oʻahu. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Yent, Martha, and Jason Ota, 1981. *A Reconnaissance of the Proposed RainbowBay State Park*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Chapter 6 Mitigation

In both Hawaii state and federal historic preservation legislation, mitigation is something that is done to alleviate a project's effect on significant cultural resources. Mitigation can only be done following: 1) the project's cultural resource identification effort, 2) the significance assessment of project's cultural resources, and, 3) the determination of the project's effect on significant cultural resources. Only after these steps in the historic preservation review process have been completed can appropriate mitigation measures be developed and implemented.

Based on the content of this archaeological technical report, it is clear that the Honolulu High-Capacity Transit Corridor project will require a substantial cultural resource identification effort. This will be when additional background research, intensive surface survey, extensive and intensive subsurface testing utilizing many different methods (backhoe trenching, coring, shovel tests, controlled test excavations, potentially limited controlled areal excavation, and remote sensing) will take place within the Locally Prefered Alternative. As discussed in Chapter 2 of this report, the first step of the cultural resource identification effort will be the preparation of an "Archaeological Inventory Survey Plan"--based on Hawaii state historic preservation requirements:

"For the subsequent draft EIS, which will be focused on the Locally Preferred Alternative that will be the project's area of potential effect, a detailed archaeological inventory survey plan will be generated as the first step in the project's formal historic preservation compliance effort. Because there is a good deal of uncertainty regarding the Locally Preferred Alternative, postponing the formal commencement of historic preservation compliance to the draft EIS stage allows for more flexibility and a more appropriate effort allocation to the required archaeological resource identification effort. Because of the probable diversity, distribution, and number of archaeological resources within the Locally Preferred Alternative, an archaeological inventory survey plan will serve to effectively coordinate the effort. The plan will include detailed procedures for the identification, documentation, significance evaluation, and assessment of project effect for the archaeological resources within the Locally Preferred Alternative (per the requirements of HAR Chapter 13-275 and 13-276). The inclusion of the archaeological inventory survey plan in the draft EIS will ensure appropriate agency and public review of the proposed archaeological resource identification effort." [this document, page 2-3]

Once this plan is approved, the extensive and intensive cultural resource identification effort will begin.

Until this cultural resource identification effort of the Locally Prefered Alternative is complete, it is somewhat premature to discuss specific mitigation for project impacts. The following general discussion can serve as a basis for further development of the project's archaeological and cultural resource mitigation program. As the project develops, a comprehensive cultural resource management and mitigation plan will be

developed among all stake-holding parties. The archaeological mitigation plan will be a component of the overall project's cultural resource management plan.

Potential impacts and mitigation are directly related, particularly for the project's direct construction impacts on archaeological resources. Accordingly, Table 5-1's summary of archaeological impacts, with high, medium, and low ratings for the various alignments, can also serve as a guide for the likely mitigation needs for each of the alignments.

Archaeological mitigation will likely take the form of burial treatment, archaeological data recovery, and archaeological monitoring. If there is some flexibility in the construction design, it is possible that preservation of archaeological resources in place might be another form of mitigation.

As there is a reasonable potential for Alternatives 3 and 4 to affect burials, particularly Native Hawaiian burials, the project's program for the treatment of burials should be proactive and conscientious. As a unique class of archaeological resource, burial treatment must be carried out per the specific guidelines of Hawai'i state and federal burial law. Should federal lands be involved, NAGPRA guidelines would need to be followed. As most, if not all, of the proposed project would be on private or state lands, the guidelines of Hawai'i state burial law (HRS Chapter 6E-43 and HAR Chapter 13-300) should be followed. Early consultation with the O'ahu Island Burial Council (OIBC) is appropriate. In consultation with the project's proponents, the OIBC, and the State Historic Preservation Division (SHPD), a project burial treatment plan should be developed. This plan should outline the treatment for all previously identified and inadvertent burial finds encountered by the project.

Archaeological data recovery is the method of extracting important archaeological information from archaeological sites to alleviate the effect of the site's destruction by a project. Data recovery research questions and methods are particular to the types of archaeological resources being mitigated. Typically, a detailed data recovery plan is written and approved by SHPD that describes the data recovery investigation's research questions, data requirements, and the methods for acquiring the needed information to answer the research questions. Once the archaeological investigation is complete, a data recovery report is written that documents all results.

Archaeological monitoring is done to mitigate (and hopefully negate) the impact of a development on as yet unidentified or incompletely documented archaeological resources. The goal is to document exposed archaeological resources and, for the most important archaeological resources, potentially save them from destruction. Archaeological monitoring can be used as a form of archaeological resource identification or mitigation, or as a post-mitigation contingency measure to collect additional information or protect extent archaeological resources. Although archaeological monitoring can be research-driven, often salvage is the driving force. Typically, archaeological monitoring programs follow an archaeological monitoring plan that outlines the construction methods and impacts of the proposed project, the types of archaeological resources that are expected, and the archaeological methods to be used to

document the archaeological resources encountered. A monitoring report is prepared with all results.

Archaeological preservation is the avoidance of archaeological resources and their protection and safeguarding in place. Archaeological preservation can include active interpretation of the archaeological resource, for example with signage and other forms of public interpretation. More basically, it can entail the conservation of the resource through evasion. Preservation strategies and methods differ depending on the type of archaeological resource encountered. Typically, a preservation plan is written describing the archaeological resource and the preservation measures to be enacted. Once approved by SHPD, the plan is implemented.

Report References

Ahlo, Hamilton M., Jr., and Robert J. Hommon, 1980. *An Archaeological Reconnaissance Survey of the Site of the Proposed Solid Waste Processing Plant and Resource Recovery Facility, Hono'uli 'uli, 'Ewa, O'ahu.* Science Management, Honolulu.

Anderson, Lisa, 1995. Archaeological Sub-surface Inventory Survey of the King Street Place Property, Honolulu, Hawai'i 96813 (TMK No. 1-2-1-044: 041, 042, and 043). Ogden Environmental and Energy Services Co. Inc., Honolulu.

Anderson, Lisa, and Katharine S. Bouthillier, 1996a. Assessment and Analysis of Historic Properties at Hickam Air Force Base, Honolulu, Hawai'i for Preparation of a Historic Preservation Plan. Ogden Environmental and Energy Services, Inc., Honolulu.

Anderson, Lisa, and Katharine S. Bouthillier, 1996b. *Historic Research and Design for the Legacy Resource Management Program of the Parade Ground, Hickam Air Force Base, Oʻahu Island, Hawaiʻi.* Ogden Environmental and Energy Services, Inc., Honolulu.

Anderson, Lisa, and Alan Schilz, 1995. Archaeological Monitoring of Construction Activities in Conjunction with Sewer Installation (Milcon P-115) Kūāhua Peninsula, Naval Submarine Base, Pearl Harbor, Oʻahu. Ogden Environmental and Energy Services, Inc., Honolulu.

Anderson, Lisa, and Scott Williams, 1997. *Archaeological Monitoring and Sampling During Construction for FY88 SR PN67 Warehouse/Administrative Facility, Shafter Flats, Oʻahu Island, Hawaiʻi.* Ogden Environmental and Energy Services, Inc., Honolulu.

Apple, Russell A., and William K. Kikuchi, 1975. *Ancient Hawai'i Shore Zone Fishponds: An Evaluation of Survivors for Historical Preservation*. Office of the State Director, National Park Service, U.S. Dept. of the Interior, Honolulu.

Athens, J. Stephen, 1986. Archaeological Monitoring at the Judiciary Parking Garage, Honolulu, Hawai'i. J. Stephen Athens, Ph.D., Archaeological Consultant, Honolulu.

Athens, Stephen, 1990. Letter: Inventory of Human Skeletal Remains from Hawai'i at IARII. International Archaeological Research Institute Inc., Honolulu.

Athens, J. Stephen, 2000. Ancient Hawaiian Fishponds of Pearl Harbor: Archaeological Studies on U.S. Navy Lands, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.

Athens, J. Stephen, and Ethan Cochrane, 2000. *Archaeological Monitoring for Job No. 8 2050: Bilge and Oily Waste Water Collection Facilities, Phase I.* International Archaeological Research Institute, Inc., Honolulu.

- Athens, J. Stephen, and Jerome V. Ward, 1997. *Paleoenvironmental Coring at Ka'ihikapu Fishpond, Vault-X Project, Honolulu International Airport*. International Archaeological Research Institute, Inc., Honolulu.
- Athens, J. Stephen, Conrad Erkelens, Jerome Ward, Robert Cowie, and Michael Pietrusewsky, 1994. *The Archaeological Investigation of Inadvertently Discovered Human Remains at the Pi'ikoi and Kapi'olani Intersection, Kewalo, Waikīkī, O'ahu, Hawai'i*. International Archaeological Research Institute, Inc., Honolulu.
- Athens, J. Stephen, Jerome V. Ward and M. J. Tomonari-Tuggle, 1997b. *Loko Ka'ihikapu: Paleoenvironmental Coring For The Tracon Expansion, Hickam Air Force Base, Honolulu, Hawai'i. Final.* International Archaeological Research Institute, Inc., Honolulu.
- Athens, J. Stephen, Jerome V. Ward, H. David Tuggle, and David J. Welch, 1997a. Environment Vegetation Change and Early Human Settlement on the 'Ewa Plain: A Cultural Resource Inventory of Naval Air Station, Barbers Point, O'ahu Hawai'i, Part III: Paleoenvironmental Investigations. International Archaeological Research Institute, Inc., Honolulu.
- Athens, J. Stephen, Dean W. Blinn, and Jerome V. Ward, 2001. *Paleoenvironmental Coring at Tank 2, Hickam Air Force Base, Honolulu, Hawai'i. Final Report.* International Archaeological Research Institute, Inc., Honolulu.
- Athens, J. Stephen, Dean W. Blinn, and Jerome V. Ward, 2002. *Paleoenvironmental Investigations at an Unnamed Hawaiian Fishpond, Pearl Harbor Shipyard, O'ahu, Hawai'i. Final Report.* International Archaeological Research Institute, Inc., Honolulu.
- Avery, Serge, and Joseph Kennedy, 1993. Archaeological Report Concerning the Inadvertent Discovery of Human Remains at the South Street Building Complex TMKI: 2-1-31:20, Honolulu Ahupua'a, Kona District, Island of O'ahu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.
- Avery, Serge, Peter Brennan, Tim Denham, Joseph Kennedy, and Jerome V. Ward, 1994. Paleoenvironmental Reconstruction Adjacent to the Mouth of the Hālawa Stream: Monitoring Report of the Waiau-Makalapa No. 2 138kV Overhead lines (Phase II), Hālawa Ahupuaʻa, 'Ewa District. Archaeological Consultants of Hawaiʻi Inc., Haleʻiwa, Hawaiʻi.
- Ayres, William S., 1970. Archaeological Survey and Excavations Kamana-Nui Valley, Moanalua Ahupua'a, South Hālawa Valley, Hālawa Ahupua'a, O'ahu, June-September, with a Survey of Moanalua History by Dorothy Barrere. Bernice P. Bishop Museum, Honolulu.
- Barrera, Jr., William, 1971. Archaeological Site Survey of the Proposed Honolulu Stadium Site at Hālawa, Oʻahu. Chiniago Inc., Honolulu.

Barrera, William M., Jr., 1979a. Archaeological and Historic Reconnaissance of Alternate Sites for the Honolulu Program of Waste Energy Recovery. Chiniago, Inc., Kamuela, Hawai'i.

Barrera, William, 1979b. Archaeological Reconnaissance of Proposed 138 KV Transmission Line from Hālawa Substation to Pūkele Substation, Honolulu, Hawaiʻi. Chiniago Inc., Honolulu.

Barrera, William, 1979c. Salt Lake Archaeological Reconnaissance. Chiniago Inc., Honolulu.

Barrera, William, Jr., 1985a. Memo--*Archaeological Reconnaissance of Kilohana*, 'Ewa, O'ahu, 1-9-4-007:001. Chiniago, Honolulu.

Barrera, William, 1985b. Waikele, O'ahu: Archaeological Reconnaissance, TMK 1-9-4-07:12, 13. Chiniago, Honolulu.

Barrera, William M., 1986. West Beach, O'ahu: Archaeological Investigations. Chiniago, Inc., Kamuela, Hawai'i.

Bath, Joyce, 1987. Central Honolulu Burial: Mitsunaga Construction Company; Honolulu, Oʻahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Bath, Joyce, 1988. Burial Site, Leeward Community College Vicinity, Waiawa, 'Ewa, O'ahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Bath, Joyce, 1989. Burial on Hō 'ae 'ae Point in West Loch Project Area, Hono 'uli 'uli, 'Ewa, O 'ahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai 'i.

Bath, Joyce, and Carol Kawachi, 1989. *Ala Wai Golf Course Burial: Site 80-14-4097 ME#89-0252 Mānoa, Honolulu District, Oʻahu TMK 2-7-36:15.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Beardsley, Felicia Rounds, and Michael W. Kaschko, 1997. *Archaeological Monitoring and Data Recovery Pacific Beach Hotel Annex, Waikīkī, O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Bell, Matthew, J., Matt McDermott, and Owen O'Leary, 2006. *Archaeological Inventory Survey Report for the Victoria Ward Village Shops Project, Honolulu Ahupua'a, Kona District, O'ahu Island*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bennett, John D., n.d. Sand Island's Military Past, 1916-1945, Vol. 16, Issue 3, *The Coast Defense Journal*, Page 66.

Bernice P. Bishop Museum, 1976. *Bishop Museum Site Files, 1967*. Bernice P. Bishop Museum, Honolulu.

Bernice P. Bishop Museum, 1981. *Interim Progress Report on Archaeological Testing, Excavations, and Monitoring at the Halekūlani Hotel*. Bernice P. Bishop Museum, Honolulu.

Bernice P. Bishop Museum, 2000. "New Table" accounting of Bishop Museum holdings of human remains dated Wednesday March 15, 2000 pages numbered 9 to 14, 1984. Burial Remains Waikīkī Ahupua'a Maunalua to Waikīkī (incl. Manoa) at Bishop Museum Kona. Bernice P. Bishop Museum, Honolulu.

Bevan, Amy, Michelle Elmore, and Joseph Kennedy, 2004. *An Archaeological Monitoring Report for the City Hall Annex Auditorium Restoration Project Located at TMK: 2-1-33:07 (Por.) in Honolulu Ahupua'a, Kona District, Island of O'ahu.* Archaeological Consultants of the Pacific, Inc., Hale'iwa, Hawai'i.

Borthwick, Douglas F., and Brian Colin, 1995. *Archaeological Sub-surface Inventory Survey at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Borthwick, Douglas F.. and Hallett H. Hammatt, 2001. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 6 Honolulu, Hawai 'i, (TMK: 2-1-58, 2-3, 2-3-01 thru 05)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Borthwick, Douglas, and Hallett H. Hammatt, 2006. *Archaeological Inventory Survey Report for the Victoria Ward Village Shops Project Property, TMK:* [1] 2-3-5: 013 –017, 022, and 023. Cultural Surveys Hawai'i, Inc. Kailua, Hawai'i.

Borthwick, Douglas F., Ian Masterson, Victoria Creed, and Hallett H. Hammatt, 1995. An Archaeological Inventory Survey of the Kamehameha Homes Project Kapālama, Oʻahu (TMK 1-5-01:1). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Borthwick, Douglas, Anthony Bush, Rodney Chiogioji, and Hallett Hammatt, 2002. *Archaeological Inventory Survey of an Approximately 71,000-sq.ft. Parcel in Waikīkī, Waikīkī Ahupua'a, Kona District, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bowen, Kelly, and Lloyd Soehren, 1962. *Barbers Point Burial*. Bernice P. Bishop Museum, Honolulu.

Bower, Patrick, and Alice K.S. Roberts, 2001. *Archaeological Monitoring Plan for Helipad Fence (KNMD 001076) Hickam Air Force Base, Oʻahu Island, Hawaiʻi.* Garcia and Associates (GANDA), Kailua, Hawaiʻi.

Bower, Patrick, and Alice K.S. Roberts, 2002a. Archaeological Monitoring for Fire Rescue Training Facility Project Hickam Air Force Base, O'ahu Island, Hawai'i (Contract No. DACA83-00-C-0024). Garcia and Associates (GANDA), Kailua, Hawai'i.

Bower, Patrick, and Alice K.S. Roberts, 2002b. *Archaeological Monitoring for Helipad Fence (KNMD 001076) Hickam Air Force Base, O'ahu Island, Hawai'i (Contract No. DACA83-01-P-004)*. Garcia and Associates (GANDA), Kailua, Hawai'i.

Burgett, Berdena D., and Paul H. Rosendahl, 1989. *Subsurface Archaeological Testing Ko Olina Resort Phase II Development Site*. Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Burgett, Berdena D., and Paul H. Rosendahl, 1992. *Archaeological Inventory Survey, Contaminated Soil Stockpile/Remediation Facility, Naval Air Station, Barbers Point, O'ahu, Hawai'i (TMK: 9-1-13)*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Burgett, Berdena, and Paul H. Rosendahl, 1993. *Archaeological Sensitivity Study, Kamoku-Pūkele Transmission Lines Alignments, Lands of Mānoa, Pālolo, and Waikīkī, Honolulu Distinct, Island of Oʻahu (TMK:2-7,2-8,2-9,3-2, 3-3, 3-4).* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

Burtchard, Greg, 1992a. *Backhoe Trench Placement and Schedule for Data Recovery at Kapapa Lo'i Kānewai, Waikīkī, Kona, O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Burtchard, Greg C., 1992b. *Completion of Archaeological Data Recovery at Kapapa Loʻi, Kānewai, Waikīkī, Kona, Oʻahu*. International Archaeological Research Institute, Inc., Honolulu.

Bush, Tony, and Hallett H. Hammatt, 2002a. *An Archaeological Monitoring Plan for Kākā 'āko Community Development District Improvement District 10, Honolulu, Hawai 'i (TMK 2-3-04, 05, 06, and 07).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report for the Waikīkī Anticrime Lighting Improvement Project Phase II (TMK 2-6-1, 2-6-2, 2-6-3, 2-6-5, 2-6-6, 2-6-25, 2-6-16, 2-6-18, 2-6-19, 2-6-22, 2-6-23, 2-6-26, 2-6-27).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony and Hallett H. Hammatt, 2006. *Archaeological Monitoring Report for Installation of Service Gas Lines and Meter at 125 Ulunui Avenue, Waikīkī Ahupuaʻa, Kona District, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Bush, Anthony, John P. Winieski, and Hallatt H. Hammatt, 2002. *Archaeological Monitoring Report for the Waikīkī Anticrime Lighting Improvement Project Phase II (TMK 2-6-1, 2-6-2, 2-6-3, 2-6-5, 2-6-6, 2-6-15, 2-6-16, 2-6-18, 2-6-19, 2-6-22, 2-6-23, 2-6-26, 2-6-27.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony R., Douglas F. Borthwick, and Hallett H. Hammatt, 2003a. *Archaeological Monitoring Report for Geotechnical Sampling for Hawai'i ANG Project No. KNBD 989064A Clear Water Rinse Facility, Hickam AFB, Hawai'i.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Bush, Anthony, John P. Winieski, Hallett H. Hammatt, 2003b. *Archaeological Monitoring Report for Excavations for the New International Market Place Sign Project*, Waikīkī, Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Bush, Anthony, John P. Winieski, and Hallett H. Hammatt, 2005. *Archaeological Monitoring Report, Koʻolani Condominiums, Honolulu, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Calis, Irene, 2002. An Archaeological Monitoring Report For ABC Store NO.35 Lemon Road Fence Wall Construction Project Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i (TMK 2-6-27:25). Scientific Consultant Services Inc., Honolulu.

Carpenter, Alan, and Maurice Majors, 2000. *Archaeological Monitoring at Washington Place*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Carpenter, Alan and Martha Yent, 1995. *Archaeological Monitoring, Kennel Construction at Washington Place, Honolulu, Oʻahu. TMK: 2-1-18:01.* Department of Land and Natural Resources, Division of State Parks, Honolulu.

Carlson, Ingrid, 2001. Archaeological Monitoring of Dredging Activities of the Manuwai Canal, Hickam Air Force Base, Oʻahu, Hawaiʻi. Bernice P. Bishop Museum, Honolulu.

Carlson, Ingrid, Sara Collins, and Paul Cleghorn, 1994. *Report of Human Remains found during the Realignment of Kālia Road, Fort DeRussy, Waikīkī, Oʻahu.* BioSystems Analysis, Kailua, Hawaiʻi.

Carpenter, Alan B., and Martha Yent, 1995. *Archaeological Monitoring: Kennel Construction at Washington Place, Honolulu, O'ahu TMK: 2-1-18:01.* State of Hawai'i Department of Land and Natural Resources, Division of State Parks, Honolulu.

Census, 2002. *Population of Counties by Decennial Census: 1900 to 1990.* U.S. Bureau of the Census.

Chaffee, David B., and Lisa J. Anderson, 1995. *Archaeological Excavations of an Inadvertent Burial Discovery at 96-035 Waiawa Road, Waipahu, Oʻahu, Hawaiʻi.* Scientific Consultant Services, Inc., Honolulu.

Chaffee, David B., and Robert L. Spear, 1994. An Archaeological Assessment of Four Hausten Street Lots in Mo'ili'ili, Manoa, Waikīkī Ahupua'a, O'ahu, Hawai'i. Scientific Consultant Services, Kāne'ohe, Hawai'i.

Chaffee, David B., and Robert L. Spear, 2004. *An Archaeological Monitoring Plan for Kūhiō Avenue between Kapahulu Avenue and Kalākaua Avenue, Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i (TMK:2-6-15 through 28)*. Scientific Consultant Service, Inc., Honolulu.

Charvet-Pond, Ann, and Jeffrey Pantaleo, 1989. Chinatown Gateway Plaza Project. Part I, Summary of Pre-field Literature and Documents Search for the Proposed Park in

Downtown Honolulu (TMK 2-1-03:15, 23, 24, and 25) Part II, Archaeological Monitoring and Subsurface Testing for the Chinatown Gateway Plaza Project (TMK 2-1-03:15, 23, 24, 25), Honolulu, Kona, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Chiddix and Simpson, 2004. Next Stop Honolulu: Story of the O'ahu Railway & Land Company. Jim Chiddix and MacKinnon Simpson. Sugar Cane Press, Honolulu.

Ching, Francis K.W., and Leonard K. Kwan, Jr., 1987. *Na Alamii O Honolulu, The Streets of Honolulu.* Bernice P. Bishop Museum, Honolulu.

Chigioji, Rodney, 1991. *An Archaeological Assessment of Two Parcels in Waikīkī Ahupua'a*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, 1992. An Archaeological Assessment of a 5.33 Acre Parcel in the Kapi 'olani Business District, Honolulu, Island of O'ahu (TMK 2-3-09:portion 01). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1991. *An Archaeological Assessment of a Parcel (TMK 2-1-50:13,14,15,53,63,64) in the Kākā'āko District, O'ahu, Hawai'i*, Cultural Surveys Hawai'i, Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1992a. *An Archaeological Assessment of a 100,000 Square Foot Parcel in the Iwilei District, Island of O'ahu, (TMK 11-5-08;1,9,&11)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1992b. *An Archaeological Assessment of a 5.33 Acre Parcel in the Kapi 'olani Business District, Honolulu, Island of O 'ahu (TMK 2-3-09:portion 01)*. Cultural Surveys Hawai'i, Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 1994. *Archaeological Assessment of an 8.4-Acre Parcel in Downtown Honolulu, Island of Oʻahu (TMK 2-1-18:46 and port. 1, 11, 16 & 47)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 1995. *An Archaeological Assessment of the Hart Street Wastewater Pump Station Force Main Replacement Project at Honolulu Harbor and Sand Island, Island of Oʻahu, TMK 1-1-5-020; -034; -041; -042.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 1997. *Archaeological Reconnaissance Survey of a 4.5 Kilometer (14,730-FT) Long Land Corridor within Hono'uli 'uli Ahupua'a, 'Ewa District, O'ahu Island*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2000. Archaeological Monitoring Plan for the Installation of a 24-Inch Water Main Within a Portion of North King Street Between Liliha Street and River Street; Honolulu; Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2003c. *An Archaeological Monitoring Plan for the Hokua Tower Project Parcel on Ala Moana Boulevard, Kākā 'āko/Kewalo District, Waikīkī Ahupua 'a, Island of O 'ahu (TMK 2-3-05:1,2,3por 24, 26 and por 27).* Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2003a. *An Archaeological Monitoring Plan for the Queen Street Improvements Project Between Ward Avenue and Kamake 'e Street, Kākā 'āko/Kewalo District, Waikīkī Ahupua 'a, Island of O 'ahu, (Portions of TMK 2-3-2, 2-3-03)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2003b. *An Archaeological Monitoring Plan for the Sunset Heights Project Parcel on Waimamu Street, Kākā ʻāko/Kewalo District, Waikīkī Ahupua ʻa, Island of Oʻahu, (Portions of TMK 2-3-04:73:, 2-3-05:27; 2-3-06:14; 2-3-07:2).* Cultural Surveys Hawaiʻi, Inc. Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2004. *Archaeological Literature Review and Field Check for an approximately 89,000-sq. ft. Project Area, Waikīkī Ahupuaʻa, Kona District, Oʻahu (TMK: 2-6-13:1,3,4,7,8,9,11 and 12).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005d. *Archaeological Literature Review and Field Inspection of a 14,490 SF Parcel at 1426 Young Street in Honolulu, Makiki Ahupua'a, Kona District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005a. *Archaeological Monitoring Plan for the Fort Street Mall and Hotel Street Sewer Replacement/Rehabilitation (SMPR 60) Honolulu Ahupua'a, Kona District, O'ahu Island, TMK: (1) 2-1-002, (1) 2-1-003, and (1) 2-1-010-012.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005c. *Archaeological Monitoring Plan for the Kākā 'āko Water System Improvements Project, Honolulu Ahupua 'a, Kona District, O 'ahu Island, TMK:[1] 2-1-016, 026, 027, 029, 030, 031, 051, 054 & 055.* Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Chiogioji, Rodney, and Hallett H. Hammatt, 2005b. *Archaeological Monitoring Plan for a 12-Inch and 16-Inch Water Mains Installation Project on Aloha Tower Drive, Nimitz Highway, and Richards Street (Job 04-024) Honolulu Ahupua'a, Kona District, O'ahu Island, TMK: (1) 2-1-014 & (1) 2-1-027. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.*

Chiogioji, Rodney, Matthew McDermott, Douglas Borthwick, and Hallett H. Hammatt, 1991. *Archaeological Investigations at the Hawai'i State Public Library Addition Site (State Site No. 50-80-14-9959) for the Department of Accounting and General Services State of Hawai'i (D.A.G.S. Job No. 12-16 1521)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Chigioji, Rodney, Uta Rainalter, Sallee Freeman, and Hallett Hammatt, 2004. *Archaeological Inventory Survey for the Tusitala Vista Elderly Apartments in Waikīkī Ahupua'a, Kona District, O'ahu Island TMK 2-6-24:70, 71.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Clark, Stephan D., 1977. An Archaeological Reconnaissance Survey at Pu'u O Kapolei, Hono'uli 'uli, O'ahu. Archaeological Consultants of the Pacific Inc., Hale'iwa, Hawai'i.

Clark, Stephan, 1987. Archaeological Monitoring of the Makai Parking Garage, Corner of Punchbowl and Halekauwila Streets (TMK 2-1-31:23). State of Hawai'i. Bernice P. Bishop Museum, Honolulu.

Clark, Steve, and Robert Connolly, 1975. Archaeological Reconnaissance Survey for Hono'uli 'uli Sewage Treatment Plant and Barbers Point Outfall. Kualoa.

Clark, Stephan D. and Dennis C. Gosser, 2005. *Final Report: A Subsurface Archaeological Inventory Survey of TMK 2-3-003:075, 085, and 086 Waikīkī Ahupua'a, Kona District, O'ahu, Hawai'i.* Pacific Consulting Services, Inc., Honolulu.

Cleghorn, June, 1993. *Inadvertent Discovery of Human Remains at the Waikīkī Aquarium Renovation Project, Waikīkī, Kona, Oʻahu, TMK: 3-1-31: 006.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Cleghorn, Paul L., 1989. Letter Report on Archaeological Test Excavations for the Chinatown Gateway Plaza Project. Applied Research Group, Bernice P. Bishop Museum, Honolulu, Hawai'i,

Cleghorn, Paul L, 1996c. A Reconnaissance Survey Letter Report of the Waikele Industrial Subdivision. The O'ahu Sugar Mill Project, Waipahu, Hawai'i. Pacific Legacy, Inc., Kailua, Hawai'i.

Cleghorn, Paul L., 1996b. *The Results of an Archaeological Inventory Survey at the Proposed Kālakaua Plaza, Waikīkī, O'ahu, Hawai'i (TMK 2-6-16:23, 25-26, 28, 61 and 69)*. Pacific Legacy, Inc., Kailua, Hawai'i.

Cleghorn, Paul, 1996a. Archaeological Inventory Survey at Waipahu, Waikele, Oʻahu TMK 9-4-2: por. 4. Pacific Legacy, Inc., Haleʻiwa, Hawaiʻi.

Cleghorn, Paul, 1999. Walk Through Survey for the Proposed 20" Irrigation Line for the Waipi o Peninsula Soccer Park at Waipi o Peninsula Island of Oʻahu Waikele, Waipi o Ahupuaʻa District of 'Ewa. Pacific Legacy, Inc., Hale'iwa, Hawai'i.

Cleghorn, Paul, 2001a. Archaeological Mitigation of Waikīkī Burger King Construction, TMK: 2-6-026:013 Kona District, Waikīkī Ahupua'a, Island of O'ahu. Letter to Mr. Roy Yamani (Hawai'i CIMMS). Pacific Legacy, Inc., Honolulu

Cleghorn, Paul, 2001b. Archaeological Mitigation near Waikīkī Burger King Construction Site TMK: 2-6-026:012 and 013, Kona District, Waikīkī Ahupua'a, Island of O'ahu. Letter to Mr. Paul Kosasa (ABC Stores). Pacific Legacy, Inc., Honolulu.

Cleghorn, Paul, 2003. Archaeological Monitoring Plan for the Anti-Crime Street Lighting Improvements Chinatown II, Honolulu, Island of Oʻahu. Pacific Legacy, Kailua, Hawaiʻi.

Cleghorn, Paul, and Diane Guerriero, 1998. Final Report of the Results of Archival Research in the Ahupua'a of Moanalua, Kahauiki and Kalihi, Honolulu (Kona), O'ahu, Hawai'i. Pacific Legacy, Kailua, Hawai'i.

Cleghorn, Paul L., and James McIntosh, 2003. Archaeological Survey for the Proposed 'Ewa Gentry Makai Development 'Ewa District, Ahupua'a of Hono'uli'uli, Island of O'ahu. Pacific Legacy, Inc., Kailua, Hawai'i.

Cluff, Deborah F., 1970. "The Archaeology of 'Ewa: The Ahupua'a of Hālawa. The Archaeological Survey of a Portion of Hālawa Interchange FAP No. 1-H1-1(41), Halawa, O'ahu Island." *Hawai'i State Archaeological Journal* 70-1.DLNR, Department of Land and Natural Resources, Division of State Parks, Honolulu.

Colin, Brian, and Hallett H. Hammatt, 1997a. Archaeological Monitoring Plan for the Nimitz Highway Reconstructed Sewer, Honolulu, Oʻahu, Hawaiʻi (TMK 1-7-02, 03 and 2-1-02, 13-16, 25, 27, 29-32). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Colin, Brian, and Hallett H. Hammatt, 1997b. Burial Treatment Plan for State Site 50-80-14-4534 and State Site 50-80-14-3712 and Inadvertent Burials for the Nimitz Highway Reconstructed Sewer Honolulu Ahupua'a, Kona District, O'ahu (TMK1-7-02,03 and 2-1-02, 13-16, 25, 27, 29-32). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Collins, Sara, and Elaine Jourdane, 2004. *Recovery of Inadvertently Discovered Skeletal Remains Adjacent to 91-2168 Old Ft. Weaver Road, Site 50-80-04-06665; SHPD Case # 2004-1-0003-001, Hono'uli'uli, 'Ewa, O'ahu.* Department of Land and Natural Resources, State Historic Preservation Office, Kapolei, Hawai'i.

Connolly, Robert, III, 1980. Archaeological Reconnaissance Survey at the Salt Lake District Park Site. Archaeological Research Associates, Honolulu.

Corbin, Alan B., 2001. FINAL: Appendix C: Subsurface Archaeological Inventory Survey-Hilton Waikikian Property, Land of Waikīkī, Honolulu (Kona) District, Island of Oʻahu (TMK: 2-6-9-:2, 3, 10). Pacific Health Research Institute, Honolulu.

Cordy, Dominique Leu, and Hallett H. Hammett, 2005. Archaeological Monitoring Report for Punchbowl Street Improvements, Phase 2 Downtown Honolulu, Makiki Ahupua'a, Kona District, O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Cordy, Ross, and Thomas Dye, 1992. *Re-Evaluation of the Functional Interpretations and Significance of Sites B1-75 and B1-85, H-3 Project, Hālawa Ahupua'a, 'Ewa, O'ahu*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Crozier, S. Neal, 1974. *Pre-contact Archaeological Contrasts of Three Valley Systems on O'ahu, Hawai'i.* Unpublished M.A. Thesis (Anthropology), University of Victoria (B.C.).

Curtis, Valerie, and Fred L. McGhee, 2002a. *Archaeological Monitoring in Conjunction with Repair and Upgrade of Sewer Lines, Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002b. *Archaeological Monitoring for Soil Sampling in Conjunction with Military Housing Replacement Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002c. *Archaeological Monitoring Plan for Fence and Gate Installation Near Building 3004, Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002d. *Archaeological Monitoring Plan for Battery Hasbrouck Fence Installation Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002e. *Archaeological Monitoring Plan for Fire Sprinkler Installation Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2002f. *Archaeological Monitoring Plan for Repair and Upgrade of Sewer Lines, Hickam Air Force Base*. Hickam Air Force Base, Hawai'i.

Curtis, Valerie, and Fred L. McGhee, 2003. *Archaeological Monitoring of Fence and Gate Installation Near Building 3004 Hickam Air Force Base, Oʻahu, Hawaiʻi.* Hickam Air Force Base, Hawaiʻi.

Dagher, Cathleen, 1993. *Inadvertent Discovery of Human Remains at the Waikīkī Aquarium Renovation Project, Waikīkī, Kona, Oʻahu, TMK: 3-1-31: 006.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Davis, Bertell D, 1984. *The Halekūlani Hotel Site, Oʻahu: Archaeological and Historical Investigations in Waikīkī*. Bishop Museum Manuscript 022384, Bernice P. Bishop Museum, Honolulu.

Davis, Bertell, 1988. Final Report Archaeological Subsurface Survey of the Proposed 'Ewa Gentry Project Area, Hono'uli'uli, 'Ewa, O'ahu. Bernice P. Bishop Museum, Honolulu.

Davis, Bertell D., 1989. Subsurface Archaeological Reconnaissance Survey and Historical Research at Fort DeRussy, Waikīkī, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Davis, Bertell D., 1990a. Discussion of Seasonal Variation, Environmental Constraints, and Human Settlement in Southwestern O'ahu, Human Settlement in Pristine Insular Environments: A Hawaiian Case Study from Barbers Point, Southwestern O'ahu. Ph.D. Dissertation, University of Hawai'i, Honolulu.

Davis, Bertell D., 1990b. Archaeological Assessment of Proposed Developments at the U.S. Naval Base, Pearl Harbor, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Davis, Bertell, D., 1991. Archaeological Monitoring of Environmental Baseline Survey and Excavations in Hawaiian Land Commission Award 1515 ('Āpana 2) at Fort DeRussy, Waikīkī, O'ahu. (Draft) Prepared for U.S. Army Engineer District, Honolulu by International Archaeological Research Institute, Inc., Honolulu.

Davis, Bertell D., and Leann McGerty, 2002. An Assessment of Archaeological and Cultural Resources along the Proposed Honolulu Bus Rapid Transit Primary Corridor Honolulu, Hawai'i. Scientific Consultant Services, Inc., Honolulu.

DBEDT, 2003. *The Economic Contribution of Waikīkī*. Department of Business, Economic Development and Tourism.

Dega, Michael F., and Bertell D. Davis, 2005. *Archaeological Inventory Survey and Subsurface Testing at the Proposed Middle Street Intermodal Center, Honolulu, O'ahu Island, Hawai'i TMKs: 1-2-18:001, 002, 009, and 010.* Scientific Consultant Services Inc., Honolulu.

Dega, Michael, and Joseph Kennedy, 1993. *Archaeological Report Concerning the Inadvertent Discovery of Remains at the Waikīkī Aquarium (TMK: 3-1-31:06) Waikīkī Ahupua'a Kona District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Inc., Haleiwa, Hawai'i.

Dega, Michael, and Laura C. O'Rourke, 2003. Archaeological Evaluation Report of Additional Environmental Focused Site Inspection Data at Blaisdell Park (Waiau Drum Storage Facility, Pearl City, and Archival Research on Nāpuanani Park ('Aiea... [AAA] Command Post), ...for the Defense Environmental Restoration Program Former Used Defense Sites. Scientific Consulting Services, Honolulu.

Denham, Tim, 1993. Monitoring Report for Excavations Associated with the State Capitol Complex Telecommunication Conduits, Phase III, Kona District, Honolulu Ahupua'a, Island of O'ahu. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Denham, Tim, and Joseph Kennedy, 1993. *Monitoring Report for Excavations Associated with the State Capital Complex Telecommunication Conduits, Phase III, Kona*

District, Honolulu Ahupua'a, O'ahu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Denham, Tim, and Paul Cleghorn, 1994. Report of Archaeological Inventory Survey and Limited Subsurface Testing for the Proposed Family Housing Revitalization Projects, Work Areas B and C, Hickam AFB, Oʻahu. BioSystems Analysis, Inc., Santa Cruz, California.

Denham, Timothy P., and Jeffrey Pantaleo, 1997a. *Archaeological Monitoring and Investigations During Phase 1: Kālia Road Realignment and Underground Utilities, Fort DeRussy, Waikīkī, Oʻahu.* Garcia and Associates, Honolulu.

Denham, Timothy P., and Jeffrey Pantaleo, 1997b. *Archaeological Data Recovery Excavations at the Fort DeRussy Military Reservation, Waikīkī, Island of Oʻahu, State of Hawaiʻi*. Garcia and Associates, Honolulu.

Denham, Tim, Peter Brennan, and Joseph Kennedy, 1992. *Interim Archaeological Inventory Survey with Subsurface Testing Report for a Property Located at TMK: 1-7-03:32; Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Denham, Tim, Peter Brennan, Jerome Ward, Serge Avery, and Joseph Kennedy, 1994. Paleoenvironmental and Reconstruction Adjacent to the Mouth of Hālawa Stream: Monitoring Report of the Waiau-Makalapa No. 2 138 kV Overhead Lines (Phase II), Hālawa Ahupua'a, 'Ewa District, Island of O'ahu. Archaeological Consultants of Hawai'i, Pupukea, Hawai'i.

Denham, Timothy, Jeffrey Pantaleo, Thomas L. Jackson, William Fortini, Alan Ziegler, Gail Murakami, Linda Scott-Cummings, and Paul Tichenal, 1997. *Archaeological Data Recovery Excavations at the Fort DeRussy Military Reservation, Waikīkī, Island of Oʻahu, State of Hawaiʻi.* Biosystems Analysis and Garcia and Associates (GANDA), Kailua, Hawaiʻi.

Desilets, Michael, 2000. Third Party Oversight for Archaeological Monitoring for the Runway 8L Engineering Evaluation/Cost Analysis (EE/CA),SS22 EE/CA, Phase 1 Underground Storage Tank (UTS) Removal Project, and Site Inspection Sites. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Desilets, Michael, 2001. Archaeological Monitoring Plan for Multiple Environmental Restoration Projects, Hickam Air Force Base, Oʻahu, Hawaiʻi. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Desilets, Michael, 2002. Archaeological Monitoring Report for DO-58 Underground Storage Tank Verification and Removal, Hickam Air Force Base, Oʻahu. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Desilets, Michael, 2003. Archaeological Monitoring Report for DO-81 Underground Storage Tank Verification and Removal, Hickam Air Force Base, Oʻahu. T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dicks, A. Merrill, Alan. E Haun, Paul H. Rosendahl, 1987. *Archaeological Reconnaissance Survey for Environmental Impact Statement, West Loch Estates-Golf Course and Parks, Land of Hono 'uli 'ulu, 'Ewa District, Island of O 'ahu.* Paul H. Rosendahl, Ph. D., Inc., Hilo, Hawai'i.

Dixon, Boyd, 1993. An Archaeological Reconnaissance of Five Board of Water Supply Wells on O'ahu, Hawai'i, 1-9-4-007; 1-2-9-036; 1-3-7-004; 1-4-1-011; 1-4-5-041. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Dockall, John E., 2001. *Preliminary: Archaeological Inventory Survey at Washington Place (TMK: 2-1-18:01) Plus Draft: Washington Place Renovations Archaeological Monitoring Plan.* Bernice P. Bishop Museum, Honolulu.

Dockall, John E., 2003. *Phase I Archaeological Inventory Survey and Monitoring, Washington Place (50-80-14-9907) TMK 2-1-18:1 Project No. 542*. Bernice P. Bishop Museum, Honolulu.

Dockall, John E., Susan Lebo, Helen H. Leidemann, and Wendy L. Tolleson, 2003. *Phase I Archaeological Inventory Survey and Monitoring Washington Place (50-80-14-9907) TMK: 2-1-18:1, Project No. 542.* Bernice P. Bishop Museum, Honolulu.

Donham, Theresa K., 1980. Royal Queen Emma Burials. Bernice P. Bishop Museum, Honolulu.

Douglas, Michele Toomay, 1991. Report on Six Human Skeletons from Coral Street and Queen Street, Kākā 'āko, O 'ahu, Honolulu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

DTS, 1992. Final Environmental Impact Statement Honolulu Rapid Transit Program. City and County of Honolulu Department of Transportation Services and U.S. DOT Federal Transit Administration.

DTS, 2006a. *Honolulu High-Capacity Transit Corridor Project Alternatives Analysis Definition of Alternatives Report t*. City and County of Honolulu Department of Transportation Services.

DTS, 2006b. *Honolulu High-Capacity Transit Corridor Project Screening Report*. City and County of Honolulu Department of Transportation Services.

Dunn, Amy E., and Paul H. Rosendahl, 1993. *Archaeological Inventory Survey, Nu'uamu Court Project, Land of Nu'uamu, Kona District, Island of O'ahu (TMK:2-1-02:26)*. Paul H. Rosendahl, PhD, Inc., Hilo, Hawai'i.

Dunn, Amy E., Patricia A Kalima, Lehua Kalima, and Susan Goodfellow, 1991. *Pālama Chevron Station Site Monitoring Project, Land of Kapālama, District of North Kona, Island of Oʻahu (TMK:1-5-08:17, 18, 23)*. Paul H. Rosendahl, PhD., Inc., Hilo, Hawaiʻi.

Dunn, Amy E., Paul Rosendahl, Kepa Maly, and Lehua Kalima, 1993. *Archaeological Inventory Survey, Nu'uanu Court Project, Land of Nu'uanu, Kona District, Island of O'ahu (TMK:2-1-02:26)*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Dye, Thomas, 1977. Archaeological Phase I Survey of the Leeward Portion of Proposed Interstate H-3, North Hālawa Valley, Oʻahu. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Dye, Thomas, 1999. *Completion of Archaeological Resources Survey Hālawa Bridge Replacement EA*, *Hālawa*, *'Ewa*, *O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., 2001. Archaeological Monitoring Plan for Renovations to No. 1 Capitol District Building (TMK: 2-1-017:001 & 002). T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dye, Thomas S., 2002. Archaeological Monitoring Report for Renovations to No. 1 Capitol District Building. T.S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dye, Thomas S., and Seamus T. Puette, 2003. *Archaeological Monitoring Plan for Architectural Barrier Removal Work at Ali 'iolani Hale in Downtown Honolulu, Hawai 'i.* T. S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Dye, Thomas S., and Myra J. Tomonari-Tuggle, 1997. *Archaeology Monitoring Plan for Environmental Projects, Hickam Air Force Base, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., and Myra J. Tomonari-Tuggle, 1999. *Archaeological Monitoring Plan for Removal of Underground Storage Tanks, Hickam Air Force Base, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

Dye, Thomas S., and Myra J. Tomonari-Tuggle 2000. *Archaeological Monitoring Plan AMC Parking Ramp Fuel Spill Clean-up Hickam Air Force Base, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2000a. *An Archaeological Monitoring Plan for a Proposed Waterline located in Honolulu, Island of Oʻahu*. Archaeological Consultants Pacific, Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2000b. *A Background Research Project for a Proposed Waterline Located in Honolulu, Island of Oʻahu*. Archaeological Consultants Pacific, Honolulu.

Elmore, Michelle, and Joseph Kennedy, 2001b. *A Report Concerning the Inadvertent Discovery of Human Remains at the Royal Hawaiian Hotel, (TMK: (1)2-6-02:5, in Waikīkī Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Inc, Haleiwa, Hawai'i.

Elmore, Michelle, and Joseph Kennedy, 2001a. *An Archaeological Monitoring Report* for the C & C of Honolulu, Miscellaneous Sidewalk Improvements Project, Job No. 18-98 Located at TMK: 1-7-02, 1-7-03 & 2-1-02, in the Ahupua'a of Nu'uamu, Honolulu. Archaeological Consultants Pacific, Haleiwa, Hawai'i.

Elmore, Michelle, and Joseph Kennedy, 2002. An Archaeological Monitoring Report for the Installation of a Security Fence at Fort DeRussy, Waikīkī Ahupua'a, Honolulu District, Island of O'ahu. Archaeological Consultants of the Pacific, Inc., Hale'iwa, Hawai'i.

Elmore, Michelle, Brad Ostroff, and Joseph Kennedy, 2001. *An Archaeological Monitoring Plan for the Proposed Water-line Located in Honolulu, Island of O'ahu (TMK:1-1-00 to 2-9-00). DRAFT.* Archaeological Consultants Pacific, Honolulu.

Emerson, Nathaniel B., 1902. A Preliminary Report on a Find of Human Bones Exhumed in the Sands of Waikīkī," *Tenth Annual Report of the Hawaiian Historical Society for the Year* 1901, pp. 18-20. Hawaiian Historical Society, Honolulu.

Erkelens, Conrad, 1995. Archaeological Study of the Proposed Ford Island Golf Park and Saratoga Boulevard Relocation, Ford Island Bridge Project, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Erkelens, Conrad, 2000. Archaeological Monitoring of Underground Storage Tank Removals, Hickam Air Force Base and Pearl City Peninsula Victor Dock, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Erkelens, Conrad, Michael Pietrusewsky, Rona Michelle Ikehara-Quebral, and Vincent Sava, 1994. *Interim Report on Human Skeletal Remains Kekaulike-Diamond Head Project, Honolulu, Kona, Oʻahu*. International Archaeological Research Institute, Inc., Honolulu.

Esh, Kelley S. and Hallett H. Hammatt, 2004b. *An Archaeological Monitoring Report for Kūhiō Avenue (Kālakaua to Kaiulani), Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Esh, Kelley S., and Hallett H. Hammatt, 2004c. *An Archaeological Monitoring Report for Kūhiō Avenue (Kaiulani to Kapahulu), Waikīkī Ahupuaʻa, Honolulu District, Oʻahu Island, Hawaiʻi.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Esh, Kelley S., and Hallett H. Hammatt, 2004a. *Archaeological Monitoring Report for the Rehabilitation of Streets Unit 5B Project Pi'ikoi Street from Ala Moana Blvd. to Matlock Street Kewalo 'Ili, Waikīkī Ahupua'a, Kona District, O'ahu Island.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Esh, Kelly, and Hallett H. Hammatt, 2005. Burial Treatment Plan for the Irongate Ala Wai Investors, LLC Ala Wai Gateway Project Site, Kālia, Waikīkī, Oʻahu, TMK 2-6-011:001, 002, 004, 032, 037, and 040. Cultural Surveys Hawaiʻi, Inc. Kailua, Hawaiʻi.

Esh, Kelley S. and Hallett H. Hammatt, 2006. *Archaeological Monitoring Report for Ala Wai Boulevard Improvements, Waikīkī Ahupua'a, Kona District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Evetts, Kent, 1992. Comprehensive Long-Term Environmental Action Navy (CLEAN) for Pacific Division, Naval Facilities Engineering Command, Pearl Harbor, Hawai'i. Ogden Environmental and Energy Services, Inc., Honolulu.

Fairfax, Geoffrey W., 1971. Supplementary Report on the Archaeological Excavation and Exploration of the Old Carriage Road at 'Iolani Palace-Test Pit on Outer Surface of Moat Wall. Geoffrey Fairfax AIA.

Fairfax, Geoffrey W., 1972. 'Iolani Palace: Report on Preliminary Archaeological Exploration of Parterre Garden Path--Trench Waikīkī of King Street Entrance Roadway. Geoffrey Fairfax AIA.

Fairfax, Geoffrey W., 1973. Report on the Archaeological Excavation and Exploration of the Footing of the Grounds Wall at 'Iolani Palace. Geoffrey Fairfax AIA.

Fairfax, Geoffrey W., n.d.. Report on the Archaeological Excavations at the Outside Edge of the Moat Curb Diamond Head Corners of Tolani Palace. Geoffrey Fairfax AIA.

Ferrall, Charles C., Jr., 1976. *Subsurface Geology of Waikīkī, Mōʻiliʻili and Kākāʻāko with Engineering Application*. M.S. thesis, University of Hawaiʻi, Geology and Geophysics, University of Hawaiʻi, Honolulu.

Folk, William H., 1990. Archaeological Reconnaissance for the Proposed Waipahu Street, Widening Project Waipahu, Waikele, Oʻahu. Cultural Surveys Hawaiʻi, Kailua, Hawaiʻi.

Folk, William, and Hallett H. Hammatt, 1993. *A Mitigation Plan for Site 50-80-14-4525 Human Burials at 711 Middle Street (TMK 1-2-16:7)*. Cultural Surveys Hawai'i Kailua, Hawai'i.

Folk, William H., Susan Crotty, and Hallett H. Hammatt, 1992. *Archaeological Survey With Subsurface Testing at 711 Middle Street, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Folk, William H., Susan Crotty, and Hallett H. Hammatt, 1993. *Archaeological Survey with Subsurface Testing at 7-11 Middle Street, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Fong, Jeffrey W. K., Douglas F. Borthwick, David W. Schideler, and Hallett H. Hammatt, 2005. *Archaeological Literature Review and Field Inspection for Mānana*

Parcel B (Approx. 13 acres) Waiawa Ahupua'a, 'Ewa District, Island of O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Foote, Donald E., E., L. Hill, S. Nakamura and F. Stephens, 1972. *Soil Survey of the Islands of Kauai, Oʻahu, Maui, Molokai and Lanai, State of Hawaiʻi.* U.S. Dept. of Agriculture, U.S. Government Printing Office, Washington, D.C.

Freeman, Sallee D., M. Matt McDermott, Constance O'Hare, and Hallett Hammatt, 2005. *Archaeological Inventory Survey and Cultural Impact Evaluation for the Ala Wai Gateway Project Site, Kālia, Waikīkī, O'ahu TMK 2-6-011: 001, 002, 004, 032, 037, and 040.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Frierson, Barbara, 1972. A Study of Land Use and Vegetation Change: Hono'uli'uli, 1790-, 1925. Manuscript prepared for Graduate Seminar in Geography (750), University of Hawai'i, Honolulu.

Grant, Glen, 1996. Waikīkī Yesteryear. Mutual Publishing, Honolulu.

Goodfellow, Susan, Amy Dunn, Linda Scott Cummings, and Diane Trembly, 1998. *Archaeological Data Recovery Program, West Loch Estates, Residential Increment I and Golf Course and Shoreline Park, Land of Hono 'uli 'uli, 'Ewa District, Island of O 'ahu.* Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Goodman, Wendy L., and Paul Cleghorn, 1991. *Historical Documents and Literature Search, and Archaeological Surface Survey of the Proposed Laulani Housing Project, Pu'uloa, 'Ewa, O'ahu Island.* Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Goodman, Wendy, and Paul L. Cleghorn, 1998. Archaeological Inventory Survey for the Proposed Waipi 'o Sports Complex, Waikele and Waipi 'o Ahupua 'a, Waipi 'o Peninsula, 'Ewa, O'ahu. Pacific Legacy, Inc. Kailua, Hawai'i.

Goodman, Wendy and Richard C. Nees, 1991. *Archaeological Reconnaissance and Inventory Surveys of 3,600 Acres in Waiawa Ahupua'a, 'Ewa, O'ahu*. Bishop Museum Press, Honolulu.

Goodwin, Conrad "Mac", 1994. *Kekaulike (Diamond Head) Project, Archaeological Site No. 50-80-14-4875, Honolulu, Hawai'i, Revised Mitigation Plan.* International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad "Mac", 1997. *Archaeological Inventory Survey of the Kekaulike Diamond Head Project, Site 50-80-14-4874, Honolulu, Island of Oʻahu*. International Archaeological Research Institute Inc., Honolulu.

Goodwin, Conrad "Mac" and Jane Allen, 2005. *Kikihale to Honolulu: From Village to City- Archaeological Data Recovery at Site 50-80-14-4875, Kekaulike Diamond Head Block, Nu'uamu Ahupua'a, Honolulu, O'ahu, Hawai'i TMK 1-7-03:20.* International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad, Michael Pietrusewsky, Michele Douglas, and Rona Michi Ikehara, 1992. *The Burials From the Marin Tower Property, Preliminary Report.* International Archaeological Research Institute, Inc., Honolulu.

Goodwin, Conrad Mac, Coral Rasmussen, Gail M. Murakami, Alan Ziegler, Michael Pietrusewsky, Michele Toomay Douglas, Rona Ikehara-Quebral, Felicia Beardsley, Stephen Wickler, and Bruce Jones, 1996. *Honoruru to Honolulu: From Village to City, Volume I: History and Archaeology of a City Block; Archaeological Data Recovery Report, Marin Tower Property, Site No. 50-80-14-4494, Honolulu, Hawai'i, TMK 1-1-7-002:003, 004, 005, 042.* International Archaeological Research Institute, Inc., Honolulu.

Gosser, Dennis C., Richard C. Nees, and Stephan D. Clark, 2006. *An Archaeological Monitoring Report of TMK 2-3-003:075, 085, and 086 Waikīkī Ahupua'a, Kona District, O'ahu, Hawai'i*. Pacific Consulting Services, Inc., Honolulu.

Griffin, Agnes, 1987. *Kalakāua Avenue Gas Pipe Excavation Burial Recovery, Waikīkī, C. Honolulu, Oʻahu (TMK: 2-6-01:12)*. State Medical Officer's office memorandum to Department of Land and Natural Resources, Honolulu.

Griffin, P. Bion, D. T. P. Keene, and J. Kennedy, 1987. *Kākāʻāko: Prediction of Sub-Surface Archaeological Resources, Kākāʻāko Community Development District - Archaeological Reconnaissance Survey.* University of Hawaiʻi-Mānoa, Honolulu.

Guerriero, Diane, and Robert L. Spear, 1994. *An Archaeological Inventory Survey of Proposed Reservoir and Well Sites 1.20 Acres in the Ahupua'a of Kapālama, Honolulu District, Island of O'ahu*. Scientific Consultant Services, Honolulu.

Hammatt, Hallett H., 1986. Archaeological Reconnaissance of TMK 1-2-24: Por. 36, Por. 37, Parcels on Sand Island Proposed for U.S. Postal Service Use, TMK 1-1-2-024:036, 037. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 1988. *Archaeological Assessment of Block J, Honolulu, Site of the Proposed Pacific Nations Center*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 1990. Referral State Library Archaeological Testing DAGS Job No. 12-16-1521. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H, 1991. Archaeological Reconnaissance of Honoʻuli ʻuli Livestock Park. Cultural Surveys Hawaiʻi, Kailua, Hawaiʻi.

Hammatt, Hallett H., 1995b. Archaeological Disinterment and Investigation of an Inadvertent Burial Find at Austin Lane in Kalihi, Island of Oʻahu (TMK 1-5-05). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 1995a. Archaeological Reconnaissance Survey of Proposed Hālawa Well, Hālawa, 'Ewa, O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 2001. Archaeological Assessment of the Proposed Sandwich Isles Communication Fiber Optic Cable Project Within Approximately 112.6 Miles (181.6 Kilometers) of Road Corridor on the Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 2006b. *Archaeological Inventory Survey for the Ala Moana Center Expansion Project, Waikīkī Ahupuaʻa, Kona District, Oʻahu Island.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., 2006c. Archaeological Literature Review and Field Inspection of the 1391 Kapi 'olani Boulevard Parcel, Waikīkī Ahupua'a, Kona District, O'ahu TMK (1) 2-3-39: 1. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., 2006a. *Archaeological Monitoring Plan for the approximately 4-acre Victoria Ward Village Shops Project, Honolulu Ahupua'a, Kona District, Island of O'ahu, TMK:* [1] 2-3-5: 013-017, 022, and 023. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Douglas Borthwick, 1985. *Archaeological Reconnaissance of a 37 Acre Wetland Parcel, Waiawa, 'Ewa, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Douglas Borthwick, 1989. *Archaeological and Historical Assessment of a Honolulu Block Between Richards – Alakea and Hotel Streets*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1993. *An Archaeological Assessment of a 16-Acre Portion of the Ala Wai Golf Course in the Ahupua'a of Waikīkī, Island of O'ahu*, Cultural Surveys Hawai'i, Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 1994. *An Archaeological Assessment of Twenty Parcels (54 Acres) in the Kākā ʿāko District of Honolulu, Island of O ʿahu*. Cultural Surveys Hawai ʿi, Inc., Kailua, Hawai ʿi.

Hammatt, Hallett H., and Rodney Chiogioji, 1995. *An Archaeological Assessment of Twenty Parcels (54 Acres) in the Kākā 'āko District of Honolulu, Island of O 'ahu, prepared for Kamehameha Schools.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt Hallett H., and Rodney Chiogioji, 1997. *Archaeological Reconnaissance Survey of a 29,100 Ft. Long Land Corridor within Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island, Draft.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H. and Rodney Chiogioji, 1998c. *Archaeological Assessment of King Kālakaua Plaza Phase II, Waikīkī, Island of Oʻahu, (TMK 2-6-18:10, 36, 42, 52, 55, 62, 63, 64, 73 & 74)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H. and Rodney Chiogioji, 1998b. *Archaeological Assessment of an Approximately 4.1 - Acre Project Site in Downtown Honolulu, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 1998a. *Archaeological Assessment of an Approximately 7.6 Km Long Portion of the H-1 Highway from Hālawa to the H-1 – H-2 Interchange 'Ewa District, Island of O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 2000a. *Archaeological Assessment of an Approximately 2,600-ft Portion of Farrington Highway Project between Anini Place and Waipahu Depot Road, Waikele Ahupua'a, 'Ewa District, Island of O'ahu, (TMK 9-4-11).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Rodney Chiogioji, 2000b. *Archaeological Assessment of the Honolulu Zoo Parcel, Waikīkī, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 2001a. *The Installation of a 24-inch Water Main within a Portion of North King Street between Liliha Street and River Street, Honolulu; Island of Oʻahu (TMK 1-5-006, 1-5-007, 1-5-008, 11-7-026 & 1-7-026).* Cultural Surveys Hawaiʻi, Inc, Kailua, Hawaiʻi.

Hammatt, Hallett H., and Rodney Chiogioji, 2001b. *Archaeological Monitoring Plan for King Street, A Street Rehabilitation Project on South King Street between Bethel Street and South Street; Honolulu, Island of Oʻahu, (TMK 2-1-02, 2-1-11, 2-1-12, 2-1-25, 2-1-25, 2-1-32, & 2-1-33).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and William H. Folk, 1992. *Burial Treatment for the Proposed City Bus Repair Facility at 711 Middle Street*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and Matt McDermott, 1999. *Burial Disinterment Plan and Report, State Site Numbers 50-80-14-5744-1 and –2, Found During Anti-crime Street Lighting Improvements beneath Kālakaua Avenue, Waikīkī, Island of Oʻahu.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H., and Michael Pfeffer, 1993. *Archaeological Inventory Survey at the Brewery Site: Honolulu, Oʻahu (TMK 2-1-31:21), with Historical Study by Ms. Colette Ono.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett, H., and David W. Shideler, 1990. *Archaeological Inventory Survey of the West Loch Bluffs Project Site, Hono'uli'uli, 'Ewa, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 1991. *Archaeological Disinterment of Inadvertent Finds at Site 50-80-14-4266 on Dole Street Kānewai, Mānoa, Kona District, Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Hammatt, Hallett H. and David W. Shideler, 1995. *Archaeological Sub-surface Inventory Survey at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu (TMK 2-3-35:001)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett, H., and David W. Shideler, 1996. *Archaeological Data Recovery at the Hawai'i Convention Center Site, Waikīkī, Kona District, O'ahu* (TMK 2-3-35:001). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H. and David W. Shideler, 1999. *Archaeological Assessment for a Proposed Expansion of Saint Francis Medical Center West (TMK 9-1-17: por. 17 & 60), Hono 'uli 'uli Ahupua 'a, 'Ewa District, O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 2001. *Archaeological Inventory Survey in Support of the Proposed 360 Fiber Optic Cable Project, Hono'uli 'uli Ahupua'a, 'Ewa District, O'ahu (TMK 9-1-14&15)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David Shideler, 2003. Request for Status Clarification Regarding Historic Preservation Concerns at Certain Lands at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu (TMKs 9-1-16:1, 30, 34, 121, 122, 123, & 124). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., and David W. Shideler, 2005. *Archaeological Monitoring Plan For the Capitol Place Project, Nu'uanu Ahupua'a, Kona District, O'ahu, TMK: [1] 2-1-009:011, 013 and 018, (Site # 50-80-14-5760)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., David W. Shideler, and William H. Folk, 1990. Archaeological Reconnaissance of the 'Ewa Villages Project Site, Hono'uli'uli, 'Ewa, O'ahu, In *Draft Environmental Impact Statement for the 'Ewa Villages Master Plan, 'Ewa, O'ahu, Hawai'i*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., Matt McDermott, and Rodney Chiogioji, 2000a. *Archaeological Inventory Survey of an approximately 40-Acre Parcel along Manager's Drive, Waipahu, Ahupua'a Of Waikele, 'Ewa District, Island Of O'ahu (TMK 9-4-02:O5)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Jared H., David Shideler, and Hallett H. Hammatt, 2000. *Archaeological Assessment of the Leeward Bike Path, Waiawa Ahupua'a, Island of O'ahu, (TMK 9-6-03)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hammatt, Hallett H., Sallee Freeman, and David W. Shideler., 2004. *Archaeological and Cultural Assessment in Support of the Waipahu Street Drainage Improvements Project, Waipahu, Waipi 'o Ahupua'a, 'Ewa District, O 'ahu (TMK 9-4-09 and 9-4-059:72, 73, & 74).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Han, Toni, 1980. Royal Queen Emma Burials. Bernice P. Bishop Museum, Honolulu.

Haun, Alan, 1986a. Preliminary Archaeological Reconnaissance Survey for Environmental Assessment (EA) 'Ewa Town Center/Secondary Urban Center Land of Hono'uli 'uli, 'Ewa, Island of O'ahu, (TMK 9-1-15 and 9-1-16). Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Haun, Alan, 1986b. *Preliminary Archaeological Reconnaissance Survey for Environmental Assessment (EA) 'Ewa Town Center/Secondary Urban Center Land of Hono'uli 'uli, 'Ewa, Island of O'ahu, (TMK 9-1-15 and 9-1-16).* Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Haun, Alan, 1991. An Archaeological Survey of the Naval Air Station, Barbers Point, O'ahu, Hawai'i. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Havel, Breanna, and Robert L. Spear, 2004. *Archaeological Monitoring Report for ABC Store No. 21, Waikīkī, Waikīkī Ahupua'a, Honolulu District, O'ahu Island, Hawai'i.* Scientific Consultant Services Inc, Honolulu.

Hawai'i Bottle Museum, 1980. A Study of 19th Century Glass and Ceramic Containers State District Court - Hotel and Alakea Streets. Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1981. *Alexander Young Hotel, Bishop and South King Streets: A Study of 19th Century Glass and Ceramic Containers, Honolulu*. Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1981. *Century Square: Bishop and Beretania Streets - Phase I.* Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1982a. *Study of 19th Century Glass and Ceramic Containers from Executive Centre at King, Bishop, Hotel Streets and Fort Street Mall*. Hawai'i Bottle Museum, Honolulu.

Hawai'i Bottle Museum, 1982b. *Study of 19th Century Glass and Ceramic Containers Alexander Young Hotel, Bishop and South King Streets*. Hawai'i Bottle Museum, Honolulu.

Heidel, Melody J., and Hallett H. Hammatt, 1994. *Archaeological Testing of a 1,700 Sq. Foot Lot in Chinatown, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu (TMK 1-7-03:14)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Henry, Jack D., and Robert B. Rechtman, 1998. *Archaeological Reconnaissance Survey, Red Hill Fuel Storage Area and 'Ewa Drum Filling and Fuel Storage Area, Lands of Waipi'o, Waiawa, Hālawa,. 'Ewa District and Moanalua, Honolulu District, Island of O'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Henry, Jack D., Susan T. Goodfellow, and Paul H. Rosendahl, 1993. *Archaeological Inventory Survey Waiawa Floodplain Feasibility Study Project Area, Land of Mānana, 'Ewa District, Island of O'ahu*. Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Hoffman, Tracy, Sallee D. M. Freeman, David W. Shideler, and Hallett H. Hammatt, 2005. *Archaeological Inventory Survey of Approximately 124 Acres at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Hommon, Robert J., 1980. An Intensive Cultural Survey of Ukanipo Heiau and Kahanahaiki Terrace, Kahanahaiki, Mauka Military Reservation, Oʻahu. Hawaiʻi Marine Research, Honolulu.

Hommon, Robert J., Timothy K. Earle, and Eliza Earle, 1973. *Archaeological Survey and Excavations in Hono'uli 'uli, O'ahu*. Bernice P. Bishop Museum, Honolulu.

Honolulu Advertiser, July 16, 1945 (sec. 1, pg.1).

Honolulu Star-Bulletin; Jan. 24, 1963: 1A Honolulu.

Honolulu Star-Bulletin, 1938. The Whole World Knows Waikīkī. 17 October:2:1-16. Honolulu.

Hurlbett, Robert, et al., 1992. Archaeological Monitoring of Mechanical Loop Excavations Hilton Hawaiian Village, Land of Waikīkī, Honolulu (Kona) District, Island of Oʻahu. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Hurst, Gwen, 1990. Historical Literature and Documents Search, Archaeological Testing and Subsequent Procedures for the Proposed Redevelopment of the Smith-Beretania Parking Lot, Downtown Honolulu, Oʻahu Island, Part 1: Historical Literature and Documents Survey. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1990. Historical Literature and Documents Search, Archaeological Testing and Subsequent Procedures for the Proposed Redevelopment of the Waikikian Hotel. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1991. Historical Literature and Documents Search for the Proposed Redevelopment of the Kekaulike Parking Lot, Honolulu, Oʻahu, TMK 1-7-03, in Kekaulike Revitalization Project. Wilson Okamoto and Assoc., Honolulu.

Hurst, Gwen, 1991. Preliminary Results of an Archaeological Data Recovery at Site 50-OA-A5-19, The Ka'ahumanu Parking Lot/Harbor Court Redevelopment Project Area, Honolulu, Kona, O'ahu, TMK 2-1-002:16,20,5. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1992. Archaeological Monitoring and Inventory Survey, Harbor Court (Ka'ahumanu Parking Structure) Project, Site 50-80-14-2456, Nu'uanu, Ahupua'a, Kona District, Island of O'ahu, Hawai'i. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, 1994. Historical Literature and Documents Search Archaeological Testing and Subsequent Procedures for the Proposed Redevelopment of the Ka'ahumanu Parking Structure, Downtown Honolulu, O'ahu. Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, and Jane Allen, 1992. *Archaeological Monitoring and Inventory Survey, Harbor Court (Kaʻahumanu Parking Structure) Project, Site 50-80-14-2456, Nuʻuanu Ahupuaʻa, Kona District, Island of Oʻahu, Hawaiʻi.* Bernice P. Bishop Museum, Honolulu.

Hurst, Gwen, and Jeffrey Pantaleo, 1992. *Historical Literature and Documents Search for the Proposed Liliha Civic Center Development, Honolulu, Oʻahu (TMK 1-5-077:1, 14, 15, 18, 57, 58, 60-78)*. Aki Sinoto Consulting, Honolulu.

Jackson, Thomas L., Kanalei Shun, and Marshall Weisler, 1992. *Data Recovery Plan for Archaeological Investigations at Proposed Child Development Center Fort Shafter, Kalihi, Oʻahu.* BioSystems Analysis, Inc., Santa Cruz, California.

Jackson, Thomas, William Shapiro, and Carol Silva, 1994. *Archaeological Data Recovery Excavations Proposed Child Development Center, Fort Shafter, Kalihi, Oʻahu.* BioSystems Analysis, Inc., Santa Cruz, California.

Jayatilaka, Hemanta, Tomasi Patolo, Barry Nakamura, and Richard C. Nees, 1992. *Archaeological Survey and Subsurface Testing of the Proposed Hawai'i Prince Golf Course, Ahupua'a Hono'uli'uli, 'Ewa District, Island of O'ahu.* Bernice P. Bishop Museum, Honolulu.

Jensen, Peter, and Katharine Bouthillier, 1998. *Cultural Resources Management Plan Naval Magazine Lualualei Lands of Waikele and Lualualei, Districts of 'Ewa and Wai 'anae, Island of O 'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Jensen, Peter, Alan E. Haun, and Paul H. Rosendahl, 1988. *Phase I - Mitigation Plan for Archaeological Data Recovery Excavations, West Loch Estates Mitigation Program Residential Increment I and Golf Course & Shoreline Park, Land of Hono'uli'uli, 'Ewa District, Island of O'ahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Jordan, Kaye A., 1980. The Land On Which Hickam Was Built.

Jourdane, Elaine, 1994. *Inadvertent Discovery of Human Remains at Austin Lane, Honolulu, Hawai'i.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Jourdane, Elaine, 1995a. *Inadvertent Discovery of Human Remains During Excavation of Sewer Line, Waiawa Road, Waiawa, 'Ewa, O'ahu. (TMK 9-6-03:005)*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Jourdane, Elaine, 1995b. *Inadvertent Discovery of Human Skeletal Remains at Waikīkī*, *Sunset Hotel, Waikīkī*, *Kona, Oʻahu*. Manuscript on file at the State Historic Preservation Office, Kapolei, Hawaiʻi.

Jones, Carlin K., and Hallett H. Hammatt, 2004. Archaeological Monitoring Report for the Anti-Crime Street Lighting Improvements Project (Part III) along the Mauka Side of Kalākaua Avenue from Ala Wai Blvd. to Pau Street, Waikīkī, Island of Oʻahu (TMK 2-6-7 &13). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Kaneshiro, Ralph, and Allan J. Schilz, 1994. Base Realignment and Closure (BRAC) III Actions and the Comprehensive Long-Term Environmental Action Navy (CLEAN) Program at 13 Sites within the Naval Air Station, Barbers Point, Oʻahu. Ogden Environmental and Energy Services, Inc., Honolulu.

Kawachi, Carol, 1989. *Iwilei Road Burial Removal, 650 Iwilei Road, Nu'uanu, Honolulu, O'ahu, TMK 1-1-5-012:005.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Kawachi, Carol, 1990. *Capitol Ductline and Iolani Palace Grounds Trashpit Excavation*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Kawachi, Carol, 1991. *Queen Emmalani Tower Project Monitoring, Kākāʻāko, Kona, Oʻahu*. Letter Files, Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Kawachi, Carol, 1999. *Ka'onohi Prehistoric Habitation Site and Historic Burials, Kalauao, 'Ewa, O'ahu.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Kennedy, Joseph, 1984. Archaeological Investigations at TMK 2-1-02: 38 and 39 Honolulu. Archaeological Consultants of Hawai'i, Inc., Hale'iwa, Hawai'i.

Kennedy, Joseph, 1988. Archaeological Reconnaissance Report Concerning the Proposed 'Ewa Gentry Project in Hono'uli'uli, O'ahu. Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Kennedy, Joseph, 1990. Archaeological Field Survey Report and Phase I: Cultural Resources Technical Report and Phase II Field Survey for Waiau-Makalapa No. 2 138kV Transmission Line. Archaeological Consultants Hawai'i, Inc., Haleiwa, Hawai'i.

Kennedy, Joseph, 1991a. Subsurface Testing at the Proposed Kapolei Park/Fort Barrette, Pu'u Kapolei, Island of O'ahu, TMK 9-1-16:2. Archaeological Consultants of the Pacific Inc., Hale'iwa, Hawai'i.

Kennedy, Joseph, 1991b. An Archaeological Monitoring Report for the Proposed Imax Theater Project (Revised), Together with Subsequent Investigations Located at TMK 2-6-22:14, District of Kona Ahupua'a of Waikīkī, Island of O'ahu. Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Kennedy, Joseph, 1993. Burial Treatment Plan for Requested Relocation of Impacted Individuals from a Proposed Storm Drain Connecting Quinn Lane with South Street

located in the Ahupua'a of Honolulu District. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Kennedy, Joseph, and James R. Moore, 1999. *The Archaeological Treatment of the Inadvertent Discovery of a Human Burial at Pier 40, TMK: 1-5-32:2, Kapālama Ahupua'a, Kona District, Island of Oʻahu, TMK 1-1-5-032:002.* Archaeological Consultants of the Pacific, Haleʻiwa, Hawaiʻi.

Kennedy, Joseph, and Thomas Riley, 1995. *Pehu's Place: A Small Fry Pond Provides Data on Large Issues in Hawaiian Archaeology*. Archaeological Consultants of Hawai'i, Haleiwa, Hawai'i.

Kennedy, Joseph, Peter Brennan, Tim Denham, Sandra Ireland, James Moore, and Tom Riley, 1994. *An Archaeological Inventory Survey with Subsurface Testing Report for the Kekaulike Revitalization Project, 'Ewa Block, located at TMK: 1-7-03:32 in Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i.

Landrum, Jim, 1992. Post-Field Summary of Archaeological Reconnaissance and Limited Testing at Naval Air Station Barbers Point. Ogden Environmental and Energy Services, Inc., Honolulu.

Landrum, Jim, and Boyd Dixon, 1992. *Emergency Mitigation of Archaeological Resources at the River-Nimitz Redevelopment Project, Site 50-Oa-A5-16, Nu'uanu, Kona District, O'ahu, Hawai'i.* Public Archaeology Section, Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Landrum, James, and Allan Schilz, 1993. Archaeological Reconnaissance and Limited Subsurface Testing at the Proposed Family Housing Construction Area, Project No. 34863, Barbers Point Naval Air Station, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island. Ogden Environmental and Energy Services Co., Inc., Honolulu.

Landrum, Jim, and Allan J. Schilz, 1996. *Archaeological Monitoring of Construction Excavation at Nimitz Beach, Naval Air Station, Barbers Point, O'ahu.* Bernice P. Bishop Museum, Honolulu.

Landrum, James, III and Paul Christiaan Klieger, 1991. *Historical Literature and Documents Search for the City and County of Honolulu, Department of Transportation Services, Bus Unit Repair Shop Facility, Kalihi, Oʻahu, Hawaiʻi, TMK 1-2-16:7.*Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Lawrence, Tim and Robert L. Spear, 1995. *Archaeological Monitoring and Sampling of Underground Storage Tanks at Hickam Air Force Base, Hickam Field, Hawai'i.* Scientific Consultant Services/Cultural Resource Management Services, Honolulu.

Lebo, Susan (editor), 1997. Native Hawaiian and Euro-American Culture Change in Early Honolulu, Archaeological Data Recovery, Harbor Court Property, Site No. 50-80-

14-2456, Honolulu, Hawai'i. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Lebo, Susan A., and Michael D. McGuirt, 2000a. *Geoarchaeology at 800 Nu 'uanu, Archaeological Inventory Survey of Site 50-80-14-5496 (TMK 1-7-02:02), Honolulu.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Lebo, Susan, and Michael D. McGuirt, 2000b. *Pili Grass, Wood Frame, Brick, and Concrete: Archaeological Data Recovery at 800 Nu 'uanu (site 50-80-14-5496), TMK* 1-1-7-002:002. Bernice P. Bishop Museum, Honolulu.

Lebo, Susan A., and Paul H. Rosendahl, 2002. *Pulaholaho and Charlton's Claim: Archaeological Data Recovery at Harbor Court, Downtown Honolulu (Site 50-80-14-2456)*. Paul H. Rosendahl, Ph.D. Inc, Hilo, Hawai'i.

Leidemann, Helen Higman, 1988. Analysis of Artifactual Material from the Judiciary Garage Site, 50-0A-A5-II, (50-80-14-1973) TMK 2-I, Honolulu, Oʻahu, State of Hawaiʻi. Bishop Museum Press, Honolulu.

LeSuer, C. Celeste, Matt McDermott, Rodney Chiogioji, and Hallett H. Hammatt, 2000. An Archaeological Inventory Survey of King Kālakaua Plaza Phase II, Waikīkī Ahupua'a, Kona District, Island of O'ahu, Hawai'i. Cultural Surveys of Hawai'i, Kailua, Hawai'i.

Liston, Jolie, and Greg C. Burtchard, 1996. *Kāpapa Loʻi ʻo Kānewai, Archaeology at the Center for Hawaiian Studies, University of Hawaiʻi at Manoa, 50-80-14-4498*. International Archaeological Research Institute, Inc. Honolulu.

Luscomb, Margaret, Roland Reeve, and Aki Sinoto, 1976. *Archaeological Surveillance and Salvage During the Electrical Conduit Excavations on the Grounds of 'Iolani Palace, Honolulu, O'ahu.* Bernice P. Bishop Museum, Honolulu.

Magnuson, Coral M., 1999. Final Cultural and Historic Resources: Archaeological Reconnaissance Survey of Farrington Highway Expansion, 'Ewa Plain, O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Magnuson, Coral M., and M. J. Tomanari-Tuggle, 2002. *Historical and Archaeological Assessment for the Proposed Waiau Fuel Pipeline, 'Ewa District, Island of O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Majors, Maurice, and Alan Carpenter, 2000. *Archaeological Monitoring at Washington Place (Governor's Residence)*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Mann, Melanie, and Hallett H. Hammatt, 2002a. *Archaeological Monitoring Report for the King Street Rehabilitation Project, Honolulu Ahupua'a, Kona District, Island of O'ahu (TMK 2-1 por. and 1-7 por.)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Mann, Melanie, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report for the Installation of 12- and 8-inch Water Mains on Lili uokalani Avenue and Uluniu Avenue, Waikīkī Ahupua a, Kona District, Island of O ahu (TMK 2-6-023, 24, and 26)*. Cultural Surveys Hawai i, Inc., Kailua, Hawai i.

Maly, Kepa, Leta Franklin, and Paul H. Rosendahl, 1994. *Archaeological and Historical Assessment Study, Convention Center Project Area, Land of Waikīkī, Kona District, Island of Oʻahu (TMK 2-3-35 and 2-3-36:118, 024, 025).* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

McAllister, J. Gilbert, 1933. *Archaeology of O'ahu*. Bernice P. Bishop Museum Bulletin 104. Bishop Museum Press, Honolulu.

McDermott, Matt, and Melanie M. Mann, 2001. *Archaeological Inventory Survey for the Proposed Nimitz Highway Water System Improvements, Part I, Downtown Honolulu, Nu'uanu Ahupua'a, District of Kona, Island of O'ahu (TMK 1-5-08, 1-7-01, 2-1-02).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matt, and Owen L. O'Leary, 2006. *Cultural Resource Literature Review and Field Inspection for the Proposed 339-Acre West Kalaeloa Industrial Development, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island, [TMK: (1) 9-1-14:027 & 034, & 9-1-15:001].* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matthew, Rodney Chiogioji, and Hallett Hammatt, 1996. *An Archaeological Inventory Survey of Two Lots (TMK 2-6-24:65-68 and 80-83 and TMK 2-6-24:34-40 and 42-45) in Waikīkī Ahupua'a, O'ahu, Hawai'i.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

McDermott, Matt, David Shideler, Mary Perzinski, and Hallett H. Hammatt, 1999. *Data Recovery Plan for the "Block J" Parcel, State Site # 50-80-214-5760, Downtown Honolulu, Ahupua a of Nu uanu, District of Kona, Island of O ahu (TMK 2-1-09:18).* Cultural Surveys Hawaii, Inc., Kailua, Hawaii.

McGerty, Leann, and Robert Spear, 1995. An Archaeological Assessment of the Mānana and Pearl City Junction Sites, Mānana and Waiawa Ahupua'a, 'Ewa District, O'ahu Island. Scientific Consultant Services, Inc., Honolulu.

McGerty, Leann, Peter R. Mills, and Robert L. Spear, 1995. *An Archaeological Assessment of the Chinatown Community Service Center Project Ahupua 'a of Nu 'uanu District of Kona, Island of O 'ahu TMK 1-7-003: 14 and 15.* Scientific Consultant Services, Inc., Honolulu.

McGerty, Leann, Michael Dega, and Robert Spear, 1997. *Archaeological Excavations at Kūwili Fishpond, Site of the Proposed Liliha Civic Center, Kalihi-Pālama, Oʻahu.* Scientific Consultant Services, Inc., Honolulu.

McGuire, Ka'ohulani, and Hallett H. Hammatt, 2001. A Traditional and Cultural Practices Assessment for a Proposed Outrigger Hotels Hawai'i Property Redevelopment

in Waikīkī, Kona District, island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

McGuirt, Michael, and Susan A. Lebo, 2000. *Pili Grass, Wood Frame, Brick, and Concrete: Archaeological Data Recovery at 800 Nu 'uanu (site 50-80-14-5496)*. Bernice P. Bishop Museum, Honolulu.

McIntosh, James, and Paul L. Cleghorn, 1999. Report Of Archaeological Archival Research For The Hono'uli'uli Wastewater Treatment Plant Water Reclamation Project, O'ahu. Pacific Legacy, Inc., Kailua, Hawai'i.

McIntosh, James, and Paul L. Cleghorn, 2005. *Archaeological Inventory Survey for the Proposed Pearl Street One Building, Honolulu, Island of Oʻahu*. Pacific Legacy, Inc., Kailua, Hawaiʻi.

McIntosh, James, and Jeffrey Pantaleo, 1996. *Archaeological Survey and Historical Literature and Document Search for the Proposed Effluent Wastewater Disposal System, Schofield Barracks Military Reservation, O'ahu Island, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

McIntosh, James, Robert Spear, and Paul Cleghorn, 1999. Archaeological Monitoring Plan for Monitoring and Sampling During Installation of Fiber Optic Cable for Combat Information Transportation System Hickam Air Force Base, Oʻahu Island, Hawaiʻi. Hickam Air Force Base. Oʻahu.

McMahon, Nancy, 1994. *Inadvertent Burial Discovery on April 28, 1994, Waikīkī, Kona, Oʻahu--Intersection of Kalākaua and Kuamoʻo Streets.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Mitchell, Auli'i, and Hallett H. Hammatt, 2004. A Cultural Impact Assessment For Project Area I and Project Area II Certain Lands Lying Mauka of the Barbers Point Barge Harbor and Upland and Seaward of the OR&L Railroad Alignment at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District of O'ahu (TMK 9-1-15:4 and 18) (TMK 9-1-14 por. 33 and 9-1-15: 20). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i

Monahan, Christopher M., 2005. *An Archaeological Assessment Report of Three Parcels Measuring Approximately 1.35 Acres in Waikīkī Ahupua'a, 'Ili of Kewalo, Kona (Honolulu) District, Island of O'ahu, Hawai'i.* Scientific Consultant Services, Inc., Honolulu.

Moore, James R., 1997. *Inadvertent Burial Discovered at Pier 40 in Kapālama, Ahupua'a, Kona District, O'ahu, TMK 1-1-5-032:005.* Archaeological Consultants of the Pacific, Hale'iwa, Hawai'i.

Moore, Leroy, 1992. Site Assessment and Initial Abatement at Harbor Court/Nu'uanu Court Development Nimitz Highway, Queen and Bethel Streets Honolulu, Hawai'i. Unitek Environmental Consultants, Inc.

Murray, Jim, 1986. *A Cave Site in Hālawa Valley, 'Ewa, O'ahu*. Ms. on file at Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Nagaoka, Lisa A., and Bertell D. Davis, 1989. *Archaeological Subsurface Survey and Monitoring of the Proposed Pupu ole Park, Waipahu, 'Ewa, O'ahu.* International Archaeological Research Institute, Inc., Honolulu.

Nagata, Ralston, and Alan Carpenter, 1995. *Archaeological Monitoring of Kennel Construction at Washington Place, Honolulu, Oʻahu.* Department of Land and Natural Resources, Division of State Parks, Honolulu.

Nakamura, Barry Seichi, 1979. *The Story of Waikīkī and the "Reclamation" Project.* Unpublished M.A. thesis, Department of History, University of Hawai'i, Honolulu.

Nakamura, Barry, Jeffrey Pantaleo, and Aki Sinoto, 1994. *An Archaeological Assessment of a Parcel of Land in Kapālama on the Corner of North King and Houghtailing Streets, Kapālama, Kona District, Oʻahu*. Aki Sinoto Consulting, Honolulu.

Neller, Earl, 1980a. *The Archaeology of the Kapālama Fire Station, Honolulu, Hawai'i (TMK: 1-5-05:14) (#80-14-1302): A Field Reconnaissance Made During Building Renovation*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Neller, Earl, 1980b. *The Kālia Burial Site #50-OA-2870: Rescue Archaeology in Waikīkī, Hawai'i.* Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Neller, Earl, 1981. *An Archaeological Reconnaissance of the New Construction at the Halekūlani Hotel, Waikīkī*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Neller, Earl, 1982. *The Barbers Point Archaeological District, O'ahu, Hawai'i, Committee on Public Archaeology (COPA) Communications 5(3): 19-21.* Society for American Archaeology.

Neller, Earl, 1984. An Informal Narrative Report on the Recovery of Human Skeletons from a Construction Site in Waikīkī on Paoakalani Street, Honolulu, Hawai'i. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Newman, T. Stell, 1974. Report of the Hawai'i State Historic Preservation Officer on the Matter of the Proposed H-3 Project and its Effect on Moanalua Valley/Pōhaku Ka Luahine, O'ahu, Hawai'i. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

- Newman, T. Stell, Dorothy R. Pyle, Anne Takemoto, and Charles W. Kenn, 1973. *Analysis of the Moanalua Historic Landmark Application Significance Statement. Prepared for State of Hawai'i.* Department of Transportation and Department of Land and Natural Resources by State Historic Preservation Office.
- O'Hare, Constance R., Thomas R. Wolforth, and Paul H. Rosendahl, 1996. *Phase II Intensive Survey and Testing, Naval Air Station, Barbers Point.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.
- O'Hare, Constance R., David Shideler, and Hallett H. Hammatt, 2003a. *Archaeological Data Recovery Plan for the Proposed Nimitz Highway Water System Improvements, Part I, Downtown Honolulu, Nu'uanu Ahupua'a, District of Kona, Island of O'ahu (TMK 1-5-08, 1-7-01, 2-1-02).* Cultural Surveys, Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance R., David W. Shideler, and Hallett Hammatt, 2003b. *Data Recovery Plan for the Proposed Iwilei Senior Housing Project Kapālama Ahupua'a, Kona District, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance, R., Douglas, Borthwick and Hallett Hammatt, 2003c. *Archaeological Inventory Survey of a Property in Waikīkī Ahupua'a, 'Ili of Kewalo, Kona District, O'ahu (TMK 1-2-3-10:28, 48, 50-56).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance R., Tony Bush, Douglas Borthwick, and Hallett H. Hammatt, 2004a. *Archaeological Inventory Survey for the Ko'olani Condominium Project, Honolulu Ahupua'a, Kona District, Island of O'ahu, (TMK 2-3-04:73: 2-3-05:27; 2-3-06:14; 2-3-07:2).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance R. Todd Tulchin, and Hallett H. Hammatt, 2004b. *Documentation of Plantation Infrastructure at Kapolei, Hono'uli'uli Ahupua'a, District of 'Ewa, O'ahu, TMK: (1) 9-1-015:004.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2005a. *An Archaeological Assessment and Cultural Impact Evaluation for the Proposed I-H1 Addition and Modification of Highway Accesses, Palailai Interchange/Makakilo Interchanges, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu, TMK: (1) 9-1-015: 004 (por.), 017 (por.) and 9-1-016:006 (por.), 024 (por.).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance, R., Todd Tulchin, David W. Shideler, and Hallett H. Hammatt, 2005b. *Literature Review and Field Check Regarding Historic Preservation Concerns at Certain Lands at Kapolei, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006a. *An Archaeological Inventory Survey For the East Kapolei Project, Hono'uli'uli Ahupua'a*, 'Ewa District, Island of O'ahu, TMK: (1) 9-1-010:001, 9-1-017:004, 059, 072; 9-1-018:001, 004, 9-2-001:001. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

- O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006b. *Archaeological Assessment and Cultural Impact Evaluation for the Kamōkila Boulevard Extension Project at Kapolei, Honoʻuliʻuli Ahupuaʻa, 'Ewa District Oʻahu, TMK: (1) 9-1-016:001, 012, 032.* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.
- O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006c. *Inventory Survey Plan in Support of The Queen's Medical Center Redevelopment Project, Honolulu (Kona) District, Honolulu Ahupua'a, Island of O'ahu, TMK: 1-2-1-018:048; 1-2-1-035:001, 003-008, and 010; 1-2-1-037:002.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Hare, Constance R., David W. Shideler, and Hallett H. Hammatt, 2006d. *Monitoring Plan in Support of The Queen's Medical Center Redevelopment Project, Honolulu (Kona) District, Honolulu Ahupua'a, Island of O'ahu, TMK: 1-2-1-018:048; 1-2-1-035:001, 003-008, and 010; 1-2-1-037:002.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Leary, Owen L., and Hallett H. Hammatt, 2004. *Archaeological Monitoring Report* for the Emergency Phase Rehabilitation of Street Unit 9 Phase I Kapi 'olani Boulevard From Kālakaua Avenue to Kameke 'e Street, Honolulu Ahupua 'a, Kona District, O 'ahu. Cultural Surveys Hawai'i Kailua, O 'ahu, Hawai'i.
- O'Leary, Owen, and Hallett H. Hammatt, 2006a. *Archaeological Inventory Survey Addendum for the Capitol Place (HECO Parcel) 0.3-Acres Honolulu Ahupua'a, Kona District, O'ahu Island, TMK: [1] 2-1-009:011.* Cultural Surveys Hawai'i, Inc. Kailua, Hawai'i.
- O'Leary, Owen L., and Hallett H. Hammatt, 2006b. Archaeological Inventory Survey for the Approximately 4-acre Moana Vista Project Area on Kapi 'olani Boulevard, Honolulu Ahupua'a, Kona District, O'ahu Island. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.
- O'Leary, Owen, L., Rodney Chiogioji, Douglas F. Borthwick, and Hallett H. Hammatt, 2005. *Archaeological Inventory Survey of a 1-Acre Parcel, 2284 Kalākaua Avenue, Waikīkī, Kona District, Island of Oʻahu*. Cultural Surveys Hawaiʻi Kailua, Oʻahu, Hawaiʻi.
- OMPO, 1984. *HALI 2000 Study Alternatives Analysis Final Report*. O'ahu Metropolitan Planning Organization.
- OMPO, 1995. O'ahu Regional Transportation Plan. O'ahu Metropolitan Planning Organization.
- Oppenheimer, Nathan E., 1976. *Makauea Island, A Historical Study*. Prepared for Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Oshima, Neal, 1976. Archaeological Reconnaissance Survey of Portions of North Hālawa Valley, 'Ewa District, Island of O'ahu. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Ostroff, Brad, James R. Moore, and Joe Kennedy, 2001a. A Report Concerning the Inadvertent Discovery of Human Remains at the Filipino Community Center Located at TMK 9-4-161:001 in Waikele Ahupua'a, 'Ewa District, Island of O'ahu. Archaeological Consultants Hawai'i, Inc., Haleiwa, Hawai'i.

Ostroff, Brad, Michelle Elmore, and Joseph Kennedy, 2001b. *An Inventory Survey at Pu'u Kapolei/Barrette, (TMK 9-1-16:02, 21 and 22), Hono'uli'uli Ahupua'a, 'Ewa District, Island of O'ahu*. Archaeological Consultants of the Pacific Inc., Hale'iwa, Hawai'i.

Ostroff, Bradford L., Eric W. West, and Alice K. S. Roberts, 2002. *Report of Archaeological Monitoring for King Street 24-inch Waterline Project Honolulu, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

Pantaleo, Jeffrey, 1989. Archaeological Monitoring and Subsurface Testing for the Chinatown Gateway Plaza Project (TMK 2-1-03:15, 23, 24, 25), Honolulu, Kona, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Pantaleo, Jeffrey, and Aki Sinoto, 1993. Archaeological Inventory Survey for the Proposed Off-Site Drainage System, 'Ewa Gentry East, Hono'uli 'uli, 'Ewa, O'ahu Island. Aki Sinoto Consulting, Honolulu.

Pantaleo, Jeffrey, and Aki Sinoto, 2002. Archaeological Monitoring Plan for the Proposed Renovation of the Old Federal Building Site 50-80-14-9952, Downtown Honolulu, Kona District, Oʻahu Island. Archaeological Consultants of Hawaiʻi, Haleiwa, Hawaiʻi.

Perzinski, David, and Hallett H. Hammatt, 2004. *Archaeological Inventory Survey for the Kākā 'āko Fire Station Renovation Project, Honolulu, Hawai 'i (TMK 2-1-031:015 and 018)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Perzinski, David, Matt McDermott, Rodney Chiogioji, and Hallett H. Hammatt, 1999. Archaeological Monitoring Report for Anti-Crime Street Lighting Improvements along Portions of Ala Wai Boulevard, Kālakaua Avenue, Ala Moana Boulevard and 'Ena Road, Waikīkī, O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, David, Rodney Chiogioji, and Hallett H. Hammatt, 2004. *Archaeological Inventory Survey for the 13.2 19 Acre Queen Emma Foundation Parcel in Waipi 'o Ahupua'a, 'Ewa District, O'ahu Island (TMK 9-4-038:083 and 9-4-050:059).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, David, Constance R. O'Hare, and Hallett H. Hammatt, 2006. *Data Recovery Report for SIHP Sites 50-80-09-6672 and -6673 in Waipi 'o Ahupua 'a, 'Ewa District, O'ahu Island (TMK [1] 9-4-050:059)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, and Hallett H. Hammatt, 2001a. *Archaeological Monitoring Report for the Kapi 'olani Bandstand Redevelopment Project, Waikīkī, Waikīkī Ahupua'a, Kona District, O'ahu (TMK 3-1-43)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, and Hallett H. Hammatt, 2001b. *Archaeological Monitoring Report for the Re-Internment Facility for the Waikīkī Iwi Kupuna, Kapiolani Park, Waikīkī, Island of Oʻahu (TMK: 3-1-43:1)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Perzinski, Mary, and Hallett H. Hammatt, 2001c. *Archaeological Monitoring Report for Street Light Improvements Along a Portion of Kalākaua Avenue Between the Natatorium to Poni Mo'i Road, Waikīkī, Island of Oʻahu (TMK 3-1-031, 032 and 043)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Perzinski, Mary, and Hallett H. Hammatt, 2002. Archaeological Monitoring Plan for Sidewalk Improvements at the Intersection of Maunakea Street and Pauahi Street, Historic Chinatown District, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, Matthew McDermott, David Shideler, and Hallett Hammatt, 2000a. *Archaeological Inventory Survey Report for the "Block J" Redevelopment Project Located at the Corner of Pali Highway and Beretania Street, Honolulu, Ahupua'a of Nu'uanu, Island of O'ahu, TMK 2-1-09:18 (State Site Number 50-80-14-5760).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, David W. Shideler, John Winieski, and Hallett H. Hammatt, 2000b. Burial Findings During the Excavation of a 16th Watermain on an Approximately 915 Meter (3,000 Ft.) Long portion of Kalākaua Avenue Between Kai'ulani and Monsarrat Avenues Associated with the Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupua'a, Kona District, Island of O'ahu, (TMK 2-6-1, 2-6-22, 2-6-23, 2-6-26, 2-6-27, and 3-1-43). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Perzinski, Mary, Matt McDermott, David W. Shideler, and Hallett H. Hammatt, 2005. Archaeological Data Recovery Report for the Capital Place Development Project located at the Corner of Pali Highway and Beretania Street, Honolulu, Ahupua'a of Nu'uanu, District of Kona, Island of O'ahu. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Peterson, John A., Carol M. Magnuson, and M. J. Tomanari-Tuggle, 2002. Archaeological Monitoring Plan for the Proposed Waiau Fuel Pipeline, 'Ewa District, Island of O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Pfeffer, Michael T., Douglas F. Borthwick, and Hallett H. Hammatt, 1993. *An Archaeological Summary of the Kākā'āko Improvement District 1 Monitoring, Kākā'āko, O'ahu, Hawai'i (TMKs 2-1-29 to 2-1-32, 2-1-46 to 1-2-48, 2-1-51, 2-1-54, and 2-1-55), for Hawai'i Community Development Authority, Revised Sept. 1993.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Pietrusewsky, Michael, 1992a. A Mandible Fragment found at the Sheraton Moana Surfrider Hotel, Waikīkī. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Pietrusewsky, Michael, 1992b. *Human Remains from the Lili 'uokalani Gardens Site*, *Hamohamo, Waikīkī, O'ahu*. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Pietrusewsky, Michael, and Michele Douglas, 1989. A Human Skeleton Found At The River-Nimitz Construction Site, Honolulu, O'ahu. University of Hawai'i, Honolulu.

Pietrusewsky, Michael, and Mark Mahoney, 1988 *Human Skeletal Remains from Leeward Community College, Pearl City, O'ahu.* University of Hawai'i, Honolulu.

Putzi, Jeffrey L., and Paul Cleghorn, 2002. Archaeological Monitoring of Trench Excavations for Sewer Connections Associated with the Hilton Hawaiian Village Improvements. Pacific Health Research Institute, Hilo, Hawai'i.

Putzi, Jeffery L., and Thomas S. Dye, 2004. *Archaeological Monitoring Report for Architectural Barrier Removal Work at Ali'iōlani Hale in Downtown Honolulu.* T.S. Dye & Colleagues, Archaeologists, Inc., Honolulu.

Rasmussen, Coral M., 2005. Archaeological Monitoring for the Asia-Pacific Center for Security Studies Perimeter Barrier Wall at Fort DeRussy, Waikīkī, Kona, Island of O'ahu. International Archaeological Research Institute, Inc., Honolulu.

Rasmussen, Coral M., and Myra J. Tomonari-Tuggle, 2006. *Archaeological Monitoring of Waiau Fuel Pipeline*, *'Ewa District, Island of O'ahu*. International Archaeological Research Institute, Inc., Honolulu.

Rechtman, Robert B., and Jack D. Henry, 1998. *Archaeological Reconnaissance Survey, Red Hill Fuel Storage Area and 'Ewa Drum Filling and Fuel Storage Area, Lands of Waipi'o, Wai'awa, Hālawa, 'Ewa District and Moanalua, Honolulu District, Island of O'ahu*. Paul H. Rosendahl, Ph.D., Inc., Hilo, Hawai'i.

Rechtman, Robert, and Thomas R. Wolforth, 1999. *Archaeological Monitoring of Trenching for the Digester Repair at the Wastewater Treatment Plant at Fort Kamehameha, Oʻahu.* Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

Riford, Mary F., 1989. *Pre-Field Background Literature Search for Archaeological Resources at the Proposed Waikīkī Landmark Property*. Bernice P. Bishop Press, Honolulu.

Riley, Thomas J., Joseph Kennedy, Sandra Ireland, and Etsuko Yoshifuku, 1995. *A Report on Archaeological Data Recovery at Sites 50-80-14-4587 and 50-80-14-4588 for the Kekaulike Revitalization Project, 'Ewa Block, Nu'uanu Ahupua'a, Honolulu District, Island of O'ahu.* Archaeological Consultants of Hawai'i, Hale'iwa, Hawai'i

Roberts, Alice K.S., 2000. Archaeological Monitoring Plan for Grease Pit and Sewerline Connection Excavations Hickam Air Force Base, O'ahu Island, Hawai'i (Contract No. DACA83-00-P-0054). Garcia and Associates (GANDA), Kailua, Hawai'i.

Roberts, Alice K.S., 2001. Archaeological Monitoring for Grease Pit Excavations at Building 1654 Hickam Air Force Base, O'ahu Island, Hawai'i (Contract No. DACA83-00-P-0054). Garcia and Associates (GANDA), Kailua, Hawai'i.

Roberts, Alice K. S., and Patrick Bower, 2001. *Archaeological Monitoring During Installation of Security Fence at the Asia-Pacific Center Fort DeRussy, O'ahu Island, Hawai'i (Contract No. DACA83-00-P-0053)*. Garcia and Associates, Honolulu.

Roberts, Alice K., S, Katherine S. Brown, and Eric W. West, 2002. *Archaeological Monitoring and Sampling for Outside Cable Rehabilitation (Oscar) Project, Marine Corps Base Hawai'i (MCBH-KB), Kaneohe Bay, Ko'olaupoko District, Island of O'ahu, Hawai'i.* Garcia and Associates (GANDA), Kailua, Hawai'i.

Rogers-Jourdane, Elaine, 1978. Archaeological Walk-through Survey of Grounds of the Halekūlani Hotel, Waikīkī, Oʻahu. Bernice P. Bishop Museum, Honolulu.

Rosendahl, Margaret L.,K., 1988. Archaeological Study of Alternative Corridors Honolulu Rapid Transit Development Project, Honolulu, Island of Oʻahu. Paul H. Rosendahl, Ph.D., Inc. Hilo, Hawaiʻi.

Rosendahl, Paul H., 1971. A Report on the Archaeological Excavation and Exploration of the Old Carriage Road at 'Iolani Palace. Anthropology Department, Bernice P. Bishop Museum, Honolulu.

Rosendahl, Paul, 1987a. Archaeological Reconnaissance Survey for Environmental Impact Statement, Kapolei Village Master Plan Project, Hono'uli'uli. 'Ewa District, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1987b. Archaeological Reconnaissance Survey, Ko Olina Resort Phase II Development Site, Hono'uli'uli, 'Ewa District, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1987c. Archaeological Reconnaissance Survey for Environmental Impact Statement, West Loch Estates - Residential Increments I and II. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1987d. Preliminary Archaeological Reconnaissance Survey for Environmental Assessment, 'Ewa Town Center/Secondary Urban Center, Land of Hono'uli, 'Ewa, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1988. A Proposal for West Loch Estates Mitigation Program Residential Increments I & II and Golf Course & Shoreline Park. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1989. Preliminary Report Upon Completion of Field Work Hale Koa Hotel Site Subsurface Inventory Survey Kālia, Land of Waikīkī, District of Kona. Paul H. Rosendahl, Ph.D. Inc., Hilo, Hawai'i.

Rosendahl, Paul H.,1990. Archaeological Survey Kapolei Golf Course Addition, Hono'uli'uli, 'Ewa District, Island of O'ahu.. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Rosendahl, Paul, 1992. Archaeological Monitoring of Mechanical Loop Excavations Hilton Hawaiian Village. Pacific Health Research Institute, Hilo, Hawai'i.

Rosendahl, Paul, 1999. *Interim Report: Hale Koa Hotel Subsurface Inventory Survey-Luau Facility, Kālia, Land of Waikīkī, District of Kona, Island of Oʻahu*. Paul H. Rosendahl, Ph.D. Inc., Hilo, Hawaiʻi.

Rosendahl, Paul, 2001. Archaeological Assessment Study Waikīkī Beach Walk Project, Land of Waikīkī, Honolulu (Kona) District, Island of Oʻahu. Paul H. Rosendahl, Ph.D. Inc., Hilo, Hawaiʻi.

Rosendahl, Paul, 2002. Cultural Impact Assessment Study HECO Waiau Fuel Pipeline Project: State Energy Corridor: Campbell Industrial Park to HECO's Waiau Power Plant. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Schilz, Allan, 1991a. Archaeological Literature and Archival Review, Mōʻiliʻili and Waikīkī Districts, Honolulu. Environmental and Energy Services Company, Inc., Honolulu., 1991. Archaeological Literature and Archival Review TMK:2-7-16,17. Environmental and Energy Services Company, Inc., Honolulu.

Schilz, Allan J., 1991b. *An Evaluation of the Archaeological Resources at the Proposed Site of Queen Emmalani Tower, Kākā'āko, Honolulu, Hawai'i.* ERC Environmental and Energy Services Company, Honolulu.

Seelye, Michael D., 1968. *The Archaeology of Kona. The Preliminary Archaeology of Hale Akala, The Royal Bungalow.* University of Hawai'i, Dept. of Anthropology,

Shideler, David W., and Hallett H. Hammatt, 2002. *Archaeological Assessment of the Proposed Middle Street Transit Center, Kalihi Ahupua'a, Kona District, O'ahu, (TMK: 1-2-18: 1,2,3,8,9 & 10)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Shun, Kanalei, and T. Jackson, 1992. Post Field Summary Report Of Archaeological Data Recovery Operations At Kahauiki Terraces Ft. Shafter, Kalihi, Oʻahu. BioSystems Analysis, Inc., Santa Cruz, California.

Simons, Jeannette, 1988. *Interim Field Summary of Archaeological Monitoring and Data Recovery at the Moana Hotel Historical Rehabilitation Project, Oʻahu, Waikīkī*. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Simons, Jeanette, Carol Kawachi, Katherine Rogers, Gwen Hurst, and Jane Allen, 1991. Historical Research, Archaeological Monitoring and Artifact Analysis, Armed Forces YMCA Rehabilitation Project, Downtown Honolulu, Oʻahu. Applied Research Group, Bernice P. Bishop Museum, Honolulu.

Simons, Jeannette A., Paul L. Cleghorn, Robert J. Jackson, and Thomas L. Jackson, 1995. *Archaeological Data Recovery Excavations at Fort DeRussy, Waikīkī, Oʻahu, Hawaiʻi*. BioSystems Analysis, Santa Cruz, California.

Sinoto, Aki, 1977. Archaeological Surveillance and Salvage during Trenching and Installation of Service Conduit for 'Iolani Barracks, Grounds of 'Iolani Palace. Bernice P. Bishop Museum, Honolulu.

Sinoto, Aki, 1986. Archaeological Surface Survey of the Proposed Pearl Promenade, Kalauao, 'Ewa, O'ahu. Bernice P. Bishop Museum, Honolulu.

Sinoto, Aki, 1988. Surface Survey of Proposed 'Ewa Golf Course, Hono 'uli 'uli, 'Ewa, O 'ahu. Letter Report. Bernice P. Bishop Museum, Honolulu.

Sinoto, Aki, 1989. *Cultural Resources Reassessment for the 1989 Ford Island Causeway Study*. Bernice P. Bishop Museum, Honolulu.

Sinoto, Aki, 1995. Archaeological Monitoring Plan for the Proposed Off-Site Drainage System 'Ewa Gentry East, Hono 'uli 'uli, 'Ewa, O 'ahu. Aki Sinoto Consulting, Honolulu.

Sinoto, Akihiko, and Barry Nakamura, 1984. *Cultural Resources Assessment for the Proposed Ford Island Causeway Pearl Harbor, 'Ewa, O'ahu Island.* Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Smith, Helen Wong, and Paul H. Rosendahl, 1990. *Aloha Tower Complex Historical Assessment, Honolulu Harbor, Island of Oʻahu, TMK 2-1-01*. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawaiʻi.

Smith, Marc, 1989. *Human Bone at 1341 Kapi 'olani Ave., Honolulu, O 'ahu*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Somer, Lonnie, and Sara Collins, 1993. *Analysis of Osteological Faunal Remains from Bishop Museum Site 50-0a-B1-123, North Hālawa Valley, 'Ewa, O'ahu.* Bernice P. Bishop Museum, Honolulu.

Souza, Kēhaulani, Mary Perzinski, and Hallett H. Hammatt, 2002. *An Archaeological Monitoring Report for the Kākā 'āko Improvement District 7 Project (TMK 2-1-58, 2-3-01 thru 05)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Souza, Kēhaulani E., Constance R. O'Hare, David W. Shideler, and Hallett H. Hammatt, 2005. *Cultural Impact Assessment for the 'Ewa Gentry Drainage Ditch, 'Ewa District, Hono'uli'uli Ahupua'a, O'ahu Island, (TMK [1] 9-1-010:004, 014, 015: and 9-1-017:012)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Souza, Kēhaulani E., and Hallett H. Hammatt, 2006. *Cultural Impact Assessment for the Proposed 339-Acre West Kalaeloa Industrial Development, Hono'uli'uli Ahupua'a, 'Ewa District, O'ahu Island, [TMK: (1) 9-1-14:027 & 034, & 9-1-15:001*]. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Spear, Robert, 1993. A Reconnaissance Survey Letter Report, The O'ahu Sugar Mill Project, Waipahu, Hawai'i. Scientific Consultant Services, Honolulu.

Spear, Robert, 1994. An Addendum to: the Reconnaissance Survey Letter Report for the Waikele Industrial Subdivision, Waipahu, Oʻahu, Hawaiʻi [TMK 9-4-02: Por. Of 4]. Scientific Consultant Services, Inc., Honolulu.

Spear, Robert L., 1996a. *Archaeological Reconnaissance and Assessment of the H.F.D.C-East Kapolei Development Project*. Scientific Consulting Services, Honolulu.

Spear, Robert L., 1996b. A Cultural Resources Review of Properties Considered for Development at Kapolei. Letter Report. Scientific Consulting Services, Honolulu.

Spilker, Charles J., 1974. *Iolani Palace Moat Wall Waterproofing Project:* Archaeological Salvage. TMK: 2-1-25. Prepared for Friends of Iolani Palace and Iolani Palace Restoration Project by Charles J. Spilker.

Sprinkle, John H., 1996. *Cultural Resource Investigation Honolulu, Hawai'i Proposed Detention Facility, TMK 1-1-1-003; -004:; 1-2-1-015.* Louis Berger & Associates, Honolulu.

State of Hawai'i, Hawai'i Community Development Authority, and U.S. Department of Housing and Urban Development, 1985. *Final Supplemental Environmental Impact Statement for the Kākā'āko Community Development District Plan an Addendum to the Final Environmental Impact Statement*. Hawai'i Community Development Authority and U.S. Department of Housing and Urban Development.

State Historic Preservation Division (SHPD), 1991. Non Human Bones found in Waikīkī. State Historic Preservation Division, Kapolei, Hawai'i., 1987. Kalākaua Avenue Gas Pipe Excavation Burial. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawai'i.

Sterling, Elspeth, and Catherine Summers, 1978. *Sites of O'ahu*. Department of Anthropology, Bernice P. Bishop Museum, Honolulu.

Streck, Charles, 1992. Human Burial Discovery during Archaeological Data Recovery Excavations at Fort DeRussy, Waikīkī, Oʻahu Island, Hawaiʻi, 20 May 1992. Department of Land and Natural Resources, State Historic Preservation Division, Kapolei, Hawaiʻi.

Terry, Daniel, Constance R. O'Hare, and Hallett H. Hammatt, 2004. *Archaeological Monitoring Plan for Punchbowl Street Improvements, Phase 2,b Downtown Honolulu*,

Oʻahu Island, Hawaiʻi, (TMK 2-1-15, 25-27, & 29-33). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Tome, Guerin and Michael Dega, 2003. *Archaeological Monitoring Report for Construction Work at the Waikīkī Marriot, Waikīkī, Manoa Ahupua'a, Honolulu District, O'ahu*. Scientific Consultant Services Inc., Honolulu.

Tomonari-Tuggle, Myra J., 1983. *Block J Downtown Honolulu: An assessment of Archaeological Potential.* Manuscript prepared for Home Properties by Myra J. Tomonari-Tuggle, Honolulu.

Tomonari-Tuggle, Myra, 1998. Archival Background Research for The Honolulu Airport Post Office, Island of Oʻahu, Hawaiʻi. FINAL. International Archaeological Research Institute, Inc., Honolulu.

Tomonari-Tuggle, Myra, and David Tuggle, 1996. *Archaeological Monitoring Plan for Removal of Underground Storage Tanks at Wheeler Army Air Field, Helemano Military Reservation and Fort Shafter Flats, Oʻahu, Hawaiʻi.* International Archaeological Research Institute, Inc., Honolulu.

Tuggle, H. David, 1994. Archaeological Inventory Survey for Construction Projects at Naval Air Station Barbers Point, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Tuggle, H. David, 1997. Archaeological Inventory Survey for Construction Projects at Naval Air Station Barbers Point, Oʻahu, Hawaiʻi. International Archaeological Research Institute, Inc., Honolulu.

Tuggle, H. David, and Myra J. Tomonari-Tuggle, 1997. *Synthesis of Cultural Resource Studies of the 'Ewa Plain, Task 1a: Archaeological Research Services for the Proposed Cleanup, Disposal and Reuse of Naval Air Station Barbers Point, O'ahu, Hawai'i.* International Archaeological Research Institute, Inc., Honolulu.

Tuggle, H. David, Myra J. Tomonari-Tuggle, and D. Colt Denfeld, 1994. *Cultural Resources of Naval Air Station Barbers Point, O'ahu, Assessment and Inventory Research Design, Task 1b: Archaeological Research Services for the Proposed Cleanup, Disposal and Reuse of Naval Air Station Barbers Point, O'ahu, Hawai'i.* International Archaeological Research Institute, Inc., Honolulu.

Tuggle, H. David, Myra J. Tomanari-Tuggle, D. Colt Denfeld, and Ann Yoklavich, 1997. A Cultural Resource Inventory of Naval Air Station, Barbers Point, O'ahu, Hawai'i; Part I: Phase I Survey and Inventory Summary. International Archaeological Research Institute, Inc., Honolulu.

Tulchin, Jon, and Hallett H. Hammatt, 2003. *Archaeological and Cultural Impact Assessment of a 1-Acre Parcel, 2284 Kalākaua Avenue, Waikīkī, Kona District, Island of Oʻahu*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Tulchin, Jon, and Hallett H. Hammatt, 2004. *Literature Review and Field Check for the Kapi 'olani Area Revised Sewer System, Honolulu Ahupua'a, Kona District, Island of O'ahu (TMK: 2-3-04, 05,07 09,10,13,14,17,18,22,35,36 and 38)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Tulchin, Jon, and Hallett H. Hammatt, 2005. *Addendum to an Archaeological Inventory Survey for the Koʻolani Condominium Project, Honolulu Ahupuaʻa, Kona District, Island Of Oʻahu (Portions of TMKs 2-3-04:73, 2-3-05:27, 2-3-06:14, 2-3-07:2).* Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Tulchin, Todd, Douglas Borthwick, and Hallett H. Hammatt, 2004. *Archaeological Data Recovery Report for Site 50-80-14-6407 Feature A at an approximately 71,000-sq. ft. Parcel in Waikīkī Ahupua'a, Kona District, Island of O'ahu.* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

- U.S. Department of the Navy, PACDIV, Naval Facilities Engineering Command, 1978. *U.S. Naval Base, Pearl Harbor National Historic Landmark, Historic Preservation Plan.* Pacific Division, Naval Facilities Engineering Command, Pearl Harbor, Hawai'i.
- U.S. Department of the Navy, PACDIV, Naval Facilities Engineering Command, 1998. Draft Environmental Impact Statement for the Disposal and Reuse of Naval Air Station, Barbers Point, Hawai'i. Pacific Division, Naval Facilities Engineering Command, Pearl Harbor, Hawai'i.
- U.S. Department of the Navy, PACDIV, Naval Facilities Engineering Command, 2000. *Archaeological Monitoring Plan In Support of KNMD 981018R1, Replace POL Pipelines, Hickam Air Force Base (AFB) Hawai'i.* Pacific Division, Naval Facilities Engineering Command, Pearl Harbor, Hawai'i.

Watanabe, Farley, 1986. Archaeological Site Survey and Subsurface Testing for the FY 88 Chapel Center Facility, Fort Shafter, Hawai'i. U.S. Army Engineer District, Honolulu.

Watanabe, Farley, 1986. Archaeological Site Survey and Subsurface Testing for the FY89 Chapel Center Facility and Daycare Center, Fort Shafter. U.S. Army Engineer District, Honolulu.

Welch, David J., 1987. Archaeological Reconnaissance of Former 'Ewa Marine Corps Air Station, Barbers Point Naval Air Station, O'ahu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.

Welch, David J., and H. David Tuggle, 1996. *NAS Barbers Point Cultural Resource Management Plan: Interim Recommendations for Archaeological Site Significance and Historic Preservation Treatment*. International Archaeological Research Institute, Inc., Honolulu.

West, Eric W., and Alice K. S. Roberts, 2002a. *Archaeological Monitoring for the Installation of KNMD 97-4011*, *M/R Waterline and Hydrants, MFH Hickam Air Force Base, Oʻahu Island, Hawaiʻi.* Garcia and Associates (GANDA), Kailua, Hawaiʻi.

West, Eric W., and Alice K. S. Roberts, 2002b. *Archaeological Monitoring for Hickam Alert Aircraft Terminal (HAAT) Security System Installation Project, Hickam Air Force Base, Oʻahu Island, Hawaiʻi*. Garcia and Associates (GANDA), Kailua, Hawaiʻi.

West, Eric W., Bradford L. Ostroff, and Alice K.S. Roberts, 2002. *Report of Archaeological Monitoring for King Street 24-Inch Waterline Project Honolulu, Hawai'i.* Garcia and Associates, Kailua, Hawai'i.

Wickler, Stephen, 1991. Vegetation and Landscape Change in a Leeward Coastal Environment, Paleoenvironmental and Archaeological Investigation, Fort Shafter Flats Sewerline Project, Honolulu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.

Wickler, Stephen, J. Stephen Athens, and Jerome V. Ward, 1991. *Vegetation and Landscape Change in a Leeward Coastal Environment*. International Archaeological Research Institute, Inc. Honolulu.

Wickler, Stephen K., H. David Tuggle, and Gail Murakami, 1996. *A Cultural Resource Inventory of Naval Air Station, Barbers Point, O'ahu, Hawai'i: Part II: Phase II Inventory Survey of Selected Sites.* International Archaeological Research Institute, Inc., Honolulu.

Williams, Scott, 1993. End of Field Summary Report for Monitoring and Testing of CTO-039 Trenching at Pearl Harbor, Oʻahu, Hawaiʻi. Ogden Environmental and Energy Services, Inc., Honolulu.

Williams, Scott, 1994. Results of Subsurface Archaeological Investigations at Pearl Harbor (Trench excavations conducted in conjunction with Subsurface Fuel Investigations NAVBASE), Appendix H. Ogden Environmental and Energy Services, Inc., Honolulu.

Williams, Scott, and Lisa Anderson, 1997. *Archaeological Monitoring and Sampling During Construction for FY88 SR PN67 Warehouse/Administrative Facility, Shafter Flats, Oʻahu Island, Hawaiʻi.* Ogden Environmental and Energy Services Co. Inc. Honolulu.

Winieski, John P., and Hallett H. Hammatt, 2000a. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 3 Pohulani Elderly Rental Housing and Kauhale Kākā 'āko, Honolulu, O 'ahu, Hawai 'i (TMK 2-1-30, 31, 32, 44, 46, 47, 48, 50, 51, 52, 54).* Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John, and Hallett H. Hammatt, 2000b. *An Archaeological Monitoring Plan for Ward Village Phase II, (Ward Theaters) Kākā 'āko, Honolulu, O 'ahu, Hawai 'i, (TMK 2-3-02:1)*. Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Winieski, John P., and Hallett H. Hammatt, 2000c. *An Archaeological Monitoring Report for Kākā 'āko Improvement District 4, Honolulu, Hawai 'i (TMK 2-3-02 thru 05)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John P., and Hallett H. Hammatt, 2000d. *Archaeological Monitoring Report* for the Public Baths Waste Water Pumping Station Force Main Replacement, Waikīkī, Honolulu, Oʻahu, Hawaiʻi (TMK 2-6-25, 26, and 27, and 3-1-31, 43). Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Winieski, John, and Hallett H. Hammatt, 2001a. *An Archaeological Monitoring Report* for the Nimitz Highway Reconstructed Sewer, Honolulu, O'ahu, Hawai'i (TMK 1-7-02,03 and 2-1-02, 13-16, 25, 27,29-32). Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Winieski, John P., and Hallett H. Hammatt, 2001b. *Archaeological Monitoring Report for Ward Village Phase II, (Ward Theaters), Kākā 'āko, Honolulu, O 'ahu, Hawai 'i (TMK 2-3-02:1)*. Cultural Surveys Hawai 'i, Inc., Kailua, Hawai 'i.

Winieski, John P., Patricia Kalima, and Hallett H. Hammatt, 1996. *An Archaeological Summary of the Burial Disinterments and Construction Monitoring at the Homakaha Affordable Housing and American Brewery Renovation Project, Honolulu, Oʻahu (TMK 2-1-31:21)*. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Winieski, John, Mary Perzinski, David Shideler, and Hallett H. Hammatt, 2002a. Archaeological Monitoring Report for the Installation of a 16-inch Water Main on an Approximately 915 meter (3,000ft) Long Portion of Kalākaua Avenue Between Kaʻiulani and Monsarrat Avenues Associated with the Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupuaʻa, Kona District, Island of Oʻahu. Cultural Surveys Hawaiʻi, Inc., Kailua, Hawaiʻi.

Winieski, John, Mary Perzinski, Kēhaulani Souza, and Hallett H. Hammatt, 2002b. *Archaeological Monitoring Report, The Kūhiō Beach Extension/Kalākaua Promenade Project, Waikīkī Ahupua'a, Kona District, Island of O'ahu (TMK 2-6-1-, 2-6-22, 2-6-23, 2-6-26, 2-6-27, 3-1-43).* Cultural Surveys Hawai'i, Inc., Kailua, Hawai'i.

Wolforth, Thomas R., and Alan E. Haun, 1996. *Archaeological Inventory Survey for the Kamoku-Pūkele 138-kV Transmission Line Alignments, Lands of Mānoa, Pālolo, and Waikīkī, Honolulu District. Oʻahu.* Paul H. Rosendahl Ph.D. Inc, Hilo, Hawaiʻi.

Wulzen, Warren, and Paul H. Rosendahl, 1995. Archaeological Assessment at Seven BRAC 93 Project Areas at Lualualei Naval Weapons Magazine, West Loch Station, Naval Air Station Barbers Point, and Marine Corps Base Hawai'i, Kaneohe Bay. Land of Hono'uli'uli, 'Ewa District: and Lands of Kanē'ohe and He'eia, Ko'olau Poko District, Island of O'ahu. Paul H. Rosendahl, Ph.D., Inc, Hilo, Hawai'i.

Yent, Martha, 1985. Burial Excavations at the Honolulu Ironworks Construction Site, Honolulu, Oʻahu. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Yent, Martha, and Jason Ota, 1981. *A Reconnaissance of the Proposed RainbowBay State Park*. Department of Land and Natural Resources, Division of State Parks, Honolulu.

Yoklavich, Ann K., Robert Drolet, and Patricia Drolet, 1992. *Preliminary Report Cultural Resources Management Overview Survey, Naval Air Station Barbers Point, Oʻahu, Hawaiʻi*. Ogden Environmental and Energy Services, Inc., Honolulu.

Yost, Harold, 1971. *The Outrigger Canoe Club of Honolulu, Hawai'i.* Outrigger Canoe Club, Inc., Honolulu.

Appendix A

List of PDF Maps

Appendix A maps submitted on CD Folder: Alternative 3 – All Maps

Master Key

Index of Alternative 3 Maps

Waiawa 1C to Halawa Stream

Map 1. Previous Archaeology

Map 1. Soil Maps

Map 2. Previous Archaeology

Map 2. Soil Maps

Map 3. Previous Archaeology

Map 3. Soil Maps

Map 4. Previous Archaeology

Map 4. Soil Maps

Map 5. Previous Archaeology

Map 5. Soil Maps

Waiawa 1C to Halawa Stream,

Hālawa Stream to Pacific Street

Map 6. Previous Archaeology

Map 6. Soil Maps

Hālawa Stream to Pacific Street

Map 7. Previous Archaeology

Map 7. Soil Maps

Map 8. Previous Archaeology

Map 8. Soil Maps

Map 9. Previous Archaeology

Map 9. Soil Maps

Map 10. Previous Archaeology

Map 10. Soil Maps

Folder: Alternative 3 - All Maps

Map 11. Previous Archaeology

Map 11. Soil Maps

Map 12. Previous Archaeology

Map 12. Historic Maps

Map 12. Soil Maps

Map 13. Previous Archaeology

Map 13. Historic Maps

Map 13. Soil Maps

Folder: Maps by Theme

Alternative 3

Alternative 3 - Index Sheet

Master Key

Alternative 3 - Historic Maps

Alternative 3 - Previous Archaeology

Alternative 3 - Soil Maps

Alternative 4

Alternative 4 - Index Sheet

Master Key

Alternative 4 - Historic Maps

Alternative 4 - Previous Archaeology

Alternative 4 - Soil Maps

Folder: Alternative 4 – All Maps Folder: Alternative 4 – All Maps Master Key Index of Alternative 4 Maps Section 1 Section 3 Map 1. Previous Archaeology Map 19. Previous Archaeology Map 19. Soil Maps Map 1. Soil Maps Map 20. Previous Archaeology Map 2. Previous Archaeology Map 2. Soil Maps Map 20. Soil Maps Map 21. Previous Archaeology Map 3. Previous Archaeology Map 3. Soil Maps Map 21. Soil Maps Map 4. Previous Archaeology Map 22. Previous Archaeology Map 4. Soil Maps Map 22. Soil Maps Map 5. Previous Archaeology Map 23. Previous Archaeology Map 5. Soil Maps Map 23. Soil Maps Map 6. Previous Archaeology Section 3/Section 4 Map 6. Soil Maps Map 24. Previous Archaeology Map 7. Previous Archaeology Map 24. Soil Maps Map 7. Soil Maps Map 25. Previous Archaeology Map 8. Previous Archaeology Map 25. Soil Maps Map 8. Soil Maps Section 4 Map 26. Previous Archaeology Map 9. Previous Archaeology Map 9. Soil Maps Map 26. Historic Maps Section 2 Map 26. Soil Maps Map 27. Previous Archaeology Map 10. Previous Archaeology Map 10. Soil Maps Map 27. Historic Maps Section 1/Section 2 Map 27. Soil Maps Map 11. Previous Archaeology Map 28. Previous Archaeology Map 11. Historic Maps Section 4/ Section 5 Map 11. Soil Maps Map 28. Historic Maps Section 1 Map 28. Soil Maps Map 12. Previous Archaeology Section 5 Map 12. Historic Maps Map 29. Previous Archaeology Map 12. Map 29. Historic Maps Map 29. Soil Maps Section 1 Map 13. Previous Archaeology Map 30. Previous Archaeology Map 13. Soil Maps Map 30. Historic Maps Map 30. Previous Archaeology Section 2 Map 14. Previous Archaeology Map 31. Soil Maps Map 31. Previous Archaeology Map 14. Soil Maps Map 15. Previous Archaeology Map 31. Historic Maps Map 32. Soil Maps Map 15. Soil Maps Map 16. Previous Archaeology Map 32. Previous Archaeology Map 16. Soil Maps Map 32. Historic Maps Map 33. Soil Maps Map 17. Previous Archaeology Map 17. Soil Maps Map 33. Historic Maps Section 2/Section 3 Map 33. Soil Maps

Map 18. Previous Archaeology

Map 18. Soil Maps